

ION DIVISION

ON FORM

ORIGINAL

N OF WELL & LEASE

WELL H AUB 24B

Operator: License # 4058

Name: American Warrior, Inc.

Address: P.O. Box 399

City/State/Zip: Garden City, Kansas 67846-0399

Purchaser: None D/A

Operator Contact Person: Cecil O'Brate

Phone: (316) 275-9231

Contractor: Name: Duke Drilling Co., Inc.

License: 5929

Wellsite Geologist: Al Downing

Designate Type of Completion:

New Well Re-Entry Workover

Oil SWD SIOW Temp. Abd.

Gas ENHR SIGW

Dry Other (Core, WSW, Expl., Cathodic, etc)

Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr/SWD

Plug Back Plug Back Total Depth

Convinigled Docket No. _____

Dual Completion Docket No. _____

Other (SWD or Enhr.?) Docket No. _____

01-11-01 01-24-01 1-25-01

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 033-21183-0000

County: Comanche County, Kansas

N/2 N/2 SW Sec. 28 Twp. 33 S. R. 18 East West

2526 feet from (S) N (circle one) Line of Section

1366 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW (SW)

Lease Name: Dewall Well #: 1-28

Field Name: Wildcat

Producing Formation: None

Elevation: Ground: 1974' Kelly Bushing: 1985'

Total Depth: 6107' Plug Back Total Depth: NA

Amount of Surface Pipe Set and Cemented at 610 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

ACT 1 Dia DW

Chloride content 16,000 ppm Fluid volume 320 bbls

Dewatering method used Hauled Offsite

Location of fluid disposal if hauled offsite:

Operator Name: KBW Oil & Gas

Lease Name: Harmon SWD License No.: 5993

Quarter NW Sec. 11 Twp. 33S S. R. 20W East West

County: Comanche Docket No.: 98329

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____

Title: Production Supt Date: 5-9-02

Subscribed and sworn to before me this 9th day of May

Notary Public: Debra J. Purcell

Date Commission Expires: 11/4/03 **DEBRA J. PURCELL**
Notary Public - State of Kansas
My Appt. Expires 11/4/03

KCC Office Use ONLY

DENY Letter of Confidentiality Attached

If Denied, Yes Date: 5-17-02 DW

Wireline Log Received

Geologist Report Received

UIC Distribution

Operator Name: American Warrior, Inc. Lease Name: Dewall Well #: 1-28
 Sec. 28 Twp. 33 S. R. 18 East West County: Comanche County, Kansas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

ORIGINAL

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:
 Sonic

| Name | Top | Datum |
|------------|-------|-------|
| Heebner | 4358' | -2372 |
| Lansing | 4544' | -2558 |
| Drum | 4776' | -2790 |
| Swope | 4898' | -2912 |
| BKC | 5050' | -3064 |
| Marmaton | 5058' | -3072 |
| Pawnee | 5152' | -3166 |
| Fort Scott | 5188' | -3202 |
| Miss | 5271' | -3285 |
| Viola | 5977' | -3991 |

| CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|---------------------|--------------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Conductor | | 20" | | 40' | | | |
| Surface | 12-1/4" | 8-5/8" | 24# | 610' | Lite Class A | 225 100 | 3%cc 3%cc 2%gel |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|---|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate | | | | |
| <input type="checkbox"/> Protect Casing | | | | |
| <input type="checkbox"/> Plug Back TD | | | | |
| <input type="checkbox"/> Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|---|---|-------|
| | None D/A | | |
| | | | |
| | | | |
| | | | |

| TUBING RECORD | | Size | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
|---|-----------|---|-------------|---------------|---|
| | | None | | D/A | |
| Date of First, Resumed Production, SWD or Enhr. | | Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |

Disposition of Gas Vented Sold Used on Lease (If vented, Sumit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify)

Production Interval _____

ALLIED CEMENTING CO., INC. 5153

Federal Tax I.D.#

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Med Lodge

| | | | | | | | |
|---------------------------|----------------|--------------------|--------------------------------------|---------------------------|----------------------------|--------------------------|----------------------------|
| DATE <u>1-12-01</u> | SEC. <u>28</u> | TWP. <u>33S</u> | RANGE <u>18W</u> | CALLED OUT <u>3:30 AM</u> | ON LOCATION <u>5:30 AM</u> | JOB START <u>9:30 AM</u> | JOB FINISH <u>10:00 AM</u> |
| LEASE <u>DEEWALL</u> | | WELL # <u>1-28</u> | LOCATION <u>Coldwater Ss to Jet.</u> | | COUNTY <u>Lamar</u> | STATE <u>KS</u> | |
| OLD OR (NEW) (Circle one) | | | <u>2S 2E 15 1/2 E 2/3</u> | | | | |

CONTRACTOR Duke #5
 TYPE OF JOB Surface
 HOLE SIZE 12 3/4 T.D. 615
 CASING SIZE 8 3/8 DEPTH Call
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL Baffle DEPTH 571.76
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT 39.09
 CEMENT LEFT IN CSG.
 PERFS.
 DISPLACEMENT 36 BBLs Fresh H₂O

OWNER American Warrior
 CEMENT
 AMOUNT ORDERED 225 5x 65.35.6 + 3% CC + 1/4" Flo-seal 100 5x Class A 3% cc + 2% gel

EQUIPMENT

PUMP TRUCK CEMENTER Justin Hart
 # 359-265 HELPER Mark Brangardt
 BULK TRUCK
 # 240-250 DRIVER Mike Rucker
 BULK TRUCK
 # DRIVER

| | | | | |
|-----------------|-----------------|---|--------------|----------------|
| COMMON A | <u>100</u> | @ | <u>6.35</u> | <u>635.00</u> |
| POZMIX | | @ | | |
| GEL | <u>2</u> | @ | <u>9.50</u> | <u>19.00</u> |
| CHLORIDE | <u>11</u> | @ | <u>28.00</u> | <u>308.00</u> |
| <u>HW</u> | <u>225</u> | @ | <u>6.00</u> | <u>1350.00</u> |
| <u>FLO-SEAL</u> | <u>56#</u> | @ | <u>1.15</u> | <u>64.40</u> |
| | | @ | | |
| | | @ | | |
| | | @ | | |
| HANDLING | <u>350</u> | @ | <u>1.05</u> | <u>367.50</u> |
| MILEAGE | <u>350 x 51</u> | | <u>.04</u> | <u>714.00</u> |

RECEIVED TOTAL 3457.90
 MAY 14 2002

KCC WICHITA SERVICE

REMARKS:

Pipe on Bottom Break Circ
Mix 225 5x 65.35.6 @ 2.8# Mix
100 5x Class A 3/8 @ 15.2# Release
Plug Disp 36 BBLs Pump Plug
150# to 600# R. Shut Head in
circ cement

| | | | | |
|-------------------|------------------|---|--------------|---------------|
| DEPTH OF JOB | <u>615</u> | | | |
| PUMP TRUCK CHARGE | <u>0-300'</u> | | | <u>470.00</u> |
| EXTRA FOOTAGE | <u>315'</u> | @ | <u>.43</u> | <u>135.45</u> |
| MILEAGE | <u>51</u> | @ | <u>3.00</u> | <u>153.00</u> |
| PLUG | <u>8 3/8 TRP</u> | @ | <u>90.00</u> | <u>90.00</u> |
| | | @ | | |
| | | @ | | |

TOTAL \$ 848.45

CHARGE TO: American Warrior
 STREET P.O. Box 399
 CITY GARDEN CITY STATE KANSAS ZIP 67846

FLOAT EQUIPMENT

| | | | | |
|------------------------|--|---|---------------|---------------|
| <u>8 3/8</u> | | @ | | |
| <u>1- Baffle plate</u> | | @ | <u>45.00</u> | <u>45.00</u> |
| <u>1- Basket</u> | | @ | <u>180.00</u> | <u>180.00</u> |
| | | @ | | |
| | | @ | | |

TOTAL 225.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE 4531.35
 DISCOUNT 453.14 IF PAID IN 30 DAYS
4078.21

SIGNATURE [Signature]

JOE LEVINGSTON
 PRINTED NAME

ALLIED CEMENTING CO., INC.

5162

Federal Tax I.D. #

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: 1/2 day

| | | | | | | | |
|-------------------------|--------------------|---|-----------------|----------------------------|-----------------------------|--------------------------|------------------------|
| DATE <u>5-1-02</u> | SEC. <u>2</u> | TWP. <u>25</u> | RANGE <u>16</u> | CALLED OUT <u>11:30 AM</u> | ON LOCATION <u>12:00 PM</u> | JOB START <u>1:45 PM</u> | JOB FINISH <u>2:15</u> |
| LEASE <u>all</u> | WELL # <u>1-28</u> | LOCATION <u>Wichita - S 5 1/2 E 1/2</u> | | COUNTY <u>Wichita</u> | STATE <u>KS</u> | | |
| OLD OR NEW (Circle one) | | | | | | | |

CONTRACTOR Justin Hart
 TYPE OF JOB stump pull
 HOLE SIZE 2 1/2 T.D. 6107
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 1 1/2 DEPTH 1000
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 11 1/2 7 1/2 14 1/2 + Mud

OWNER Wichita
 CEMENT AMOUNT ORDERED 2 5/8 5x 20 10 1/2

(4x 1 1/2 5x 10 10 1/2)
 COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE _____ @ _____

EQUIPMENT
 PUMP TRUCK CEMENTER Justin Hart
 # _____ HELPER Mark Hancock
 BULK TRUCK _____
 # _____ DRIVER Larry Deering
 BULK TRUCK _____
 # _____ DRIVER _____

RECEIVED
 MAY 14 2002
 KCC WICHITA SERVICE
 TOTAL _____

REMARKS:

11 1/2 7 1/2 14 1/2 + Mud
11 1/2 7 1/2 14 1/2 + Mud
11 1/2 7 1/2 14 1/2 + Mud
11 1/2 7 1/2 14 1/2 + Mud

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG _____ @ _____
 _____ @ _____
 _____ @ _____

CHARGE TO: Wichita Danner
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE _____

PRINTED NAME