


STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

Comanche County, Sec. 24 Twp 34S Rge. (E) 18 (W)
Location as "NE/CNWxSWx" or footage from lines C SW SE
Lease Owner Shell Oil Company
Lease Name E. W. Miller Well No. 1
Office Address P.O. Box 744, Great Bend, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed July 20, 19 57
Application for plugging filed (verbal) July 21, 19 57
Application for plugging approved July 24, 19 57
Plugging commenced July 21, 19 57
Plugging completed July 22, 19 57
Reason for abandonment of well or producing formation -



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production - 19 -
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well M. A. Rives
Producing formation Arbuckle Depth to top 6315 Bottom - Total Depth of Well 6385 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Arbuckle	Dry	6315	6385	16"	161'	None
				9-5/8"	87 1/4'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Pushed 9-5/8" Halliburton plug to 500' and capped with 35 sax cement to 410'. Dumped in 1/3 sack hulls, pushed 9-5/8" Halliburton plug to 35' and capped with 15 sax cement.
9-5/8" casing cut off 4' below ground level and steel plate welded inside 9-5/8" casing.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Graham-Michaelis Drilling Company
Address Wichita, Kansas

STATE OF KANSAS, COUNTY OF BARTON, ss.
A. W. WEBER (employee of owner Shell Oil Company of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) A W Weber
P.O. Box 744, Great Bend, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 31st day of July, 19 57

My commission expires January 28, 1961 LaMont Byers, Jr Notary Public.

24-7868-B 3-53-20M

PLUGGING
FILE SEC 24 T. 34 R. 18W
BOOK PAGE 30 LINE 34

RECEIVED
STATE CORPORATION COMMISSION
AUG 5 1957
08-03-57
CONSERV

SHELL-E. W. MILLER NO. 1
C SW SE SECTION 24-34S-18W
WILDCAT
COMANCHE COUNTY, KANSAS

CASING RECORD

16" cem 161 with 250 sax;
cement circulated
9-5/8" cem 874 with 1050 sax;
cement circulated

0 - 197 Surface sand, redbed	4166 Sand
879 Redbed, trace anhydrite	4228 Shale and sand
Top Anhydrite 868	4258 Shale
909 Redbed	4269 Shale and lime
2488 Shale and anhydrite	4280 Lime
2640 Shale and anhydrite, trace lime	4292 Shale and lime streaks
2732 Lime	Top Heebner 4292
2746 Shale	4296 Shale
2778 Lime, shale streaks	4300 Lime
2791 Shale	4305 Shale
2822 Lime	4328 Lime
2842 Shale	4331 Shale
2852 Lime	4336 Lime
2863 Shale	4340 Shale
2962 Lime and shale stringers, trace chert	4352 Lime
2976 Lime, trace chert	4390 Shale
3000 Shale	4420 Shale, sand stringers
3145 Lime and shale	4491 Shale
3166 Lime	Top Lansing-Kansas City 4491
3173 Shale	4496 Lime
3194 Lime	4499 Shale
3206 Shale	4513 Lime
3255 Lime and shale	4517 Shale
3262 Lime, trace chert	4540 Lime, trace chert
3286 Lime	4552 Shale
3336 Shale and lime, trace chert	4571 Lime
3460 Lime, trace shale	4589 Lime, shale stringers
3472 Shale	4596 Shale
3594 Lime	4639 Lime, shale stringers
3656 Lime, trace shale	4660 Lime
3702 Lime	4662 Shale
3719 Shale	4691 Lime
3736 Lime	4695 Shale
3768 Shale and lime	4701 Lime
3772 Lime	4703 Shale
3901 Lime and shale	4732 Lime
4056 Shale	4745 Shale
4061 Lime	4755 Lime
4090 Lime and shale	4773 Shale and lime stringers
4136 Shale	4804 Lime
Top Elgin Sand 4136	4809 Shale

RECEIVED
STATE CORPORATION COMMISSION

AUG 3 1957

CONSERVATION DIVISION
Wichita, Kansas

PLUGGING

FILE SEC 24 | 34 | 18W
BOOK PAGE 30 | 34

4809-4815	Lime	5722	Dolomite, shaly
4825	Shale	5776	Dolomite, shaly, trace lime & chert
4843	Lime	5798	Dolomite, limey
4862	Lime, shale stringers	5898	Dolomite, shaley, limey
4866	Shale	Top Viola	5898
4871	Lime	5924	Lime, trace quartz
4881	Shale	5942	Lime
4904	Lime	5950	Dolomite
4926	Shale	5956	Lime
4964	Lime	5966	Lime, dolomitic
4969	Shale	5986	Lime, chert, tr. pyrite
4978	Lime	6045	Lime
4994	Lime, trace chert	6076	Lime, chert
5006	Shale	6077	Shale
5080	Lime and shale	6104	Lime, dolomitic
5115	Lime, trace chert	6150	Lime
5181	Lime and shale	Top Simpson	6150
5200	Lime	6151	Shale
5212	Shale	6154	Dolomite
5216	Lime	6155	Shale
5220	Shale	6161	Dolomite
5226	Lime	6169	Shale
5249	Shale	6180	Lime
Top Mississippian	5255	6224	Dolomite
5432	Lime	6225	Sand, quartzitic
5451	Lime, chert	6231	Lime, cherty
5461	Dolomite	6235	Shale
5465	Lime	6238	Dolomite
5490	Dolomite	6250	Shale, trace dolomite
5532	Dolomite, chert	6258	Dolomite, trace sand
5539	Lime	6262	Sand
5542	Dolomite	6271	Lime
5546	Chert	6311	Lime, trace chert
5554	Lime	6315	Lime, quartzitic
5648	Dolomite chert	Top Arbuckle	6315
5678	Dolomite, shaly	6330	Dolomite, sandy
5683	Lime	6385	Dolomite, T. D.

PLUGGING

FILE SEC 24 T 34 R 18W
BOOK PAGE 30 LINE 34