MANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form Must Be Typed Form must be Signed All blanks must be Filled

June 2009

WELL COMPLETION FORM:

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33397	API No. 15 - 011-23761-00-00
Name: Running Foxes Petroleum, Inc.	Spot Description:
Address 1:7060B S. Tucson Way	NE_NW_NE_SW Sec. 6 Twp. 25 S. R. 24 F East West
Address 2:	2,330 Feet from North / South Line of Section
City: Centennial State: CO Zip: 80112 +	1,795 Feet from East / West Line of Section
Contact Person: Kent Keppel	
Phone: (720) 889-0510	Footages Calculated from Nearest Outside Section Corner:
CONTRACTOR: License # 34430 FEB 0 7 2011	□ NE □ NW □ SE ☑ SW County: Bourbon
0077 011 0 0 0 0	Lease Name: Gross Well #: 11-6B Inj3
Wellsite Geologist: Chad Counts	Field Name: Devon
Purchaser:	Portlowillo
	Elevation: Ground: 893' Kelly Bushing:
Designate Type of Completion:	
✓ New Well Re-Entry Workover	Total Depth: 450' Plug Back Total Depth: 448'
Oil Wsw Swd Siow	Amount of Surface Pipe Set and Cemented at: 20' Feet
☐ Gas ☐ D&A ☑ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methene)	If yes, show depth set: Feet
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to: sx cmt.
Operator:	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Well Name:	Drilling Fluid Management Plan
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbis
Conv. to CSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	'
Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
<u>12-10-2010</u>	
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requitality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentifunctions) and submitted with this form. ALL CEMENTING TICKETS MUST
AFFIRANIT	
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and re	KCC Office Use ONLY
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledge	e. Date: 2 11 2 11 3 Confidential Release Date:
7 7 7 7	Wireline Log Received
Signature: Just Jupel	Geologist Report Received
Title: Landman Date: 2-7-2011	UIC Distribution
	ALT I Vil III Approved by: /// Date //

Operator Name: Run	ning Foxes P	<u>etroleum, In</u>	C L	ease Name	: Gross		_ Well #: <u>11</u>	<u>-6B Inj3</u>	
Sec. 6 Twp. 25	s. r. <u>24</u>	☑ East ☐ W	est C	County: <u>Bo</u>	ourbon				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rates line Logs surveyed. At	sed, flowing and shu s if gas to surface te	t-in pressures, w st, along with fina	hether shut-ii	n pressure (reached static level,	hydrostatic pres	sures, bottom l	nole temperature, flu	uid
Drill Stem Tests Taken (Attach Additional St	heets)	☐ Yes 🔽				n (Top), Depth a	nd Datum	Sample	
Samples Sent to Geological Survey		_ Yes [✓	Yes ☑ No		Name Excello		Тор 121'	Datum 772'	
Cores Taken Electric Log Run Electric Log Submitted Electronically		Yes No Yes No Yes No			rtlesville	KCC	C 335' 558'		
(If no, Submit Copy)	REC	EIVED				FEB 07 20) 		
List All E. Logs Run: Gamma Ray / I	Neutron FEB(9 2011			g	ONFIDENT	ΓIAL		
	KCC W		CASING REC		New Used Intermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casin Set (In O.D		Welght Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	t
Surface	9.625"	7.0"	15	lbs	20'	Quickset	5	Quickset	
Production	5.625"	2.875"	6.5	blbs	448'	Quickset	55	4% Kol-Seal	
		400							
Purpose:	Depth	Type of Cem		Sacks Used	SQUEEZE RÉCORD	Time and	Parcent Additions		
Perforate Protect Casing	Top Bottom	Type or cernain # Sacks			Used Type and Percent Additives				
Plug Back TD Plug Off Zone		· 						<u> </u>	
Shots Per Foot		ON RECORD - Br cotage of Each Int			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Del				
									
							-		
						<u></u>			
TUBING RECORD:	Size:	Set At:	Pa	icker At:	Liner Run:	Yes No			
Date of First, Resumed P	roduction, SWD or ENI	HR. Produ	cing Method: owing P	oumping	Gas Lift C	ther (Explain)			(
Estimated Production Per 24 Hours	Oil 6	Bbls. G	as Mcf	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Vater Bi	ols.	Gas-Oil Ratio	Gravity	
DISPOSITION	N OF GAS:		METH	OD OF COM	PLETION:		PRODUCTIO	ON INTERVAL:	_ _
Vented Sold	Used on Lease	Open Ho	_	r. 🔲 Du	ally Comp.	nmingled		ZOT HELLENYAL.	
(If vented, Subm	<u> </u>	Other (S)	pecify)	(Subi	nit ACO-5) (Subr	nil ACO-4)			_

165290 MC ID# 620 437-2661 Shop

Hurricane Services, Inc. P.O. Box 782228

Cement, Acid or Tools **Service Ticket**

Cellular #	620 437-7582 316 685-5908	Wichita, KS 67278-22	28		4238
Office Fax # Shop Address:	3613A Y Road			DATE	10-10
Mac	fison, KS 66860	DAILCO	OITV	DATE	10-10
	DIF	COUNTY BOUCO	_ CITY		KCC
CHARGE TO	Running Fo	(e5			FEB U 7 2019
ADDRESS		CITYCITYCONTRACTOR	.ST	SibC	ONFIDENTIAL
LEASE & WELI	NO. John Gross //-	CONTRACTOR			OH IDEIAHAL
KIND OF BOD	Zengshing		/P		
DIR. TO LOC					OLD (NEW
Quantity	MA	TERIAL USED		Serv. Charge	750.00
55 sk	Quick Set conert				907.50
		RECEIVED			99.00
	· · · · · · · · · · · · · · · · · · ·				<u></u>
150 16		Ahead FEB 09 2011			37.50
21/2 Hs	WOTO Truck # 104	KCC WICHITA	\	. 	200.00
3_H	With-Truck = 103	•		·	240.00
90	Milesse ON ITK "290		· · · · · · · · · · · · · · · · · · ·		/35.00
3.21 Tan	BULK TRK. MILES				317.79
_ -	PUMP TRK. MILES Trk	ON LOCATION			NC
	Restal on withing				50.00
	PLUGS 2%" Top Rall	ov	D 2 3	SALES TAX	17.00
 			.7.37		77.45
				TOTAL	2,831.24
r.d. <u>456</u>	າ້	CSG. SET			VOLUME
SIZE HOLE	5%"				VOLUME 2.59 BLL.
		SIZE PIPE	<u> </u>	<i>78"</i>	10.0.0.000
PLUG DEPTH _		nuen ne			
PLUG USED		TIME FINI	SHED _		
	7 2964-1. D.	and the will continue to	784 C.J	Flat Challe	16dem 17n
REMARKS: 🔏	15 40 0 0 160 Mg, DIRECT	Circulation with Steenwater, 7		70 4/1 T	21 01
		ement up 4º101-SEAL, Shut down			
		not Pumping of 300 PST - Bun			
Close Tubing i	WWITH 1000 PSI	Good Comen TELLARS with &	(% Bbl.S	Hy	
 			<u> </u>		
	1 14.	EQUIPMENT USED			UNIT NO.
IAME レル	13	iit no.	<i>ο</i> 2 Λ.	# IDU TI HID	
			- LAGON	y 104 Tim "10	
<i>B</i> r	ad Butter HSI REP.	:_witness	d by C	huck OWNER'S REP.	
	MOINEL.	•		CITITE I COTTACT	

RECEIVED FEB 0 9 2011



CST Oil & Gas



Operato	r: RFP	Well: J-GROSS	11-68	INJ 3
Depth	Formation	Remarks	Casin	g Tally
0-6	Soil a Clay			
6-24	5/ta/1=		100	
24-50	LIME		Kec	
50-98	SHOIE	20'	FEB 07	2011
98-118	Limé SHalk		CONFIDE	TIAL
118-122	LIME .	61		
128-234	SHali			
234-236		ARDMORE	<u> </u>	
236-346	SHAIR		 	
346-35	so oil sand	Broken Hood SHOW	 	
350-400	SHAJE	BROKEW Hord SHOW	 	
400-420	oil sand	BROKEN AGGS STILL		
420-450	SHAIR			
			<u> </u>	
	1D 430		 	
			 	·
<u> </u>			 	
 				
			<u> </u>	
			 	 -
			 	
				
			<u> </u>	<u> </u>