KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test | | 720 | | (| See Instruc | ctions on Re | everse Side | e <i>)</i> | | | | | |
|---|-----------------------------|---|---|---|---|------------------|--|-----------------------------|--|---|------------------------|-------|--|
| Ор | en Flow | ALL | | Test Date | ٠. | | | ΔP | 1 No. 15 | | | | |
| Deliverabilty | | | | 5/31/2012 APT NO. 15 5/31/2012 181-20368-01- | | | | | | 00 | | | |
| Company Rosewoo | | ources, Inc. | | | | Lease G. Stas | sser | | | 1-16H | Well Number | | |
| County Location Sherman NW/4 | | | Section TWP 16 7S | | | RNG (E/W) 39W | | | Acres Attributed 80 RECE | =1\/ | | | |
| | | | | | Reservoir Niobrara | | | | Gas Gathering Connection Branch Systems Inc. | | | -ive[| |
| | | | | Plug Bac | k Total Dep | oth | | Packer | Set at | | JAN 8 KCC WI | 3 201 | |
| Casing Size Weight | | | Internal Diameter Set at 6.538 1141' | | | Perfe N/A | orations | То | KCC WI | CHIT | | | |
| Tubing Si | ze | Weig | ht | Internal (| Internal Diameter Set at | | | Perfe | orations | То | • | | |
| | | (Describe) | | Type Flui Dry Ga | d Productio | on | | Pump U | Init or Traveling | Plunger? Yes | No | | |
| | | Annulus / Tubir | ng) | | arbon Diox | cide | | % Nitro | • | Gas Gr | avity - G _g | | |
| Annulus | | | | | | | | | | .6 | | | |
| Vertical D 1136' | epth(H) | | | | Flar | | | | | (Meter I | Run) (Prover) Size | | |
| Pressure | Buildup: | Shut in 5-3 | 30 2 | ₀ 12 _{at} 4 | 12 at 4:10 (AM) (PM) Taken 5- | | | -31 | 20 | 12 _{at} 4:25 | (AM) (PM) | | |
| Well on L | ne: | Started 5-3 | 31 2 | 12 _{at 4} | :25 | (AM) (M) |) Taken <u>6</u> - | -1 | 20 | 20 12 at 5:10 (AM) (PM) | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | OBSERV | ED SURFAC | E DATA | | | Duration of Shut- | inHours | | |
| Static / Dynamic Property | (inches) Prover Pressure in | | Flowing Well Head Temperature t t | | Mailhaad Draceura | | Tubing Wellhead Pressure (P_w) or (P_t) or (P_c) | | Duration (Hours) | Liquid Produced (Barrels) | | | |
| Shut-In | | psig (Pm) | Inches H ₂ 0 | | | psig 31 | psia 45.4 | psig psia | | | | | |
| Flow | | | | | | 7 | 21.4 | | | 24 | 0 | | |
| ' | | | | | FLOW ST | REAM ATT | RIBUTES | | | | | | |
| Coefficient Meter or Exter | | Press Extension √ P _m x h | Grav Fac F | tor | Flowing Temperature Factor F ₁₁ | Fá | viation actor F _{pv} | Metered Flow R (Mcfd) | v GOR (Cubic Fe Barrel) | I Gravitu I | | | |
| | | | | | | | | | 24 | | | | |
| | | | | (OPEN FL | OW) (DELI | VERABILITY | r) CALCUL | .ATIONS | | (P.) | ² = 0.207 | | |
|)² = | . , | : (P _w) ² : | | | | % (| P _c - 14.4) + | 14.4 = _ | :; | (P _d) | | | |
| $ \begin{array}{c cccc} (P_c)^2 - (P_n)^2 & (P_c)^2 - (P_w)^2 & 1. \ P_c^2 \\ or \\ (P_c)^2 - (P_d)^2 & 2. \ P_c^2 \\ \end{array} $ | | Choose formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_a^2$ | LOG of formula 1. or 2. and divide | P ₀ ² - P _w ² | Backpressure Curve Slope = "n" or Assigned Standard Stope | | n x LOG | | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Open Flor | v | | Mcfd @ 14. | 65 psia | | Delivera | bility | | | Mcfd @ 14.65 ps | a | | |
| | | - | on behalf of the | | | • | | | | ort and that he ha | s knowledge of | | |
| | | Witness | (if any) | | | | | jα | For | Company (M | <i>W</i> | | |
| | | For Com | mission | | | | | | Chec | cked by | | | |

JAN 0 3 2013

KCC WICHITA

| l doclare unde | r penalty of perjury under the laws of the state of Kansas that I am authorized to request |
|-------------------|--|
| | r Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. |
| | oing pressure information and statements contained on this application form are true and |
| _ | of my knowledge and belief based upon available production summaries and lease records |
| | lation and/or upon type of completion or upon use being made of the gas well herein named. |
| | st a one-year exemption from open flow testing for the |
| | unds that said well: |
| (Check d | one) |
| | is a coalbed methane producer |
| <u></u> | is cycled on plunger lift due to water |
| = | is a source of natural gas for injection into an oil reservoir undergoing ER |
| | is on vacuum at the present time; KCC approval Docket No |
| ~ | is not capable of producing at a daily rate in excess of 250 mcf/D |
| | |
| I further agree | to supply to the best of my ability any and all supporting documents deemed by Commissio |
| taff as necessary | to corroborate this claim for exemption from testing. |
| | |
| Date: 12/20/12 | |
| | |
| | |
| | |
| · | Signature: <u>Jaurell Gelle</u> |
| | Title: Production Assistant |
| | |
| | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **1S** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W429 G. Stasser 1-16H North Goodland Goodland None May-12 JAN 0 3 2013 KCC WICHITA

| | Casing | | | HRS | | REMARKS |
|-----------|--------|--------|-----|------|-----------|------------------------------|
| DATE | PSI | STATIC | MCF | DOWN | (Max | cimum length 110 characters) |
| 5/1/2012 | | 6 | 19 | 23 | 0 | |
| 5/2/2012 | | 6 | 19 | 23 | 0 | |
| 5/3/2012 | | 6 | 19 | 24 | 0 | |
| 5/4/2012 | | 6 | 19 | 24 | 0 | |
| 5/5/2012 | | 6 | 19 | 23 | 0 | |
| 5/6/2012 | | 6 | 19 | 23 | 0 | |
| 5/7/2012 | | 6 | 19 | 24 | 0 | |
| 5/8/2012 | | 6 | 19 | 24 | 0 | |
| 5/9/2012 | | 6 | 19 | 24 | 0 | |
| 5/10/2012 | | 6 | 19 | 23 | 0 | |
| 5/11/2012 | | 6 | 19 | 23 | 0 | |
| 5/12/2012 | | 6 | 19 | 24 | 0 | |
| 5/13/2012 | | 6 | 19 | 24 | 0 | |
| 5/14/2012 | | 6 | 19 | 24 | 0 | |
| 5/15/2012 | | 6 | 19 | 24 | 0 | |
| 5/16/2012 | | 6 | 19 | 24 | 0 | |
| 5/17/2012 | | 6 | 19 | 24 | 0 | |
| 5/18/2012 | | 6 | 19 | 24 | 0 | |
| 5/19/2012 | | 6 | 19 | 24 | 0 | |
| 5/20/2012 | | 6 | 19 | 24 | 0 | |
| 5/21/2012 | | 6 | 19 | 24 | 0 | |
| 5/22/2012 | | 6 | 19 | 24 | 0 | |
| 5/23/2012 | | 6 | 19 | 24 | 0 | |
| 5/24/2012 | | 6 | 19 | 25 | 0 | |
| 5/25/2012 | | 6 | 19 | 24 | 0 | |
| 5/26/2012 | | 6 | 19 | 24 | 0 | |
| 5/27/2012 | | 6 | 19 | 24 | 0 | |
| 5/28/2012 | | 6 | 19 | 21 | 2 | |
| 5/29/2012 | | 6 | 19 | 21 | 2.5 | |
| 5/30/2012 | | 6 | 19 | 23 | 0 shut ii | n for state |
| 5/31/2012 | | 31 | 19 | 0 | 24 opene | d up |

W429 G. Stasser 1-16H North Goodland Goodland None

June-12

RECEIVED JAN 03カン3 KCC WICHIT

| | Casing | | | H | RS | REMARKS |
|-----------|--------|--------|-----|----|-----|---------------------------------|
| DATE | PSI | STATIC | MCF | D | OWN | (Maximum length 110 characters) |
| 6/1/2012 | | 7 | 20 | 22 | 0 | |
| 6/2/2012 | | 7 | 20 | 22 | 0 | |
| 6/3/2012 | | 7 | 20 | 22 | 0 | |
| 6/4/2012 | | 7 | 20 | 22 | 0 | |
| 6/5/2012 | | 7 | 20 | 22 | 0 | |
| 6/6/2012 | | 6 | 19 | 24 | 0 | |
| 6/7/2012 | | 6 | 19 | 26 | 0 | |
| 6/8/2012 | | 6 | 19 | 26 | 0 | |
| 6/9/2012 | | 6 | 19 | 26 | 0 | |
| 6/10/2012 | | 9 | 22 | 18 | 20 | |
| 6/11/2012 | | 9 | 22 | 18 | 14 | |
| 6/12/2012 | | 9 | 22 | 18 | 7 | |
| 6/13/2012 | | 9 | 22 | 18 | 3 | |
| 6/14/2012 | | 9 | 22 | 18 | 1 | |
| 6/15/2012 | | 7 | 20 | 20 | 2.5 | |
| 6/16/2012 | | 7 | 20 | 22 | 0 | |
| 6/17/2012 | | 7 | 20 | 23 | 0 | |
| 6/18/2012 | | 7 | 20 | 24 | 0 | |
| 6/19/2012 | | 7 | 20 | 26 | 2 | |
| 6/20/2012 | | 7 | 20 | 28 | 2 | |
| 6/21/2012 | | 7 | 20 | 28 | 0 | |
| 6/22/2012 | | 7 | 20 | 28 | 0 | |
| 6/23/2012 | | 7 | 20 | 28 | 0 | |
| 6/24/2012 | | 7 | 20 | 28 | 0 | |
| 6/25/2012 | | 7 | 20 | 28 | 0 | |
| 6/26/2012 | | 7 | 20 | 28 | 0 | |
| 6/27/2012 | | 7 | 20 | 28 | 0 | |
| 6/28/2012 | | 7 | 20 | 28 | 0 | |
| 6/29/2012 | | 7 | 20 | 28 | 0 | |
| 6/30/2012 | | 7 | 20 | 28 | 0 | |
| 7/1/2012 | | | | | 0 | |

Total

JAN 0 3 2013 KCC WICHITA

W429 G. Stasser 1-16H North Goodland Goodland None July-12

| | Casing | | | HR | s | REMARKS |
|-----------|--------|-----------|----|----|------|---------------------------------|
| DATE | PSI | STATIC MO | | DC | WN _ | (Maximum length 110 characters) |
| 7/1/2012 | | 7 | 20 | 29 | 0 | |
| 7/2/2012 | | 7 | 20 | 29 | 0 | |
| 7/3/2012 | | 7 | 20 | 29 | 2 | |
| 7/4/2012 | | 7 | 20 | 29 | 0 | |
| 7/5/2012 | | 7 | 20 | 29 | 7 | |
| 7/6/2012 | | 7 | 20 | 29 | 1.5 | |
| 7/7/2012 | | 7 | 20 | 29 | 0 | |
| 7/8/2012 | | 7 | 20 | 29 | 0 | |
| 7/9/2012 | | 7 | 20 | 29 | 0 | |
| 7/10/2012 | | 6 | 19 | 28 | 0 | |
| 7/11/2012 | | 6 | 19 | 28 | 0 | |
| 7/12/2012 | | 6 | 19 | 28 | 0 | |
| 7/13/2012 | | 6 | 19 | 28 | 0 | |
| 7/14/2012 | | 6 | 19 | 28 | 0 | |
| 7/15/2012 | | 6 | 19 | 28 | 0 | |
| 7/16/2012 | | 6 | 19 | 28 | 0 | |
| 7/17/2012 | | 6 | 19 | 28 | 0 | |
| 7/18/2012 | | 6 | 19 | 27 | 0 | |
| 7/19/2012 | | 6 | 19 | 27 | 0 | |
| 7/20/2012 | | 6 | 19 | 27 | 0 | |
| 7/21/2012 | | 6 | 19 | 27 | 0 | |
| 7/22/2012 | | 6 | 19 | 27 | 0 | |
| 7/23/2012 | | 6 | 19 | 27 | 0 | |
| 7/24/2012 | | 6 | 19 | 27 | 0 | |
| 7/25/2012 | | 6 | 19 | 26 | 0 | |
| 7/26/2012 | | 6 | 19 | 26 | 0 | |
| 7/27/2012 | | 6 | 19 | 26 | 0 | |
| 7/28/2012 | | 6 | 19 | 26 | 0 | |
| 7/29/2012 | | 6 | 19 | 26 | 0 | |
| 7/30/2012 | | 6 | 19 | 26 | 0 | |
| 7/31/2012 | | 6 | 19 | 26 | 0 | |

Total