KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	: en Flo	w Þ	RSI			(See Instr	uctions on	Reverse S	ide)						
Deliverabilty					Test Date: 3/15/2012					API No. 15 181-20541-00 00						
Company Rosewood Resources, Inc.					Lease Philbrick					43-1				Well Nu	mber	
County Shermar	County Location Sherman NESE/4			Section TW 10 9S			` ,						80	attributed		
Field Goodand	Goodand					Reservoir Niobrara					Gas Gathering Connection Branch Systems Inc.				JAN 0 3 201 4 KCC WICHIT	
Completion Date 6/13/08			Plug Back Total Depth 1263'				Packer Set at				J	AN 03 20				
2 7/8"				Internal D 2.441			Set at 1263'		Perforations 1034'			то 1064'	KC(C WICH!		
Tubing Size Weight NONE			Internal Diameter Set at			Po	Perforations To			То		11				
Type Completion (Describe) Single (Conventional)				Type Fluid Production DryGas					Pump Unit or Traveling Plunger? Yes flowing				No			
Producing Thru (Annulus / Tubing)				% Carbon Dioxide				% Ni	-				Gravity - G _g			
Vertical D	Annulus Vertical Depth(H)					Pressure Taps					•					rover) Size
1275'						Flange					2"					
Pressure	Buildu	•	Shut in 3-1			20 12 at 11:30 (PM) Taken 3-					\sim					AM) (PM)
Well on L	ine:		Started 3-1	5	2	12 at	1:40	(AM) (F	M) Taken_	3-16		20	12 at _	12:30	(AM)(PM)
							OBSER	VED SURF	ACE DATA				Duration	of Shut-	-in_24	Hours
Static / Dynamic Property	mic Size Meter Differential		Differential in	Flowing Well Head Temperature t t		re Wellh	Casing Wellhead Pressure (P_w) or (P_1) or (P_6)		Tubing Wellhead Pressure $(P_w) \text{ or } (P_1) \text{ or } (P_0)$		Duration (Hours)		Liquid Produced (Barrels)			
Shut-In	psig (Pm) Inches		Inches H ₂ 0		10		24.4	psig psia		psla						
Flow								1	15.4				24		0	
··- ·· · ·							FLOW S	TREAM AT	TRIBUTES	,						
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia			Press Extension ✓ P _m x h	Gravity Factor F _g		Flowing Temperatu Factor F ₁₁	perature Factor		Metered Flow R (Mcfd)		1	GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m
											8					
						(OPEN FL	OW) (DEI	.IVERABIL	ITY) CALCI	ULATION	IS			(P,	$r^2 = 0.2$	07
(P _c) ² =			(P _w) ² =		se formula 1 or 2:	P _d =		_%	(P _c - 14.4)	+ 14.4 =		:		(P _d)) ² =	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²		1	1. P ₂ ² - P ₄ ² 2. P ₂ ² - P _d ² vided by: P ₂ ² - P _d ² 1.		Sid 6 p2.p2 As		kpressure Cui Slope = "n" or Assigned andard Slope	n x LOG gned			Antilog		Open Flow Deliverability Equals R x Antilog (Mcfd)	
																
Onen Elev	 ••				Motel @ 14	SE nois		Dollar	an hillère				Maria (8)	4.65	<u> </u>	
Open Flor		ìae -	t outbooks -		Mcfd @ 14,				erability				Mcfd @ 1	•		
			authority, o						20	day of	e the ab Decer	nber . A	ort and the	at he ha 1 (L		ledge of ₂₀ 12
			Witness (if any	1)					10		For	Company	∠_ V-	~ <u>~</u>	
			For Comm	nissio	n			-				Che	cked by			

JAN 8 3 2013

KCC WICHITA

exempt statu	s under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the	foregoing pressure information and statements contained on this application form are true and
correct to the	best of my knowledge and belief based upon available production summaries and lease records
	t installation and/or upon type of completion or upon use being made of the gas well herein named. request a one-year exemption from open flow testing for the Philbrick 43-10
	he grounds that said well:
((Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
	·
	agree to supply to the best of my ability any and all supporting documents deemed by Commissicessary to corroborate this claim for exemption from testing.
	essary to corroborate this claim for exemption from testing.
staff as nece	essary to corroborate this claim for exemption from testing.
staff as nece	essary to corroborate this claim for exemption from testing.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2589 Philbrick 43-10 South Goodland Goodland None March-12

RECEIVED

JAN 0 3 2013

KCC WICHITA

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
3/1/2012	C	13	8	0	
3/2/2012	C	13	7	0	cal
3/3/2012	(13	ϵ	0	
3/4/2012	(13	8	0	
3/5/2012	C	13	8	0	
3/6/2012	(13	8	0	
3/7/2012	C	13	8	0	
3/8/2012	C	13	8	0	
3/9/2012	C	13	8	0	
3/10/2012	C	13	8	0	
3/11/2012	0	13	8	0	
3/12/2012	C	13	8	0	
3/13/2012	C	13	8	0	
3/14/2012	C	13	ç	0	shut in for state
3/15/2012	10	13	0	24	opened up, bp
3/16/2012	1	. 14	9	0	
3/17/2012	C	13	10	0	
3/18/2012	C	13	9	0	
3/19/2012	0	13	9	0	
3/20/2012	C	13	8	0	
3/21/2012	1	. 14	8	0	
3/22/2012	C	13	8	0	
3/23/2012	C	13	8	0	
3/24/2012	0	13	8	0	
3/25/2012	C	13	8	0	
3/26/2012	C	13	8	0	
3/27/2012	0	13	8	0	
3/28/2012	C	13	8	0	
3/29/2012	C	13	8	0	
3/30/2012	C	13	8	0	
3/31/2012	C	13	8	0	

Total

W2589 Philbrick 43-10 South Goodland Goodland None April-12

RECEIVED

JAN 0 3 2013

KCC WICHITA

-	Casing			H	RS	REMARKS
DATE	PSI	STATI	IC MCF	D	OWN	(Maximum length 110 characters)
4/1/2012		0	13	8	0	
4/2/2012	(0	13	8	0	
4/3/2012	(0	13	8	0	
4/4/2012		0	13	8	0	
4/5/2012	(0	13	8	0	
4/6/2012	(0	13	8	0	
4/7/2012	1	D	13	8	0	
4/8/2012	I	0	13	8	0	
4/9/2012	1	0	13	8	0	
4/10/2012	1	0	13	8	0	
4/11/2012	1	0	13	8	0	
4/12/2012	1	0	13	8	0	
4/13/2012	1	0	13	8	0	
4/14/2012	1	0	13	8	0	
4/15/2012		0	13	8	0	
4/16/2012	i	0	13	7	0	
4/17/2012		0	13	8	0	
4/18/2012	,	0	13	8	0	
4/19/2012		0	13	9	0	
4/20/2012		0	13	8	0	
4/21/2012		0	13	8	0	
4/22/2012		0	13	8	0	
4/23/2012		0	13	8	0	
4/24/2012		0	13	8	0	
4/25/2012		0	13	9	0	
4/26/2012		0	13	8	0	
4/27/2012		0	13	7	0	
4/28/2012		1	14	8	0	
4/29/2012		1	14	8	0	
4/30/2012		1	14	8	0	
5/1/2012		0	0	0	0	

Total 240

W2589 Philbrick 43-10 South Goodland Goodland None May-12 RECEIVED

JAN 0 3 2013

KCC WICHITA

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
5/1/2012		1 14	8	0	
5/2/2012		1 14	8	0	
5/3/2012		1 14	8	0	
5/4/2012	() 13	8	0	
5/5/2012	(0 13	8	0	
5/6/2012	() 13	8	0	
5/7/2012	(0 13	8	0	
5/8/2012	(0 13	8	0	
5/9/2012	•	1 14	8	0	
5/10/2012	(0 13	8	0	
5/11/2012	() 13	7	0	
5/12/2012	(0 13			
5/13/2012	(0 13	7	0	
5/14/2012	(0 13	8	0	
5/15/2012	(0 13	8	0	
5/16/2012	(0 13	8	0	
5/17/2012	(0 13	8	0	
5/18/2012	(0 13	8	0	
5/19/2012	•	0 13	8	0	
5/20/2012	(0 13	8	0	
5/21/2012	•	0 13	8	0	
5/22/2012	(0 13	8	0	
5/23/2012	(D 13	8	0	
5/24/2012	•	0 13	8	0	
5/25/2012	(0 13	8	0	
5/26/2012	•	I 14	5	6	
5/27/2012		1 14	7	0	
5/28/2012	•	1 14	8	0	
5/29/2012		1 14	7	1	
5/30/2012		1 14	8	0	
5/31/2012		i 14	8	0	

Total