## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:				(-	See Instruct	ions on Reve	erse Side	)						
	en Flow			Test Date	r:				No. 15					
13	iverabilty			11/13/12	2			15-	095-22006-0	0000				
ompany /ITM P		EUM, INC.				Lease SWINGL	.E "C"				#1	Vell Nun	nber 	
ounty (INGM	AN	Location SE SW		Section 25		30\$		RNG (E/W) 9W			Acres Attributed 160			
Field SPIVEY-GRABS-BASIL				Reservoir MISSIS	SSIPPIAN	N		Gas Gat	action RATION	N RECEIV				
ompletic 2/16/08				Plug Back 4427	k Total Depl	h	Packer Set at <b>NONE</b>			DEC 10				
asing Si . <b>5</b>	ze	Weight 10.5		Internal E 4.005	Diameter	Set at <b>4427</b>			Perforations 4331			DEC 1 0 2 To 4356 KCC WICHI To 4338		
Tubing Size 2.375		Weight	internal D 1.995		Diameter	Set at <b>4358</b>		Perforations 4338		To <b>4338</b>			WICHIT	
Type Completion (Describe) SINGLE				Type Flui	d Production			Pump Unit or Traveling PUMPING						
Producing Thru (Annulus / Tubir TUBING			% Carbon Dioxid			de	% Nitrogen 1.824				Gas Gravity - G <sub>9</sub> . <b>6688</b>			
Vertical Depth(H)				Pressure Taps			1.02	-			Run) (Pro	over) Size		
427					FLA						2"			
ressure	Buildup:	Shut in	2 2	0 12 at 1	:15	(AM)(PM)	Taken 11	1/13	20	12 at_	1:20	(A	M) (M)	
/eli on L	ine:	Started	2	0 at		(AM) (PM)	Taken		20	at _		(4	AM) (PM)	
					OBSERVE	D SURFACE	DATA			Duration	of Shut-	in	Hours	
Static / ynamic roperty	Orifice Size (inches)	Circle one:  Meter  Prover Pressure  psig (Pm)	Pressure Differential in Inches H.0	Flowing Temperature t	Well Head Temperature t	Casing  Wellhead Pressure $(P_w)$ or $(P_t)$ or $(P_c)$ psig psia		Wellhe	Tubing Wellhead Pressure $(P_w)$ or $(P_t)$ or $(P_a)$ psig psia		Duration (Hours)		Liquid Produced (Barrels)	
Shut-In						80	рыа	paig	psia					
Flow														
					FLOW STR	REAM ATTRI	BUTES		<u></u>	-				
Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mofd		Circle one: Meter or Prover Pressure psia	Press Extension √ P <sub>m</sub> x h	Grav Fac F	tor	Flowing Temperature Factor F <sub>ft</sub>	Fa	Deviation Factor F <sub>pv</sub>			GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G <sub>m</sub>	
		į												
) <sup>2</sup> =	:	(P <sub>w</sub> ) <sup>2</sup> =		(OPEN FL P <sub>d</sub> =		'ERABILITY) % (P	CALCUL  - 14.4) +					<sup>2</sup> = 0.20 <sup>2</sup> =	)7	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	oose formula 1 or 2:  1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ seed by: $P_c^2 - P_w^2$ LOG of formula 1. or 2. and divide by:			Backpressure Curve Slope = "n" or Assigned Standard Slope			n x LOG		Antilog		Open Flow Deliverability Equals B x Antilog (Mcfd)	
pen Flo	W		Mcfd @ 14	.65 psia		Deliverabi	ility	···	-	Mcfd @ 1	14.65 psi	а		
	•	ed authority, on				•			he above repo	ort and th	at he ha		edge of	
		Witness (if a	any)			4	1	<del>, , ,</del>	For G	Company	US.			
		For Commis	sion			_	1		Che	cked by				

## DEC 1 0 2012

	KCC WICHITA
	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator MTM PETROLEUM, INC.
	going pressure information and statements contained on this application form are true and
correct to the bes	st of my knowledge and belief based upon available production summaries and lease records
	allation and/or upon type of completion or upon use being made of the gas well herein named.  lest a one-year exemption from open flow testing for theSWINGLE "C" #1
	rounds that said well:
(Checi	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
✓	is not capable of producing at a daily rate in excess of 250 mcf/D
	ee to supply to the best of my ability any and all supporting documents deemed by Commission ry to corroborate this claim for exemption from testing.
Date: 12-7-12	

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.