KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

IARPER ield SPIVEY-GR completion Date 5/26/05 casing Size .5 ubing Size .375 upe Completion INGLE roducing Thru UBING ertical Depth(H	OLEUM, INC. Location NE NE ABS-BASIL e Weight 15.5 Weight 4.7 n (Describe) (Annulus / Tubing)		Plug Back 4483 Internal D 4.052 Internal D 1.995	SSIPPIA k Total Dep Diameter	Set a: 4479	t	MO RNG (E/V 8W Gas Gath	ering Conne WICHITA et at	1-A ection GAS GATH		ttributed	
ATM PETRO County IARPER IEID SPIVEY-GR Completion Date 5/26/05 Casing Size .5 Ubing Size .375 Lype Completion SINGLE LYPE COMPLETO LYPE COMPLE	Location NE NE IABS-BASIL e Weight 15.5 Weight 4.7 n (Describe) (Annulus / Tubing)		Section 1 Reservoir MISSIS Plug Back 4483 Internal C 4.052 Internal C 1.995 Type Fluic	SSIPPIA k Total Dep Diameter	McINTI TWP 31S N oth Set a: 4479	t	RNG (E/V 8W Gas Gath WEST Packer Se NONE	v) ering Conna WICHITA et at	1-A ection GAS GATH	Acres A	ttributed	
IARPER ield SPIVEY-GR completion Date 5/26/05 casing Size .5 ubing Size .375 upe Completion SINGLE roducing Thru UBING ertical Depth(H	NE NE ABS-BASIL e Weight 15.5 Weight 4.7 n (Describe) (Annulus / Tubing)		Reservoir MISSIS Plug Back 4483 Internal C 4.052 Internal C 1.995 Type Fluid	SSIPPIA k Total Dep Diameter	TWP 31S N Oth	t	RNG (E/V 8W Gas Gath WEST Packer Se NONE	ering Conne WICHITA et at	ection GAS GATH	ERING	ì	
ield SPIVEY-GR completion Date 5/26/05 casing Size .5 ubing Size .375 ype Completion SINGLE roducing Thru UBING ertical Depth(H	Weight 15.5 Weight 4.7 In (Describe)		Plug Back 4483 Internal D 4.052 Internal D 1.995 Type Fluid	SSIPPIA k Total Dep Diameter	N oth Set a 4479		Gas Gath WEST Packer Se NONE	WIČHITA et at	GAS GATH			
completion Date 5/26/05 casing Size .5 ubing Size .375 spe Completion BINGLE roducing Thru UBING ertical Depth(H	Weight 15.5 Weight 4.7 n (Describe)		Plug Back 4483 Internal D 4.052 Internal D 1.995	k Total Dep	Set a: 4479		Packer Se NONE	et at	ANTHONOUS ANTHON TO A COMMISSION OF THE STATE OF THE STAT			
asing Size .5 ubing Size .375 ype Completion SINGLE roducing Thru UBING ertical Depth(H	15.5 Weight 4.7 n (Describe) (Annulus / Tubing)		Internal C 4.052 Internal C 1.995 Type Fluid		4479			tione	То			
ubing Size .375 ype Completion INGLE roducing Thru UBING ertical Depth(H	Weight 4.7 n (Describe) (Annulus / Tubing)		Internal C 1.995 Type Fluid	Diameter		Set at I			To 4406 DE		EC 4 a	
ype Completion INGLE roducing Thru UBING ertical Depth(H	n (Describe) (Annulus / Tubing)		Type Fluid		Set at 4330		4402 Perforations 4330		To 4330	KO	<u> </u>	
roducing Thru UBING ertical Depth(H	•			d Production	on	Pump Unit or Traveling			/ No	WICH		
ertical Depth(H	f)		% C	OIL, & W arbon Diox			% Nitroge			ravity - G		
404		FUBING /ertical Depth(H)		0.15 Pressure Tap			8.04			0.6985 (Meter Run) (Prover) Size		
	1404		FLANGE 20_12 at 1:00 (AM) (PM			10	1/8		2"			
ressure Buildu _l Vell on Line:	p: Shut in	2							12 at 1:00			
TON ON ENTE.	Glavisa		v at					20	at	(/	AWI) (PWI)	
Static / Orific	Orifice Circle one: Pressure			Flowing Well Head			ing Tubing		Duration of Shut-in			
Property (inche	Prover Pressure	Differential in Inches H ₂ 0	Temperature Temp		wellhead Pr (P _w) or (P ₁)		:	d Pressure (P _c) or (P _c)	Duration (Hours)		Liquid Produced (Barrels)	
Shut-In					98	psia	poly	Polix		1		
Flow												
Plate	Circle one	Broom			Flowing						Flowing	
Coefficient Meter or (F _b) (F _p) Prover Pressure psia		Press Extension √ P _m x h	Gravity Factor F _n		Temperature Factor F _{nv}		otor	Metered Flow R (Mcfd)	(Cubic Fe Barret)	eet/	Fluid Gravity G _m	
2 \2 _	(D.)2		•	OW) (DELI	VERABILITY)) ² = 0.20)7	
$\frac{(P_c)^2 = }{(P_c)^2 - (P_a)^2}$	$ (P_{w})^{2} = Ch $ $ (P_{o})^{2} \cdot (P_{w})^{2} $	00se formula 1 or 2: 1. P _o ² - P _d ² 2. P _e ² - P _d ²	LOG of formula 1. or 2.		Backpres Slop	sure Curve e = "n" origned	n x L	og	(P _d)	Ope Deliv	en Flow rerability R x Antilog	
4	div	ided by: Pc Pw	and divide by:	P _s -P _w ²		ird Slope				(1	Mefd)	
pen Flow		Mcfd @ 14.	65 psia		Deliverabi	lity				ia		
The undersi	igned authority, on I	behalf of the	Company, s	tates that	he is duly aut	thorized to	make the	above repo	rt and that he ha		=	
a facts stated th	herein, and that said	I report is true	and correct	t. Execute	d this the 7th	<u>1</u>	_{day of} _De	cember	, 1	1.2	0 12 .	
,	Witness (if a	ny)			4	11/2		For C	ompany.			
NATION ALAMA AND A	For Commiss	ion	.		_				ked by			

DEC 1 0 2012

	KCC WICHITA
	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator MTM PETROLEUM, INC.
	oing pressure information and statements contained on this application form are true and
	of my knowledge and belief based upon available production summaries and lease records
f equipment insta	ullation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the McINTIRE OWWO 1-A
	ounds that said well:
(Check	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D
	e to supply to the best of my ability any and all supporting documents deemed by Commissic to corroborate this claim for exemption from testing.
nan ao noocoary	to consider this diality for exemption from testing.
Date: 12-7-12	
	Signature 11/2 AND ER PRESIDENT
	Title: MARVIN A. MILLER, PÆESIDENT

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.