KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:					(6	See Instructi	ions on Revi	erse Side)				
_ `	en Flow				Test Date	:				No. 15			
Company	iverabilty						Lease		15-	181-20524-0	·	Well Nu	ımber
Noble Er		С					Lockard				22-6		
County Location Sherman NW-NE-SE-NW			Section 6		TWP 6S		RNG (E/W) 39W		,	Acres Attributed			
				-	Reservoir				hering Conne	ŧ	RECEIVEL		
Prairie Star					Niobrara				Morgan		EC 05 20		
				Plug Baci 1473'	Plug Back Total Depth 1473'				Packer Set at				
Casing Size Weight 7", 4-1/2" 17#, 11.6#			Internal D 9-7/8",			Set at Perforations 387', 1516' 1346'		To 1374'	KC	C MICHI			
7", 4-1/2" 17#, 1 Tubing Size Weight				O#	Internal C					rations	To		
		(Describe)				d Production	 1		Pump U	nit or Traveling	Plunger? Yes	/ No	
Single (gas) Producing Thru (Annulus / Tubing)			Saltwater % Carbon Dioxide					% Nitrogen Gas Gravity - G				 G	
Annulus													
ertical D	epth(H)					Pres	sure Taps				(Meter F	Run) (P	rover) Size
Pressure	Buildup:				12 at 9		(AM) (PM)	Taken		20	at		(AM) (PM)
Well on L	ine:	Started 9/2	27	20	12 at 9	:40	(PM)	Taken		20	at	!	(AM) (PM)
•						OBSERVE	D SURFACE	DATA			Duration of Shut-	in_24	Hours
Static / Dynamic	Orifice Size	Prover Press		Pressure Differential in	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)	
Property	(inches	psig (Pm)	Inches H ₂ 0	·	,	psig	psia	psig	psia			
Shut-In							88			:		<u> </u>	
Flow						EL OW STO	EASS ATTO	BUTES	<u>l</u> .				·
Dist		Circle one:	Τ.		T		EAM ATTRI	BUILS					Flowing
Plate Coeffiecient (F _b) (F _p) Mofd		Meter or Prover Pressure psia		Press Extension P _m x h	Grav Fac	tor 1	perperature Factor F _{ft} F _{ft}		actor	Metered Flov R (Mcfd)	v GOR (Cubic Fe Barrel)		Fluid Gravity G _m
- \1		(D.)2			•		ERABILITY)					$1^2 = 0.2$	
<u></u>	$\overline{}$: (P _w) ²		ose formula 1 or 2:					+ 14.4 = _	·	(F _d)	² =	
(P _c) ² -		(P _c) ² - (P _w) ²		1. P _c ² -P _s ² 2. P _c ² -P _c ² ted by: P _c ² -P _c ²	LOG of formula 1. or 2. and divide by:	P _c ² -P _w ²	Backpressure Curv Slope = "n" or Assigned Standard Stope		l n x	rog	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
					-			· · · · · ·				1	
Open Flow Mcfd @ 14.65 psia					65 psia	psia Deliverability			Mcfd @ 14.65 psia				
	•	ned authority, erein, and that					•			-	ort and that he ha		vledge of 20 12 .
		Witness	i (if an	у)			_			For	Company		**************************************
		For Con	nnissi	on			_	 -		Che	cked by		
		, 5. 50.									-		

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Noble Energy Inc and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the Lockard 22-6 gas well on the grounds that said well:
(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
Date: 11/30/2012 Signature: Title: Regulatory Analyst

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.