KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:				(See Instruct	tions on Reve	erse Side,)				
= :	en Flow			Test Date	Σ:			API I	No. 15			
Del	iverabilty			8/20/12					87 -21462-0 33	000		
Company VOOLSE	EY OPE	RATING CO	MPANY, LLC	;		Lease McMORA	AN		J	A-5	Well Number	
County Location COMANCHE NE NE SE			Section 7		TWP 35S			V)		Acres Attributed		
Field NE NE SE				Reservoir					ering Conne	ection	RECE	IVI
ELLOW		NORTH		MISSIS	MISSISSIPPIAN			ATLAS			DEC n	- -
Completion Date 6/26/06				5802	k Total Dept	ın		Packer Set at NONE			KOO.	2 4
Casing Size Weight 10.50				Internal Diameter 4.052		Set at 5801		ations	DEC 0 5 To 5456		H	
ubing Siz	oing Size Weight		Internal D	Internal Diameter		Set at		ations	То		_	
2.375 4.70 Type Completion (Describe)				1.995 5531 Type Fluid Production			OPEN Pump Unit or Traveling Plunger? Yes			/ No	_	
SINGLE				WATE	ŴATER, OIL			PUMPING				
roducing NNUL!	,	nnulus / Tubing	3)	% C	arbon Dioxi	de		% Nitroge	en	Gas Gr	avity - G _g	
ertical D	epth(H)				Pres	sure Taps				(Meter I	Run) (Prover) Si	ze
381	Buildup:	Shut in 8/20	0/12	20 at		(AM) (PM)	Taken 8/2	21/12	20	at	(AM) (PM	—
/ell on Li	•									at		
											(, , , , , , , , , , , , , , , , , , ,	<u></u>
T		Circle one:	Pressure	Ι		D SURFACE Casir		Т	ubing	Duration of Shut-	in Ho	ours
Static / Orific Dynamic Size		Meter Prover Pressu	Differential	Flowing Temperature		rature Wellhead Press		Wellhead Pressure (P _w) or (P ₁) or (P ₂)		Duration (Hours)	Liquid Produce (Barrels)	d
roperty	(inches)	psig (Pm)	Inches H ₂ 0	t	t	psig	psia	psig	psia		,,	
Shut-In						350		150		24		
Flow												
			Т.		FLOW STE	REAM ATTRI	BUTES					_
Plate Circle ons: Press		1	Gravity		Flowing Deviat		Metered Flow	GOR	Flowin	- 1		
Coeffiecient (F _b) (F _p)		Prover Pressure		Extension Fact ✓ P _m xh F _s		Temperature Factor	tor Factor		R (Mcfd)	(Cubic Fe Barrel)	Gravit	- 1
Mcfd		psia	, m^	m · · · ·		F _{ft}		ρv	(,		G _m	4
				(ODEN 51	OWD /DEL IN			ATIONO				
_)2 =	:	(P _w) ² =	:	•	, ,	'ERABILITY) % (P	- 14.4) +		:		² = 0.207 ² =	
			Choose formula 1 or			Backpres	sure Curve				Open Flow	
(P _c) ² - (P _a) ² or		$(P_o)^2 - (P_w)^2$ 1. $P_o^2 - P_a^2$		formula			Slope = "n"		og	Antilog	Deliverability	
$(P_g)^2 - (P_d)^2$		2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w^2$		and divide	and divide p 2 p 2		Assigned Standard Slope				Equals R x Anti (Mcfd)	log
				*								\dashv
												\dashv
Open Flow Mcfd @ 14.65 psia						Deliverability				Mcfd @ 14.65 psia		
The L	undersign	ned authority, o	n behalf of the	Company,	states that h	ne is duly aut	horized to	o make th	e above repo	rt and that he ha	as knowledge of	-
e facts si	tated ther	rein, and that sa	aid report is tru	e and correc	t. Executed	this the 28		day of N	OVEMBER		, 20 12	·
							11	Ax	1/11			
		Witness (i	if any)			-	Um 1		all sen	ompany		—
		For Comm	nission			_			Char	ked by		
		FOI GUMIT	iraalUII						CHec	mou by		

exempt status under Rule K.A.F and that the foregoing pressur	perjury under the laws of the state of Kansas that I am authorized to request R. 82-3-304 on behalf of the operator WOOLSEY OPERATING CO., LLC e information and statements contained on this application form are true and edge and belief based upon available production summaries and lease records
	upon type of completion or upon use being made of the gas well herein named.
	r exemption from open flow testing for the McMORAN A-5
gas well on the grounds that sa	id well:
is cycled on is a source of is on vacuur of is not capab	methane producer plunger lift due to water of natural gas for injection into an oil reservoir undergoing ER on at the present time; KCC approval Docket No le of producing at a daily rate in excess of 250 mcf/D the best of my ability any and all supporting documents deemed by Commission at the this claim for exemption from testing.
	Signature: Wallauge Title: FIELD MGR.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.