## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

. □ On													
= .	en Flow			Test Date	:				No. 15	_			
	liverabilty			May 14,	2012	1.000-		1503	3321585000		Well Nu	mher	
Company Castelli		ation, Inc.				Lease Gregg				#2-18	TOU INU		
County Location Comanche SW NE SW SW			Section 18		TWP 33 <b>S</b>		RNG (E/W) 16W		Acres Attributed REC  Ction  To  5065		ttributed RECE		
Field <b>Shimer</b>			Reservoir <b>Mississippi</b>			Gas Gathering Con Oneok		ering Conne	ection		DEC 2		
Completion Date 06/22/11			Plug Back Total Depth 5177'		1		Packer Se	et at		K	~~~ ~~~~~~~		
Casing Size Weight 5.5 15.5#			Internal Diameter		Set at 5226'		Perforations 5034		To 5065		oc W(		
Tubing Size Weight 2 7/8"			Internal Diameter		Set at <b>501</b> 1		Perforations		То				
Type Completion (Describe) Single Zone Gas Perforations				Type Fluid Production Oil/Saltwater				Pump Uni Pumpir	Plunger? Yes / No				
roducing	g Thru (Ar	nnulus / Tubing)		% C	% Carbon Dioxide			% Nitroge	en	Gas Gr	Gas Gravity - G <sub>g</sub>		
Annulus Vertical Depth(H)				Pressure Taps						(Meter f	Run) (Pr	over) Size	
	Buildup:	Shut in May	13 2	12 , 8:	00	(AM) (PM)	Taken Ma	ay 14	20	12 <sub>at</sub> 8:00		AM) (PM)	
	,									at	,	AM) (PM)	
Vell on L	ine;	Started	2	J al		(AIVI) (FIVI)	IANCII			a(		7 avi y (1 101)	
					OBSERVE					Duration of Shut-	in	Hours	
Static / Dynamic Property	Orifice Size (inches)	Circle one:  Meter Prover Pressure psig (Pm)	Pressure Differential in Inches H <sub>2</sub> 0	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>0</sub> )		Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>o</sub> )		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In		paig (Fill)	menes ri <sub>2</sub> 0			psig 873	887.4	psig	psia				
Flow													
	<u> </u>	1			FLOW STR	EAM ATTF	RIBUTES	<u> </u>	1		1		
		Circle one:  Meter or Prover Pressure psia  Press Extension  P <sub>m</sub> x h		Gravity Te Factor Te F <sub>g</sub>		Flowing Deviation Factor F <sub>pv</sub>			Metered Flow		GOR (Cubic Feet/ Barrel)		
Plate Coeffied (F <sub>b</sub> ) (F Mcfd	cient = <sub>p</sub> ) P	Meter or rover Pressure		1	·		F		(Mcfd)			Gravity G <sub>m</sub>	
Coeffied (F <sub>b</sub> ) (F	cient = <sub>p</sub> ) P	Meter or rover Pressure		Fg		F <sub>tt</sub>		pv		Barrel)		G <sub>m</sub>	
Coeffied (F <sub>b</sub> ) (F Mcfd	cient = <sub>p</sub> ) P	Meter or rover Pressure	√ P <sub>m</sub> xh	Fg	OW) (DELIV	F <sub>ii</sub>		ATIONS		Barrel)	<sup>2</sup> = 0.2	G <sub>m</sub>	
Coeffied (F <sub>b</sub> ) (F	Pa    Pa	Meter or rever Pressure psia $(P_w)^2 = \frac{(P_e)^2 - (P_w)^2}{(P_e)^2 - (P_w)^2}$	√ P <sub>m</sub> xh	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1. or 2, and divide	OW) (DELIV	ERABILITY 6 ( Backpre	/) CALCUL	ATIONS 14.4 =	(Mcfd)	Barrel)	<sup>2</sup> = 0.2 <sup>2</sup> = Or Del Equals	G <sub>m</sub>	
Coeffice $(F_b) (F_b) (F_b) (F_c) (F_c)^2 = $ $(F_c)^2 - (F_c)^2 $	Pa    Pa	Meter or rever Pressure psia $(P_w)^2 = \frac{(P_e)^2 - (P_w)^2}{(P_e)^2 - (P_w)^2}$	P <sub>m</sub> x h  : hoose formula 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup>	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1. or 2, and divide	OW) (DELIV	ERABILITY 6 ( Backpre	C) CALCUL  P <sub>c</sub> - 14.4) +  essure Curve  upe = "n"  or  ssigned	ATIONS 14.4 =	(Mcfd)	(P <sub>a</sub> )	<sup>2</sup> = 0.2 <sup>2</sup> = Or Del Equals	G <sub>m</sub> 07  Den Flow liverability R x Antilog	
Coeffiec $(F_b)$ (F Mcfc $(F_c)^2 = $ $(P_c)^2 - ($ or $(P_c)^2 - ($	P   P   P   P   P   P   P   P   P   P	Meter or rever Pressure psia $(P_w)^2 = \frac{(P_e)^2 - (P_w)^2}{(P_e)^2 - (P_w)^2}$	: hoose formula 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> vided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	(OPEN FLO P <sub>d</sub> = LOG of formula 1. or 2 and divide by:	OW) (DELIV	F <sub>II</sub> ERABILITY  6 (  Backpre Sic  As	/) CALCUL P <sub>c</sub> - 14.4) + essure Curve ppe = "n" - or - ssigned dard Slope	ATIONS 14.4 =	(Mcfd)	(P <sub>a</sub> ) Antilog	2 <sup>2</sup> = 0.2 <sup>2</sup> =Or_Del Equals	G <sub>m</sub> 07  Den Flow liverability R x Antilog	
Coeffice $(F_b) (F + F_c) = (F_c)^2 - (F_c)$	Signature   Part   Pa	Meter or prover Pressure psia $(P_w)^2 = \frac{C}{(P_e)^2 - (P_w)^2}$	: hoose formula 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> vided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> Mcfd @ 14.	(OPEN FLU  P <sub>d</sub> =  LOG of formula 1. or 2. and divide by:	DW) (DELIV	Fn  ERABILITY  6 (  Backpre Sic  As Stand	/) CALCUL P <sub>c</sub> - 14.4) + essure Curve ppe = "n" - or - or - ssigned dard Slope  bility	ATIONS 14.4 =	(Mcfd)	(P <sub>a</sub> ) (P <sub>d</sub> ) Antilog	2 = 0.2 2 = Or Del Equals	G <sub>m</sub> 07  Den Flow iverability a R x Antilog (Mcfd)	
Coeffice $(F_b) (F \\ Moto$ $P_c)^2 = \underline{\qquad}$ $(P_c)^2 - (Or \\ (P_c)^2 - (Or \\ The $	cient P	Meter or rover Pressure psia $(P_w)^2 = \frac{(P_c)^2 - (P_w)^2}{d^2}$ ed authority, on	P <sub>m</sub> x h  : hoose formula 1 or 2 1. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> vided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> Mcfd @ 14. behalf of the	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1. or 2 and divide by:  65 psia  Company, \$	DW) (DELIV	F <sub>II</sub> ERABILITY 6 (  Backpre Sic	P <sub>c</sub> - 14.4) + essure Curve ppe = "n" or ssigned dard Slope  billity	ATIONS 14.4 = n x L	(Mcfd) : OG [ ]	(P <sub>a</sub> ) (P <sub>o</sub> ) Antilog  Mofd @ 14.65 ps	2 = 0.2 2 = Or Del Equals	G <sub>m</sub> O7  Den Flow iverability is R x Antilog (Mcfd)	
Coeffice $(F_b) (F \\ Moto$ $P_c)^2 = \qquad \qquad$	cient P	Meter or prover Pressure psia $(P_w)^2 = \frac{C}{(P_e)^2 - (P_w)^2}$	P <sub>m</sub> x h  : hoose formula 1 or 2 1. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> vided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> Mcfd @ 14. behalf of the	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1. or 2 and divide by:  65 psia  Company, \$	DW) (DELIV	F <sub>II</sub> ERABILITY 6 (  Backpre Sic	P <sub>c</sub> - 14.4) + essure Curve ppe = "n" or ssigned dard Slope  billity	ATIONS 14.4 = n x L	(Mcfd)	(P <sub>a</sub> ) (P <sub>o</sub> ) Antilog  Mofd @ 14.65 ps	2 = 0.2 2 = Or Del Equals	G <sub>m</sub> 07  Den Flow iverability a R x Antilog (Mcfd)	
Coeffice $(F_b) (F \\ Moto$ $P_c)^2 = \qquad \qquad$	cient P	Meter or rover Pressure psia $(P_w)^2 = \frac{(P_c)^2 - (P_w)^2}{d^2}$ ed authority, on	: hoose formula 1 or 2 1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> vided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> Mcfd @ 14. behalf of the	(OPEN FLO  P <sub>d</sub> =  LOG of formula 1. or 2 and divide by:  65 psia  Company, \$	DW) (DELIV	F <sub>II</sub> ERABILITY 6 (  Backpre Sic	P <sub>c</sub> - 14.4) + essure Curve ppe = "n" or ssigned dard Slope  billity	ATIONS 14.4 = n x L	e above repo	(P <sub>a</sub> ) (P <sub>o</sub> ) Antilog  Mofd @ 14.65 ps	2 = 0.2 2 = Or Del Equals	G <sub>m</sub> O7  Den Flow iverability is R x Antilog (Mcfd)	

## DEC 2 6 2012

	KCC WICHITA
exempt status under Rule K.A.R. 82-3-304 on and that the foregoing pressure information correct to the best of my knowledge and belie of equipment installation and/or upon type of	the laws of the state of Kansas that I am authorized to request behalf of the operator Castelli Exploration, Inc. and statements contained on this application form are true and if based upon available production summaries and lease records completion or upon use being made of the gas well herein named. om open flow testing for the Gregg #2-18
is on vacuum at the preser	
staff as necessary to corroborate this claim f	
	gnature:

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.