KANSAS CORPORATION COMMISSION
ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Form G-2 RECEIVED JAN 0.7 2013

lype lest:					ί	see mstruc	uons on nev	erse side	:/					
Open Flow Deliverabilty				Test Date: 11-27-)				API No. 15 077-21466-00-00			KCC WICHITA			
ompany nion Val	ley Pe	etroleun	n Corpora	ition			Lease McKee				1-31	Well Nu	ımber	
ounty Location arper W2 NESW				Section 31		TWP 33S		RNG (E/W)				Attributed		
ield Inthony			<u> </u>	Reservoir Mississippi				Gas Gathering Connection Atlas		tion		RECEIV		
ompletion Date 1-04-04					k Total Dep			Packer Set at none				DEC 1 4 2		
ising Size				Internal Diameter 4.95		Set at 5060		Perforations 4971-76		To 4496-	DEC 1 4 20 TO 4496-4503 KCC WICHI			
	ing Size Weight			Internal Diameter 2.441		Set at 4967		Perforations		То				
	oletion	(Describ	e)		Type Fluid Production water/oil					nit or Traveling P	lunger? Yes	ger? Yes / No		
Producing Thru (Annulus / Tubing)				% C .1635	Carbon Diox		3.6364		Gas Gravity - G _g .6781 (Meter Run) (Prover) Size					
rtical De	pth(H)	ı				Pres	ssure Taps				(Meter	Run) (P	'rover) Size	
essure B										20			(AM) (PM) (AM) (PM)	
						OBSERVI	ED SURFACE	: DATA			uration of Shut	in.	Houre	
tatic / namic operty	Orifice Me		ircle one: Meter er Pressure sig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Temperature t	Well Head	Casi Wellhead F (P _w) or (P,	Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Liqui	Liquid Produced (Barrels)	
hut-In		p:	sig (Fili)	IIICHES H ₂ U			psig	99ia 337	psig	Biaq				
Flow								· · · · · · · · · · · · · · · · · · ·						
	1	Cimin				FLOW ST	REAM ATTRI	BUTES					Flouring	
Plate Coeffiecie (F _b) (F _p) Mcfd		Gircle one: Meter or Prover Pressure psia		Press Extension ✓ P _m xh	Grav Fac F	tor	Flowing Temperature Factor F _{tt}	Fa	riation actor = pv	Metered Flow R (Mcfd)	GOR (Cubic Fe Barrel)	et/	Flowing Fluid Gravity G _m	
					(OPEN FL	OW) (DELI	VERABILITY)	CALCUL	ATIONS		/B.)² ≈ 0.2	207	
) ² =		_:	(P _w) ² =	·	P _a =		% (P	c - 14.4) +	14.4 =	<u>:</u>) ² =		
(P _c) ² - (P _a or (P _c) ² - (P _d	,)2	(P _c) ² - (P _w) ²		toose formula 1 or 2: 1. $P_c^2 - P_a^2$ LOG of formula 2. $P_c^2 - P_a^2$ 1. or 2. wided by: $P_c^2 - P_w^2$ by:		Backg S		ressure Curve llope = "ri" n > Assigned ndard Slope		LOG	Antilog	Del Equals	Open Flow Deliverability Equals R x Antilog (Mcfd)	
pen Flow Mcfd @ 14.65 psia			Deliverability			Mcfd @ 14.65 psia								
		•	•		, ,		he is duly au		/ / //	adova report	and that he h)	wledge of	
			Witness (if ar	ıy)			•	l' -		For Cor	npeny			
			For Commission	00			_			Checke	ed by			

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Union Valley Petroleum Corporation
and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the McKee #1-31 gas well on the grounds that said well:
(Check one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
Date: 12-12-12
Signature: Title: President

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

95401049 STEWARD - MEREE **Analysis**

Date-Time: 09/20/12 12:04 Analysis Time: 230 Cycle Time: 240 Cycle Start Time: 12:00 Stream: 1 Stream 1 Analyzer: 204295 Mode: ANLY

Strm Seq:1

95401049 H2S 0.0 PSIG 89.4 TEMP 89.0

Component	Mole	Gallons/	BTU	Relative
Name	Percent	1000 SCF	Gross	Density
C6+ 47/35/17	0.5753	0.2567	30.42	0.0191
PROPANE	2.8725	0.7912	72.44	0.0437
i-BUTANE	0.4076	0.1333	13.28	0.0082
n-BUTANE	1.0679	0.3366	34.92	0.0214
i-PENTANE	0.2561	0.0936	10.27	0.0064
n-PENTANE	0.3459	0.1253	13.90	0.0086
NITROGEN	3.6364	0.0000	0.00	0.0352
METHANE	84.3073	0.0000	853.48	0.4670
CARBON DIOXIDE	0.1635	0.0000	0.00	0.0025
ETHANE	6.3677	1.7025	112.95	0.0661
TOTALS	100.0000	3.4393	1141.66	0.6781

'*' indicates user-defined components

Compressibility Factor (1/z) @ 14.73000 PSIA & 60.0 DEG.F= 1.00288

14.73000 Base Pressures ______ Corrected/Z Gross Dry BTU = 1144.95 = 1125.02Corrected/Z Gross SAT BTU Gallons/1000 SCF C2+ 3.4393 = Gallons/1000 SCF C2+ = Gallons/1000 SCF C3+ = Gallons/1000 SCF C4+ = Gallons/1000 SCF C5+ = Gallons/1000 SCF C6+ = Real Relative Density Gas = 1.7367 0.9456 0.4757 0.2567 0.6798 Unnormalized Mole Percent = 99.826

ACTIVE ALARMS None

DEC 1 4 2012 KCC WICHITA

RECEIVED JAN 07 2013 KCC WICHITA