## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:			(	See Instruct	ions on Re	verse Side	)				
Open Flow Deliverabilty				Test Date				API No. 15				
Company		у		11/20/20	012	Lease		15-0	33-20927 ~		Well Number	<del></del> -
		Corporation				Pyle "B'	*				1	
County Location Comanche 1980 fsl & 660 fel			Section 14		TWP 31S			· · · · ·		Acres Attribute	d 	
Field Wilmore			Reservoir Mississi					ering Conne ield Service				
Completion Date 05/16/1997			Plug Bac 5048	k Total Dept	th	Packer Set at NA						
Casing S 5 1/2	asing Size Weight 1/2 15.5			Internal Diameter		Set at <b>5108</b>		Perforations 4966		то <b>5042</b>		
Tubing Si 2 3/8	•		Internal Diameter		Set at 5090		Perforations		То			
Type Con Single (	•	(Describe)		Type Flui	d Production	n		Pump Unit	t or Traveling	Plunger? Yes	/ No	
Producing Thru (Annulus / Tubing) Annulus				% C	arbon Dioxi	de	% Nitrogen 1.115			Gas Gravity - G <sub>e</sub> 0.72		
Vertical D						sure Taps				(Meter	Run) (Prover) S	ize
Pressure	Buildup	: Shut in No	v 20 <sub>2</sub>	0 12 at		(AM) (PM)	Taken No	ov 21	20	12 at	(AM) (PI	—— M)
•								20 at				
					OBSERVE	D SURFAC	E DATA	•		Duration of Shut	-in	fours
Static / Dynamic Property	Orifice Size (inches	Meter Prover Pressu	Meter Differential Prover Pressure in		Flowing Well Head Temperature t		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> )		bing d Pressure (P <sub>1</sub> ) or (P <sub>c</sub> )	Duration Liquid Produ (Hours) (Barrels)		ed
Shut-In		poig (t iii)	The state of the s			psig 24	psia	psig psia pump		24	24	
Flow												
			1		FLOW STF	REAM ATTR	IBUTES					$\neg$
Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter or Prover Pressure psia	rover Pressure		Gravity Factor F		Flowing Deviation Factor F <sub>p</sub> ,		Metered Flow R (Mcfd)	GOR Flowi (Cubic Feet/ Gravi Barrel) Gravi		id ity
_												
(P <sub>c</sub> ) <sup>2</sup> =		: (P <sub>w</sub> ) <sup>2</sup> =	:	(OPEN FL	OW) (DELIV		•	.ATIONS · 14.4 =	:		) <sup>2</sup> = 0.207 ) <sup>2</sup> =	
(P <sub>e</sub> ) <sup>2</sup> - (I or (P <sub>e</sub> ) <sup>2</sup> - (I	P_)2	(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	Choose formula 1 or 2  1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup>	LOG of formula 1. or 2. and divide		Backpre Slo	essure Curve pe = "n" - or ssigned dard Slope	n x L(	ГЛ	Antilog	Open Flow Deliverabilit Equals R x An (Mcfd)	ty
,												
Open Flo			Mcfd @ 14.		<u> </u>	Deliverat	•			Mcfd @ 14.65 ps		
	_	ned authority, o					uthorized t 8th	_	above repor March	rt and that he h	as knowledge o	
	aaau iit	oroni, and that S	ara roport la tiut	, mile 001180				X		- Ab	RECE	
		Witness (	f any)			•		- 200	For C	ompany	MAR 1	2 21
		For Comm	nission			-			Chec	ked by		

exempt status under Ru	nalty of perjury under the laws of the state of Kansas that I am authorized to request alle K.A.R. 82-3-304 on behalf of the operator H&B Petroleum Corporation pressure information and statements contained on this application form are true and
correct to the best of m	y knowledge and belief based upon available production summaries and lease records in and/or upon type of completion or upon use being made of the gas well herein named.  Done-year exemption from open flow testing for the Pyle "B" No. 1
gas well on the ground	s that said well:
is c is a is o ✓ is n	coalbed methane producer ycled on plunger lift due to water source of natural gas for injection into an oil reservoir undergoing ER n vacuum at the present time; KCC approval Docket No ot capable of producing at a daily rate in excess of 250 mcf/D upply to the best of my ability any and all supporting documents deemed by Commission orroborate this claim for exemption from testing.
	Signature: President

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

MAR 1 2 2013