## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

RECEIVED

| Type Tes                                  |                             |  |   | (See Instructions on Reverse Side)     |   |   |  |  |                                  |  | M                                | AR 15 2013  |
|---|-----------------------------|--|---|--|---|---|--|--|----------------------------------|--|----------------------------------|---|
| = '                                       | pen Flow<br>eliverabilty    |  |   | Test Date 02/27/1                      |   |   |  |  | I No. 15<br>9-21450 - <b>0</b> 0 | 03   | KC                               | C WICHITA   |
| Compan<br>Cisco C                         | y<br>perating,              | LLC  |   |  |   | Lease<br>USA Ea                               | gley   |  |                                  |  | D-2                              | Vell Number   |
| County<br>Morton                          | •                           | Locati<br>660 FN   | on<br>L, 660 FE L   | Section<br>2                           |   | TWP<br>33                                     |  | RNG (E<br>41W  | /W)                              |  |                                  | cres Attributed   |
| Field<br>Richfield                        | d                           |  |   | Reservoi<br>Kansas                     | r<br>City / Wya                           | ndotte  | ,  | Gas Ga   | thering Conn                     | ection                                     |                                  |   |
| Completi<br>02/25/9                       |                             |  | <del> ·</del>   |  | k Total Depi                              |   |  | Packer S   | Set at                           | ,  |                                  | -   |
| Casing 5                                  | asing Size Weight           |  | Internal Diameter   |  | Set at 5513                               |   | Perforations<br>3762                                     |  | то<br><b>4380</b>                |  |                                  |   |
| Tubing S                                  | ng Size Weight              |  | Internal Diameter   |  | Set at 4418                               |   | Perforations   |  | То                               |  |                                  |   |
|   | mpletion (i                 |  |   | Type Flui                              | id Production                             | n   | ····   | Pump U   | nit or Traveling                 | Plunger?                                   | Yes /                            | No No   |
| Producin                                  | g Thru (A                   | nnulus / Tubing  | ))  |  | Carbon Dioxi                              |   |  | % Nitrog   | jen                              |  | Gas Gra                          | vity - G <sub>g</sub>                                       |
| Casing<br>Vertical I                      |                             |  |   | <u></u>                                | Pres                                      | sure Taps                                     |  |  |                                  | +  | (Meter R                         | un) (Prover) Size   |
|   |                             | Shut in 02/2   | 27  | 11 8                                   | Flan                                      | <del>-</del>                                  | 02   | )/2 <u>8</u>   | 20                               |  | 3<br>L A M                       |   |
| Well on I                                 | Buildup:<br>Line:           |  |   |  |   |   |  |  |                                  |  |                                  | (AM) (PM) (AM) (PM)   |
|   | <del></del>                 | *****  |   |  |   | D SURFACE                                     |  |  |                                  |  |                                  | 24  |
| Static /<br>Dynamic<br>Property           | Orifice<br>Size<br>(inches) | Circle one:<br>Meter<br>Prover Pressu  |   | Flowing<br>Temperature<br>t            | Well Head                                 | Casi<br>Wellhead I<br>(P <sub>w</sub> ) or (P | ng<br>Pressure   | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) |                                  | Duration of Shut-in<br>Duration<br>(Hours) |                                  | Liquid Produced (Barrels)                                   |
| Shut-In                                   | 0.5                         | psig (Pm)  | Inches H <sub>2</sub> 0   |  |   | psig<br>90                                    | psia   | psig psia  |                                  | 24   | 24                               |   |
| Flow                                      |                             |  |   |  |   |   |  |  |                                  |  |                                  |   |
|   | <del></del>                 |  |   |  | FLOW STR                                  | EAM ATTRI                                     | BUTES  |  | 1                                |  |                                  |   |
| Plate<br>Coeffied<br>(F <sub>b</sub> ) (F | cient P.                    | Circle one:  Meter or rover Pressure psia  Press Extension  √ P <sub>m</sub> x h |   | Fact                                   | Gravity Te                                |   | Deviation<br>Factor<br>F <sub>pv</sub>                   |  | Metered Flow<br>R<br>(Mcfd)      |  | GOR<br>Cubic Feet<br>Barrel)     | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub>               |
|   |                             | ,  |   | (OPEN FLO                              | OW) (DELIVI                               | ERABILITY)                                    | CALCUL   | ATIONS   |                                  |  | (P ) <sup>2</sup> :              | = 0.207   |
| (P <sub>c</sub> ) <sup>2</sup> =          | <del></del> :               | (P <sub>w</sub> ) <sup>2</sup> =_  | Choose formula 1 or 2:  | P <sub>d</sub> = .                     | 9   | 6 (P  | - 14.4) +  | 14.4 =   | :                                |  | (P <sub>d</sub> ) <sup>2</sup> : |   |
| (P <sub>c</sub> ) <sup>2</sup> - (l       |                             | (P <sub>c</sub> )² - (P <sub>w</sub> )²  | 1. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> livided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup> | LOG of formula 1. or 2. and divide by: | formula<br>1. or 2.<br>and divide p 2 p 2 |   | Backpressure Curve Slope = "n"or Assigned Standard Slope |  | n x LOG                          |  | g                                | Open Flow<br>Deliverability<br>Equals R x Antilog<br>(Mcfd) |
|   |                             |  | <u>.</u>  |  |   |   |  |  |                                  |  |                                  |   |
| Open Flor                                 | w                           |  | Mcfd @ 14.6   | 55 psia                                |   | Deliverabil                                   | ity  |  |                                  | Acfd @ 14                                  | .65 peia                         |   |
|   |                             | d authority, on  |   |  |   | is duly aut                                   | horized to   | make th  | e above repor                    |  |                                  | knowledge of  |
|   | - <u></u>                   | Witness (if  | any)  | <u> </u>                               |   |   |  |  | For Co                           | mpany                                      |                                  |   |
|   |                             | For Commis   | slon  |  |   |   |  |  | Check                            | red by                                     |                                  |   |

Checked by

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Cisco Operating, LLC and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow testing for the USA Eagley D-2 |
|--|
| gas well on the grounds that said well:  |
| is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D  I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.  Date: March 8, 2013  |
| Signature:  Title: Operations Manager  MAR 1 5 203   |
| KCC WICHITA  |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.