KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST RECEIVED

| Open Flor | A. | | | · · | see msnuch | 0113 011 7161 | reise olde | , | | | MA | R 15 | 2013 |
|--|---|----------------------------------|--|--|-----------------|---|--|--|-------------------------------|---------------------|---|------------------------------|---|
| ✓ Deliverab | | | | Test Date 04/05/12 | | | | | No. 15 -21777 - 0 0 | 00 | KCC | : Wiic | λτιμ: |
| Company Cisco Operatir | ng, LLC | | | | | Lease Higgins | | | | | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Vell Nur | nber |
| County Stevens | | Location 2310 FS I | ., 330 FEL | Section 7 | | TWP 33 | | RNG (E/\ | N) | | | Acres A 640 | ttributed |
| Field Gentzler | | | | Reservoir | | | | | ering Conn | ection | | | |
| Completion Dat 03/27/95 | e | | | | k Total Dept | h | | Packer S N/A | et at | | | <u> </u> | |
| asing Size | | Weight | | Internal [| Diameter | Set a | | Perfor | ations | | То | | |
| 5.5 Tubing Size | | 15.5 Weight | | 4.995 Internal Diameter | | 6240 Set at | | 5940 Perforations | | | 6032 To | | |
| 2.375 | | 4.7 | | 1.995 | | 5986 | | | | | | | |
| ype Completion Single gas | n (Descri | oe) | | Type Flui Water | d Production | 1 | | Yes | it or Traveling | g Plunger | ? Yes | / No | |
| roducing Thru ubing | (Annulus | / Tubing) | · | % C | arbon Dioxid | de | | % Nitroge | en | | Gas Gra | avity - G | 9 |
| dbirig /ertical Depth(F | 1) | | | | Press | sure Taps | | | | | (Meter F | Run) (Pr | over) Size |
| | | 04/01 | | 40 0 | Flan | | | 1/00 | | 12 | 2 | | |
| Pressure Buildu | p: Shut | in | 5 2 | $0^{\frac{12}{12}}$ at $\frac{8}{12}$ | AIVI | (AM) (PM) | Taken | 1/06 | 20 | at_ | o Alvi | (| AM) (PM) |
| Vell on Line: | Start | ed | 2 | 0 at | | (AM) (PM) | Taken | | 20 | at _ | | (| AM) (PM) |
| | | | | | OBSERVE | D SURFACI | E DATA | | | Duration | of Shut- | _{in} _24 | Hou |
| ynamic Siz | Orifice Size (inches) Circle one: Meter Prover Pressure psig (Pm) | | 1 | Flowing Well Head Temperature Temperature | | (P _w) or (P _t) or (P _c) | | Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c) | | Duration (Hours) | | Liquid Produced (Barrels) | |
| Shut-In 0.5 | psig (Fili) | | Inches H ₂ 0 | | | psig 85 | psia | psig psia | | 24 | | | |
| Flow | | | | | | | | | | | | | |
| · | • | | 1 | | FLOW STR | EAM ATTR | IBUTES | | <u> </u> | | | • | |
| Plate Circle one: Coefficient Meter or (F _b) (F _p) Prover Pressu Mcfd psia | | r or ressure | Press Gra Extension Fac ✓ P _m x h F | | tor Temperature | | Fa | Deviation N Factor F _{pv} | | w | GOR (Cubic Feet Barrel) | | Flowing Fluid Gravity G _m |
| | | | | /ODEN EL | OW) (DELIV | EDADII ITV | CALCUL | ATIONS | | | | İ | |
| P _c) ² = | _: | (P _w) ² = | ; | • | OW) (DELIVI | |) CALCUL) _c - 14.4) + | | <u>:</u> | | (P _a); | 2 = 0.20 2 = | D7 |
| $(P_c)^2 \cdot (P_a)^2$ or $(P_c)^2 \cdot (P_d)^2$ | (P _c) ² - | (P _w) ² | 1. $P_c^2 - P_g^2$ 2. $P_c^2 - P_d^2$ 2. $P_c^2 - P_d^2$ | LOG of formula 1. or 2. and divide | | Slor | ssure Curve be = "n" orsigned ard Slope | n x i | og | Ant | ilog | Deli Equals | en Flow verability R x Antilo Mcfd) |
| | | | | | | | | | | | | | |
| Open Flow | | | Mcfd @ 14. | 65 psia | • | Deliverab | ility | | | Mcfd @ | 14.65 psi | а | |
| The unders | • | • | behalf of the | | | • | | o make the | • | ort and th | at he ha | | edge of 13 |
| | <u> </u> | Witness (if a | ny) | | | - | | | For | Company | | | |
| | | For Commiss | ilon | | | _ | | | Che | cked by | | | |

| | der penalty of perjury under the laws of the state of Kansas that I am authorized to request ider Rule K.A.R. 82-3-304 on behalf of the operator Cisco Operating, LLC |
|------------------|---|
| | egoing pressure information and statements contained on this application form are true and |
| | st of my knowledge and belief based upon available production summaries and lease records |
| | tallation and/or upon type of completion or upon use being made of the gas well herein named. |
| * * | uest a one-year exemption from open flow testing for the Higgins A-1 |
| | rounds that said well: |
| (0) | |
| (Cnec | k one) |
| L | is a coalbed methane producer is cycled on plunger lift due to water |
| <u> </u> | is a source of natural gas for injection into an oil reservoir undergoing ER |
| <u> </u> | is on vacuum at the present time; KCC approval Docket No. |
| | is not capable of producing at a daily rate in excess of 250 mcf/D |
| V | j 13 flot dupuble of producing at a dully fate in excess of 250 file//b |
| I further agre | ee to supply to the best of my ability any and all supporting documents deemed by Commission |
| - | ry to corroborate this claim for exemption from testing. |
| | |
| | |
| Date: March 6, 2 | 2013 |
| Date: March 6, 2 | 2013 |
| Date: March 6, : | 2013 |
| Date: March 6, : | 2013 |
| Date: March 6, : | |
| Date: March 6, 2 | Signature: |
| Date: March 6, : | |
| Date: March 6, 2 | Signature: |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.