KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST RECEIVED

| Type Test | | | | (- | See Instruct | ions on Reve | erse Side, |) | | N | IAR 1 5 2013 |
|--|----------------------------|---|--|------------------------------------|---------------------------------|---|--|---------------------------------|---|---------------------------------------|---|
| ☐ Open Flow Deliverabilty | | | Test Date: | | | | | No. 15 -22418 🗪 | ol ver | | |
| Company | y | | | 09/10/12 | 2 | Lease | | 109 | -224100 | - 110 | C WICHITA Well Number |
| Cisco O | peratin | | | | | HJV Buto | cher | | | A-1 | |
| County Stevens | i | Locat 1750 F | ion \$1. 850 FEL | Section 29 | | TWP 32 | | RNG (E/ | N) | | Acres Attributed 640 |
| Field Gentzlei | r NW | | | Reservoir Upper M | | | | Gas Gath | nering Conne | ection | |
| Completi 05/15/03 | | | | Plug Bac 6055 | k Total Dept | th | • | Packer S N/A | et at | | |
| Casing S 5.5 | Casing Size Weight .5 15.5 | | Internal Diameter 4.995 | | Set at 650 0 | | Perforations 5984 | | то 5988 | | |
| | ubing Size Weight | | Internal Diameter | | Set at | | Perforations | | То | | |
| 2.375 | 2.375 4.7 | | 6358 6019 | | | | | | | | |
| Type Cor Single | - | (Describe) | | | d Production nsate / W | | | Yes | it or Traveling | - | / No |
| Producin Casing | _ | (Annulus / Tubir | rg) | % C | arbon Dioxi | de | | % Nitroge | en | Gas Gr | avity - G _g |
| Vertical [| | j | | | Pres: Flan | sure Taps Ge | | | | (Meter I | Run) (Prover) Size |
| Pressure | Buildup | : Shut in 09 | /10 2 | 0_12 at_8 | | | Taken 09 | 9/11 | 20 | 12 _{at} 8 AM | (AM) (PM) |
| Well on I | Line: | Started | 2 | 0 at | | (AM) (PM) | Taken | | 20 | at | (AM) (PM) |
| | | | | | OBSERVE | D SURFACE | DATA | | | Duration of Shut- | in 24 Hours |
| Static / Dynamic Property | Orific Size (inche | e Meter Prover Press | Prover Pressure in | | Flowing Well Head Temperature t | | Casing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia | | ubing ad Pressure (P _t) or (P _c) psia | Duration (Hours) | Liquid Produced (Barrels) |
| Shut-In | 0.5 | | | | | 5 | pone | psig 0 | pola | 24 | |
| Flow | | | | | | | | | | | |
| | | | _ | | FLOW STR | REAM ATTRI | BUTES | Т | | | |
| Plate Coeffied (F _b) (F | cient F _p) | Circle one: Meter or Prover Pressure psia | Press Extension √ P _m x h | Grav Fac F _s | tor | Flowing Temperature Factor F _{tt} | Fa | iation ctor _{pv} | Metered Flow R (Mcfd) | GOR (Cubic Fe Barrel) | et/ Flowing Fluid Gravity G _m |
| | | | | (OPEN FL | OW) (DELIV | ERABILITY) | CALCUL | ATIONS | | (D) | 2 0.007 |
| (P _c) ² = | | : (P _m) ² : | =; | ` P _a = | | | | 14.4 = | : | (P _d) | ² = 0.207 ² = |
| (P _c) ² - (or (P _c) ² - (| | (P _c) ² - (P _w) ² | Choose formula 1 or 2 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ divided by: $P_c^2 - P_w$ | LOG of formula 1. or 2. and divide | | Backpres Slope Ass | sure Curve e = "n" origned rd Slope | n x l | Γ٦ | Antilog | Open Flow Deliverability Equals R x Antilog (Mcfd) |
| | | | | | | | | | | | |
| Onan F: | | | Martal @ 14 | 65 poin | | Deliverabil | litse | | | Mcfd @ 14.65 ps | |
| Open Flo | | | Mcfd @ 14. | | | _ | | | | · · · · · · · · · · · · · · · · · · · | |
| | • | • | on behalf of the | | | • | | | | rt and that he ha | ns knowledge of, 20 |
| | | Witness | (if any) | | | | | | For C | ompany | |
| | _ | For Com | mission | | | _ | | | Chec | ked by | |

| exempt status under Rule K.A.R. 8. and that the foregoing pressure in correct to the best of my knowledgof equipment installation and/or up | jury under the laws of the state of Kansas that I at 2-3-304 on behalf of the operator Cisco Operating, aformation and statements contained on this applie and belief based upon available production summer type of completion or upon use being made of the HJV Butch | ication form are true and maries and lease records ne gas well herein named. |
|---|---|--|
| gas well on the grounds that said v | vell: | |
| is cycled on plus is a source of residue is a source of residue is on vacuum at is not capable of the supply to the | ethane producer Inger lift due to water atural gas for injection into an oil reservoir underget the present time; KCC approval Docket No of producing at a daily rate in excess of 250 mcf/D be best of my ability any and all supporting document this claim for exemption from testing. | <u> </u> |
| Date: March 6, 2013 | | |
| | Signature: Operations Manager | RECEIVED |
| | Title: Operations Manager | MAR 1 5 2013 |
| | | |
| | | KCC WICHIT |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.