

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas S	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
	(0/0/0/0)
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City:	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSL
Name:	Cathodic Borehole Total Depth: feet
Type Drilling Equipment:	Depth to Bedrock: feet
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;;;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
	Borehole will be Pre-Plugged? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.	
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate District office prior to spudding and again before plugging the	
and placement is necessary prior to plugging. In all cases, notify District Office prior	r to any grouting.
2. Notify appropriate District Office 48 hours prior to workover or re-entry.	
A. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
t. The minimum amount of cathodic surface casing as specified below shall be set by	
form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion	form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act
d. Submit plugging report (CP-4) within 30 days after final plugging is completed.	Tom (100 1) wam oo dayo nom opaa dato.
Submitted Electronically	
,	
For KCC Upp ONLY	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required:feet	Domeit Fining
	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent
Spud date: Agent:	

Side Two

1146064

1980' FSL

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.


Operator:	Location of Well: County:
Facility Name: Borehole Number:	feet from N / S Line of Section feet from E / W Line of Section
	Sec Twp S. R
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical lines, as requ	arest lease or unit boundary line. Show the predicted locations of
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location 2456 ft. Lease Road Location
	EYAMDI'E : :

NOTE: In all cases locate the spot of the proposed drilling locaton.

3573 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit	Pit is: Proposed Existing If Existing, date constructed:		SecTwp R East		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.		
		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of work	lumber of working pits to be utilized:		
Barrels of fluid produced daily: Aband		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		



1146064

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: Magellan Pipeline Facility Name: Coffeville Station Borehole Number: 1,2,3,4	Location of Well: County: Montgomery 2460 3533 feet from N / S Line of Section feet from E / W Line of Section
Facility Name: Coffeyville STATION	2460 3633 feet from N / S Line of Section
Borehole Number: 1,2,3,4	Sec. 36 Twp. 34 S. R. 16 TE W
Boreholes will Be 20 Ft Apart	Sec. 36 Twp. 37 S. R. 76 E W
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).


You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

LEGEND


0	Well Location
	Tank Battery Location
—	Pipeline Location
	Electric Line Location
	Lease Road Location



In plotting the proposed location of the well, you must show:


- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Magellan Midstream Partners, L.P. Cathodic Protection Installation Request



Region:	Plains	. Area:	Coffeyville		Pipeline:	Coffeyville S	3tation
Allgnment Sheet:	571 C 5100A	Tract:	NA	Mile Post:	0+00	Survey Station:	NA
State :	Kansas		County:	Mongomery Co. KS	·		
Section:	36	1/4 Sec.of 1/4:	SE/4 of NW/4	Township:	348	Range:	16E
Location:	Mongomery Co. KS	-	Lat, 37° 2,7570'	Long95° 36.6352'		<u> </u>	
Property Owner:	Magellan (MMP)						
Power Company:	Station Power					• ***	
Groundbed Type:	semi -deep		Current Required:	20Amps(historicaly)	Soil Resistance:	N/A	
Type of Anodes:	N/A	•	Number of Anodes:	24	Type of Backfill:	Loresco sc3	
Amount of Backfill:	N/A		Type of Cable:	HMWPE Red	_	Amount of Cable:	400ft
New Rectifier	Required: (yes/no):	NO	Rectifier Type:	N/A		Anode Depth:	30-100ft
Anode Spacing:	N/A	Anode Hole Specs:	N/A	Design Life:	N/A		
Requir	ed Installation Date:	12/30/12		Construction (Co	ontract / In House):	NA	
Details:	This project mendes	es with coke breeze b	semi-deep ground bea ackfill , then installing a	l system that consists o a new positive header o	of auguring 4 @ 10° x able from the new an	100' bore holes and inst ode junction box approxi	∃lling 6 high mately 50'ft to the
Requested By:	Cari Morris		Date	09/27/12	Company No.		
Signature:					Operating Unit		
Approved By:			Date		Cost Center		
Signaturo					Dietriet	<u> </u>	

(original to Corrosion Supervisor, copy to local file)



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

June 12, 2013

Magellan Pipeline Company LP 1 Williams Ctr Tulsa, OK 74172

RE: Drilling Pit Application

Coffeyville Station #3 NE/4 Sec. 36-34S-16E

Montgomery County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Hagne Kathy Haynes

Environmental Protection and Remediation Department

cc: File