



KANSAS CORPORATION COMMISSION 1106729
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710
Name: Laymon Oil II, LLC
Address 1: 1998 SQUIRREL RD
Address 2: _____
City: NEOSHO FALLS State: KS Zip: 66758 + 7124
Contact Person: Michael Laymon
Phone: (620) 963-2495
CONTRACTOR: License # 32710
Name: Laymon Oil II, LLC
Wellsite Geologist: None
Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

11/13/2012	11/16/2012	11/17/2012
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-001-30552-00-00
Spot Description: _____
NW NW NE NW Sec. 12 Twp. 24 S. R. 18 East West
5115 Feet from North / South Line of Section
3795 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Allen
Lease Name: West JR Lewis Well #: 1-12
Field Name: _____
Producing Formation: Tucker
Elevation: Ground: 986 Kelly Bushing: 991
Total Depth: 1360 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 0
feet depth to: 40 w/ 10 sx cnt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: 0 ppm Fluid volume: 120 bbls
Dewatering method used: Evaporated
Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: Deanna Garrison Date: 01/09/2013



1106729

Operator Name: Laymon Oil II, LLC Lease Name: West JR Lewis Well #: 1-12
 Sec. 12 Twp. 24 S. R. 18 East West County: Allen

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Gamma Ray Neutron	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum Attached Attached Attached
---	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10.2500	8.6250	24	40	portland	10	
Production	6.1250	4.5	10	1357	common	300	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	West JR Lewis 1-12
Doc ID	1106729

Tops

Soil	0	5
Lime	5	40
Shale	40	80
Lime & Shale	80	190
Black Shale	190	196
Lime	196	265
Shale	265	440
Lime	440	455
Shale	455	460
Lime	460	490
Shale	490	515
Lime	515	550
Shale	550	560
Lime	560	600
Shale	600	740
Bartelsville sand	740	780
Shale	780	815
Sand	815	895
Shale	895	910
Tucker Sand	910	915
Shale	915	930
Tucker Sand	930	978
Riverton Coal	978	988
Mississippi Lime	988	1245

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	West JR Lewis 1-12
Doc ID	1106729

Tops

Shale & Lime	1245	1290
Arbuckle Lime	1290	1295
Shale	1295	1360

802 N. Industrial Rd.
 Box 664
 Topeka, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's discretion, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowed time for unloading trucks is 3 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
 LAYMON OIL II, L.L.C.
 1938 SQUIRREL RD.

LA/LEWIS
 LAYMON OIL
 169 N TO SOUTH DAKOTA WEST
 1/2 MI S SD

NEEDS FALLS KS
 66750

TOLA, KS 66749/LEWIS W 1-12-11

TIME	WELL	LOAD SIZE	YARDS ORDERED	% CAL.	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
09:53:42a	WELL	15.00 yd	30.00 yd	0.00	JT 35	0.00	ALLCO
DATE	LOAD #	YARDS DEL.	BATCH #	WATER TRIM	SLUMP	TICKET NUMBER	
11-17-12	1	15.00 yd	22738	0/yd	0.00 in	136	

IRRITATING TO SKIN AND EYES
 Contains Portland Cement, Water, Rubber, etc. AVOID CONTACT WITH SKIN AND EYES. In Case of Contact, Wash Thoroughly With Water. For Medical Attention, See Physician.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LEAVING PLANT.

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A 25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$200/Hr.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE releasing him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, etc., etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SCALED

X _____

Excessive Water is Detrimental to Concrete Performance
 H₂O Added By Request/Authorized By

GAL X _____

WEIGHMASTER

LOAD RECEIVED BY: X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
15.00	WELL	WELL (10 SACKS PER UNIT)	51.00	765.00
15.00	MIX & HAUL	MIXING & HAULING	25.00	375.00
1.00	TRUCKING	TRUCKING CHARGE	50.00	50.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		Subtotal \$ 1190.00
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Tax % 7.550 89.85
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	Total \$ 1279.85
10:30	1042	10:50			Order \$ 1279.85
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
					GRAND TOTAL

New Klein Lumber
201 West Madison
John KS
66749

CUSTOMER NO.	JOB NO.	PURCHASE ORDER NO.	REFERENCE	TERMS	CLERK	DATE	TIME
						9/20/12	

Laymon Oil	SHIP TO
------------	---------

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	UNITS	PRICE/PER	EXTENSION
	300		PC.	Portland Cement	300	945	2835 ⁰⁰
						tax	242 ³⁹
							<u>3077³⁹</u>
				Wissler 20-12-10 Dacks		Dec 35 97-12	
				Schornick 15-12 10 Daks.		Dec 35 96-12	
				Wissler 23-12 10 Daks.		Alexander 98-12	
				Wissler 21-12 10 Daks		Alexander 97-12	
				Wissler 22-12 10 Daks		West GR Lewis 1-12	
				Winnick 7-12 10 Daks			

Jannahill 10-12 10 Daks

Jannahill 11-12 10 Daks.

~~X~~ Wetherland WSW1

RECEIVED BY

North GR Lewis 21-12 10 Daks

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 865-5588

Payless Concrete Products, Inc.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO DRIVER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
 LAYMON ELLIS L.L.C.
 1998 SQUA WEL RD.

LA/LEWIS
 LAYMON ELLIS
 169 N TO SOUTH DAKOTA WEST
 1/2 MI S SD

NEOSHO, MISSOURI 64678

IOLA, KS 66749/LEWIS WELLS RD

1-12

TIME	DATE	QUANTITY	WATER ADDED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
10:10:54a	WELL	15.00 yd	30.00 yd	0.00	TH 31	0.00	ALLCO
DATE			YARDS DEL	BATCH#	WATER TRIM	SIGNIP	TICKET NUMBER
11-17-12	o Date today #	2	30.00 yd	22739	6/yd	0.0	33187

WARNING
 IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement. Wear Rubber Boots and Gloves. Avoid Contact With Eyes. Wash Skin or Eyes Thoroughly with Water. If Necessary, Seek Medical Attention.
 CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
 The designated promisee to pay all costs, including reasonable attorney's fees, incurred in collecting any such cost.
 All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
 Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
 A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
 Excess Delay Time Charged @ \$50/Hr.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERED TO BE MADE INSIDE CURB LINE)
 Dear Customer: The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his load may possibly cause damage to the premises and/or adjacent property if placed on the premises at the load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE, providing him and the supplier with any responsibility which might be incurred by you as to the premises and/or adjacent property, buildings, sidewalks, driveways, etc., on the delivery of the material, and that you also agree to help him release him and from the wheels of his vehicle so that he will not file the public suit. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and the supplier from any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of the order.
 SIGNED: _____
 X _____

Excessive Water is Detrimental to Concrete Performance
 H₂O Added By Request/Authorized By _____
 GAL X _____
 RECEIVED BY: _____
 X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
15.00	WELL	WELL (10 SACKS PER UNIT)	30.00	51.00
15.00	MTX&HAUL	MIXING & HAULING	30.00	25.00
1.00	TRUCKING	TRUCKING CHARGE	2.00	50.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
10.70				
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$ 1190.00
 Tax % 7.550 89.85
 Total \$ 1279.85
 Order # 2550.70
 ADDITIONAL CHARGE 1 _____
 ADDITIONAL CHARGE 2 _____
 GRAND TOTAL ▶ _____