KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	: en Flov	, ¥	151		,	(See Insti	ructions on	Reverse Si	,					
Deliverabilty						Test Date: 6/7/2012				API No. 15 181-20564-0 000				
Company Rosewood Resources, Inc.						Lease Topliff			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			33-34	Well Number 33-34	
County Location Sherman NWSE			Section 34				RNG (E/W) 40W			Acres Attributed 80				
Field Goodland				Reservoir Niobrara			Gas Gathering Connection Branch Systems Inc.			RECEIVA				
Completion Date 8/21/2010			Plug Bac 1239'	Plug Back Total Depth 1239'			Packer Set at			JAN 03 2 To 1106' KCC WICH				
Casing Size Welg 4 1/2" 10.5a		:	Internal Diameter 4.000			Set at 1279'		Perforations 1074'		To 1106'	KC	C Minu		
Tubing Si NONE	ze		Weigh	nt	Internal	Internal Diameter Set at		et at	Perforations			То	_	VVICH
ype Con Single (Type Flu Dry G	id Produc as	tion		Pump I Flow	Unit or Traveling	g Plunge	er? Yes	(No)	
		(Anr	nulus / Tubin	g)	% (% Carbon Dioxide			% Nitro	% Nitrogen			Gas Gravity - G	
Annulus Vertical Depth(H)				Pressure Taps						.6 (Meter Run) (Prover) Size				
290'			6.6		40 1		ange		2 7		12	2"		
ressure	Buildup		Shut in 6-6		20 12 at 1			M) Taken		20		1:50	(AM) (PM)
Veil on L	ine:	:	Started 6-7		20 at 1	:50	. (AM) (P	M) Taken	6-8	20	12 at	2:30	(AM) PM
						OBSER	VED SURF				Duratio	on of Shut-i	24	Hours
Static / Orifice ynamic Size roperty (inches)		Circle one: Meter Prover Pressi psig (Pm)	Pressure Differential re in Inches H ₂ 0	ntial Flowing Well Hea Temperature Temperatu		Wellhead Pressure (P_w) or (P_1) or (P_2)		Tubing Wellhead Pressure (P _w) or (P ₁) or (P _c)					d Produced Barrels)	
Shut-In			poig (i iii)	THERES TI ₂ C			psig 17	31.4	psig	psia				
Flow							4	18.4			24		0	
				1		FLOW S	TREAM AT	TRIBUTES						
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension √ P _m x h	Fac	Gravity Flo Factor Fa F		ro.	eviation Factor F _{pv}	Metered Flo R (Mcfd)	w	GOR (Cubic Fee Barrel)	et/	Flowing Fluid Gravity G _m
										9				
					-	- '	LIVERABIL	ITY) CALC	JLATIONS			(P _a) ²	= 0.2	— _ 07
) ² =		:	(P _w) ² =		P _d =		%	(P _c - 14.4)	+ 14.4 =	:	<u> </u>	(P _d) ²	: <u>=</u>	· ····
$(P_c)^2 - (P_b)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ²		Choose famula 1 or 1. $P_c^2 - P_s^2$ 2. $P_c^2 \cdot P_d^2$ divided by: $P_c^2 - P_s^2$	LOG of formula 1. or 2. and divide	formula 1. or 2. and divide p2.p2		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x LOG		ntilog	Open Flow Deliverability Equals R x Antilog (McId)	
non Ele-				Mati Q 1	Les esta		D-U-			****	Market 65	14.05 '		
open Flor		-		Mcfd @ 14				erability				14.65 psi		
				n behalf of the				00		the above repo	ort and	that he ha		ledge of
			Witness (if any)	···· - <u>·</u>				-)(marth	Company		<u>U</u>	
			For Comm	nission						Che	cked by			· · · · · · · · · · · · · · · · · · ·

JAN 03 2013

	KCC WICHITA
	r penalty of perjury under the laws of the state of Kansas that I am authorized to request
exempt status unde	or Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the forego	oing pressure information and statements contained on this application form are true and
correct to the best o	of my knowledge and belief based upon available production summaries and lease records
	lation and/or upon type of completion or upon use being made of the gas well herein named.
	st a one-year exemption from open flow testing for the <u>Topliff 33-34</u> unds that said well:
(Chook	ana)
(Check o	is a coalbed methane producer
<u></u>	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket Nois not capable of producing at a daily rate in excess of 250 mcf/D
_	to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: 12/20/12	
	,
	Signature: Janual Geww
	Title: Production Assistant

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2728
Topliff 33-34
South Goodland
Goodland
None
June-12

RECEIVED

JAN 0 3 2013

KCC WICHITA

FloBoss					
	Casing		н	RS	REMARKS
DATE	PSI S	TATIC MCF	DOWN		(Maximum length 110 characters)
6/1/2012	3	16	9	0	
6/2/2012	3	16	9	0	
6/3/2012	3	16	9	0	
6/4/2012	3	16	9	0	
6/5/2012	3	16	9	0	
6/6/2012	3	16	9	0	shut in for state
6/7/2012	17	20	0	24	opened up
6/8/2012	4	17	2	0	
6/9/2012	4	17	9	0	
6/10/2012	4	17	9	0	
6/11/2012	3	16	9	0	
6/12/2012	3	16	9	0	
6/13/2012	3	16	9	0	
6/14/2012	3	16	9	0	
6/15/2012	3	16	9	0	
6/16/2012	3	16	9	0	
6/17/2012	3	16	9	0	
6/18/2012	4	17	9	0	
6/19/2012	3	16	9	0	
6/20/2012	3	16	9	0	
6/21/2012	3	16	9	0	
6/22/2012	3	16	9	0	
6/23/2012	3	16	9	0	
6/24/2012	3	16	9	0	
6/25/2012	3	16	9	0	
6/26/2012	3	16	9	0	
6/27/2012	3	16	9	0	
6/28/2012	3	16	8	0	
6/29/2012	3	16	9	0	
6/30/2012	3	16	9	0	
7/1/2012				0	

Total

W2728

Topliff 33-34

South Goodland

Goodland

None

July-12

FloBos

JAN 0 3 2013 KCC WIGHITA

FloBoss							
	Casing		HR	.s	REMARKS		
DATE	PSI	STATIC MCF	DC	WN	(Maximum length 110 characters)		
7/1/2012	2		9	0			
7/2/2012	3	16	9	0			
7/3/2012	3		9	0			
7/4/2012	3	16	8	0			
7/5/2012	3		8	0			
7/6/2012	3	16	8	0	•		
7/7/2012	3		8	0			
7/8/2012	3		8	0			
7/9/2012	3	16	8	0			
7/10/2012	3		8	0			
7/11/2012	3	16	8	0	bp		
7/12/2012	3		8	0			
7/13/2012	3	16	8	0			
7/14/2012	3	16	8	0			
7/15/2012	3		8	0			
7/16/2012	3	16	8	0			
7/17/2012	3	16	8	0			
7/18/2012	3	16	8	0			
7/19/2012	3	16	8	0			
7/20/2012	3	16	8	2			
7/21/2012	3	16	8	0			
7/22/2012	3	16	8	0			
7/23/2012	3	16	8	0			
7/24/2012	3	16	8	0			
7/25/2012	3		8	0			
7/26/2012	3	16	8	0			
7/27/2012	3	16	8	0			
7/28/2012	3		8	0			
7/29/2012	3		8	0			
7/30/2012	3	16	8	0			
7/31/2012	3	16	8	0			

Total

W2728 Topliff 33-34 South Goodland

Goodland None

August-12

RECEIVED

JAN 0 3 2013

KCC WICHITA

FloBoss						
	Casing]	HRS	REMARKS
DATE	PSI	STATIC MCF		DOWN		(Maximum length 110 characters)
8/1/2012	3	16		5	0	
8/2/2012	3			8	0	
8/3/2012	3			8	0	
8/4/2012	3			8	0	
8/5/2012	3			8	0	
8/6/2012	3	16		8	0	
8/7/2012	4	17		8	1.5	
8/8/2012	3			8	0	
8/9/2012	3			8	0	
8/10/2012	3			8	0	
8/11/2012	3			8	0	
8/12/2012	3			8	0	
8/13/2012	3	16		8	0	
8/14/2012	4	17		8	1.5	
8/15/2012	4	17		8	0	
8/16/2012	3			8	0	
8/17/2012	3			8	0	
8/18/2012	3	16		8	0	
8/19/2012	3	16		8	0	
8/20/2012	3	16		8	0	
8/21/2012	3	16		8	0	
8/22/2012	3			8	0	
8/23/2012	3			8	0	
8/24/2012	3			8	0	
8/25/2012	3			8	0	
8/26/2012	3			8	0	
8/27/2012	3			8	0	
8/28/2012	3			8	0	
8/29/2012	3			8	0	
8/30/2012	3			8	0	
8/31/2012	3	16		8	0	

Total