Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test: Open Flow	MSI		•	structi	ions on Re	verse Sid	,					
Deliverabili	у		Test Date: 4/26/2012					Pl No. 15 31-20375-01 0	0			
Company Rosewood Res	ources, Inc.	A Marie Committee of the Committee of th			Lease Newton					2-35H	Well Numl	ber
County Location Sherman SWNW/4		Section TWP 35 8S			RNG (E/W) 40W			Acres Attributed 80				
Field Goodland	 · · · · · · · · · · · · · ·		Reservoir Niobrara					athering Conn h Systems In				RECEIVE IAN 032 CWICH
Completion Date 1/17/2006			Plug Back Total N/A	Depti	h		Packer	Set at				IAN 03 2
Casing Size	Weight 17#		6.538		Set 4 309		Perforations 3033'			To 3048'	KC	C WICH
Tubing Size	Weight	-	Internal Diameter Set at		at	Perforations			То		•••оп	
ype Completion Single (Horizo			Type Fluid Prod Dry Gas	luction	1		Pump t	Jnit or Traveling	Plunge	r? Yes	(No)	
Producing Thru (Annulus / Tubing)			% Carbon Dioxide			% Nitrogen			Gas Gravity - G			
Annulus Vertical Depth(H)			Pressure Taps							.6 (Meter Run) (Prover) Size		
1086'	4.05		Flange							2"		
Pressure Buildup			12 _{at} 1:55					. 20			(Al	M) (PM)
Well on Line:	Started 4-26	20	12 at 2:15		(AM)(PM)) Taken <u>4</u>	-27	20	12 at	2:55	(Al	M)(PM)
			OBS	ERVE	D SURFAC	E DATA			Duration	n of Shut-i	n_24	Hours
Static / Orifice		Flowing Well Head Temperature t t		Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		***************************************		uration Liquid Produced lours) (Barrels)		I		
	' psig (Pm)	Inches H ₂ 0			psig	psia	psig	psia				
Shut-In Flow					21	35.4			24		0	
110#			FLOV	5 19.4 FLOW STREAM ATTRIBUTES			24		U			
Plate	Circle one:	Press	T		Flowing					000		Flowing
Coefficeient Meter or Extension (F _b) (F _p) Prover Pressure Mctd psia		Gravity Factor F _g	Т	Temperature		eviation Metered Flor factor R F _{pv} (Mcfd)		v	GOR (Cubic Fee Barrel)	et/	Fluid Gravity G _m	
						15						
D 12	. 45.12		(OPEN FLOW) (D			-		;			= 0.207	,
P _c) ² =	: (P _w) ² =	cose formula 1 or 2:	P _d =	9	1	P _c - 14.4) +		=		(P _d)-	=	
$(P_c)^2 \cdot (P_a)^2$ $(P_c)^2 \cdot (P_w)^2$ 1. $P_c^2 \cdot P_a^2$		LOG of formula 1. or 2.		Backpressure Curve Slope = "n" or Assigned		n x 100		An	Antilog	Open Flow Deliverability Equals R x Antilog		
(P _c) ² - (P _d) ²	divi	ided by: $P_c^2 - P_w^2$	and divide p _c 2 - 1	P.2		iard Slope						cfd)
Open Flow		Mcfd @ 14.6	5 psia		Deliverat	oility			Mcfd @	14.65 psi	a	
	ned authority, on I		•			_		the above repo	ort and t	hat he ha		dge of
	Wilness (if a				-		Un	WU (Sompany	m)	
									akad bu			

KCC WICHITA

exempt status und	er Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
	oing pressure information and statements contained on this application form are true and
_	of my knowledge and belief based upon available production summaries and lease records
of equipment insta	llation and/or upon type of completion or upon use being made of the gas well herein named. st a one-year exemption from open flow testing for the Newton 2-35H
	ounds that said well:
(Check	one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
_	
✓	is not capable of producing at a daily rate in excess of 250 mcf/D
staff as necessary	is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
staff as necessary	to supply to the best of my ability any and all supporting documents deemed by Commission
_	to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessary	to supply to the best of my ability any and all supporting documents deemed by Commission
staff as necessary	to supply to the best of my ability any and all supporting documents deemed by Commiss to corroborate this claim for exemption from testing.

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

JAN 0 3 2013

KCC WICHITA

W412 Newton 2-35H South Goodland Goodland None April-12

	Casing		H	RS	REMARKS
DATE	PSI	STATIC MC	F D	OWN	(Maximum length 110 characters)
4/1/2012		14	15	0	
4/2/2012		l 14	15	0	
4/3/2012		l 14	15	0	
4/4/2012		l 14	15	0	
4/5/2012		l 14	15	0	
4/6/2012		l 14	15	0	
4/7/2012		l 14	15	0	
4/8/2012		l 14	15	0	
4/9/2012		14	15	0	
4/10/2012		14	15	0	
4/11/2012	•	l 14	15	0	
4/12/2012		l 14	15	0	
4/13/2012		l 14	14	0	
4/14/2012		l 14	15	0	
4/15/2012		l 14	15	0	
4/16/2012		l 14	15	0	
4/17/2012		l 14	15	0	
4/18/2012		l 14	15	0	
4/19/2012		l 14	16	0	
4/20/2012	•	l 14	15	0	
4/21/2012		l 14	15	0	
4/22/2012	•	l 14	15	0	
4/23/2012		l 14	14	0	
4/24/2012		l 14	14	0	
4/25/2012		l 14	15		shut in, 6psi on tubing
4/26/2012	2		0		opened up, 8 psi on tubing, bp
4/27/2012	:	5 18	26	. 0	
4/28/2012		17	27	0	
4/29/2012		3 16	25	0	
4/30/2012	3	3 16	24	0	
5/1/2012	(0	0	0	

475

Total

W412 Newton 2-35H South Goodland Goodland None May-12 RECEIVED

JAN 0 3 20:3

KCC WICHITA

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
5/1/2012	3	16	23	0	
5/2/2012	2	2 15	22	0	
5/3/2012	2	2 15	21	0	
5/4/2012	2	2 15	20	0	
5/5/2012	2	2 15	20	0	
5/6/2012	2	2 15	19	0	
5/7/2012	2	2 15	18	0	
5/8/2012	2	15	18	0	
5/9/2012	2	15	18	0	
5/10/2012	2	2 15	18	0	
5/11/2012	2	2 15	18	0	
5/12/2012	2	2 15	18	0	
5/13/2012	2	2 15	17	0	
5/14/2012	2	2 15	17	0	
5/15/2012	2	2 15	17	0	
5/16/2012	2	2 15	17	0	
5/17/2012	2	15	17	0	
5/18/2012	2	2 15	17	0	
5/19/2012	4	2 15	17	0	
5/20/2012	1	14	17	0	
5/21/2012	1	14	16	0	
5/22/2012	1	14	16	0	
5/23/2012	2	2 15	16	0	
5/24/2012	1	14	17	0	
5/25/2012	1	14	16	0	
5/26/2012	3	16	16	6	
5/27/2012	3		22	0	
5/28/2012	3	16	21	0	
5/29/2012	3	16	19	1	
5/30/2012	2		21	0	
5/31/2012	2	2 15	21	0	

Total

W412 Newton 2-35H South Goodland Goodland None June-12

RECEIVED

JAN 0 3 2013

KCC WICHITA

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
6/1/2012		2 15	20	0	
6/2/2012	,	2 15	20	0	
6/3/2012	2	2 15	19	0	
6/4/2012	2	2 15	19	0	
6/5/2012	2	2 15	19	0	
6/6/2012	2	2 15	19	0	
6/7/2012	2	2 15	19	0	
6/8/2012	2	2 15	18	0	
6/9/2012	2	2 15	17	0	
6/10/2012	,	2 15	17	0	
6/11/2012	2	2 15	17	0	
6/12/2012		2 15	17	0	
6/13/2012	2	2 15	17	0	
6/14/2012	2	2 15	17	0	shut in for 40min to 16.5psi
6/15/2012	2	2 15	17	0	
6/16/2012	2	2 15	17	0	
6/17/2012	2	2 15	17	0	
6/18/2012	2	2 15	16	0	
6/19/2012	2	2 15	16	0	
6/20/2012	2	2 15	16	0	
6/21/2012	2	2 15	16	0	
6/22/2012	2	2 15	16	0	
6/23/2012	2	2 15	16	0	
6/24/2012	2	2 15	16	0	
6/25/2012		2 15	16	0	
6/26/2012	2	2 15	16	0	
6/27/2012	2	2 15	16	0	
6/28/2012	2	2 15	15	0	
6/29/2012	4	2 15	16	0	
6/30/2012	2	2 15	16	0	
7/1/2012	(0 0	0	0	

Total