KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:					((See Instruc	ctions on Re	everse Sid	e)					
=	en Fle elivera					Test Day				₽P	LNO 15-09.	7-21,283-	0000		
SWAP	ίΚF	RICI	HARDS	NC	FAMIL	/ TRUS	T/dl	NEE	R			1	Well N	umber	
RIOWA C'NE'SW					Section 8		^{TWP} S	^T 29S		(W)		Acres Attributed			
WEST 1 2ND					Reservoi MISS	ÍSSIPPI			Cas Cathering Connu		nection				
Completion Date 1/3/1990					5139°	k Total Dep	oth	<u>-:</u>	Packer Set at NONE						
Casing Size Weight 4.5 10.5				Internal Diameter 3,927		Set 514	Set at 5149		rations 2-5104	То					
Tubing Size Weight 2.375 4.7				Internal (1.995	Set : 512	at !0	Perto	erations EN	То						
ype Con	npletic	on (D	escribe)	-		Type Flui GAS	d Productio	on .		Pump U	nit or Traveling	g Plunger? Yes	/ No	 	
Producing Thru (Annulus / Tubing) TUBING					% Carbon Dioxide				% Nitrog	jen	Gas G .687	Gas Gravity - $G_{\rm g}$.687			
ertical D	epth(H)			· · ·	-		ssure Taps NGE TAF	•	.,		(Meter	Run) (F	Prover) Size	
Pressure	Builde	up:	12. Shut in	/18	2	12 1 0 at	pm	(AM) (PM)	12 Taken	2/19	20	12 1pm		(AM) (PM)	
Well on L	ine:		Started		20) at		(AM) (PM)	Taken		20	at	· · · · · · · · · · · · · · · · · · ·	(AM) (PM)	
							OBSERVE	D SURFAC	E DATA			Duration of Shu	24 t-in		
Static / Dynamic Property	ic Size ,		Circle one: Meter Prover Press psig (Pm)	Meter Prover Pressure		Flowing Temperature t	Well Head Temperature t	emperature (P _w) or (P _t)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	1 '	Liquid Produced (Barrels)	
Shut-In	t-In .375		135		8 5/8	53	345	350	350	140	psia	24hrs	0		
Flow		130		6.8		52 180		345 350		120	350	24hrs			
				_	·		FLOW STE	REAM ATTR	IBUTES					 	
Plate Coefficcient (F _b) (F _p)		Circle one: Meter or Prover Pressure psia		Press Extension		Grav Fact F _g	or	Flowing Temperature Factor F _{ri}	l Fa	riation Metered Flow actor R F _{pv} (Mcfd)		w GOR (Cubic F Barrel	eeV	Flowing Fluid Gravity	
Mcfd											27			G _m	
						(OPEN FLO	OW) (DELIV	ERABILITY) CALCUL	ATIONS		(P_) ² = 0.2	 207	
)² =		- :	(P _w) ² =		:	P _a = .	<u>_</u>	% (F	² _c - 14.4) +	14.4 =	: :	(P _e)² =		
$(P_c)^2 \cdot (P_a)^2$ or $(P_c)^2 \cdot (P_a)^2$		(P _c) ² - (P _w) ²		4	pose tormule 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ led by: $P_c^2 - P_a^2$	LOG of formula 1. or 2. and divide by:		Backpressure Curve Slope = "n"		n x LOG		Antilog	Antilog Ope Deliv Equats (I		
				_										_	
pen Flov	v	!	J		Mcfd @ 14.6	55 psia		Deliverab	oility			Mcfd @ 14.65 ps	sia	<u> </u>	
The u	ınders	igned	authority, o	n b	ehalf of the	Company, s	tates that h					ort and that he h	as know	·	
e facts st	ated t	herei	n, and that s	aid	report is true	and correct	t. Executed	this the	7	day of	ecember	· · · · · · · · · · · · · · · · · · ·	-RE	CEIVED	
		<u> </u>	Witness (if any	0			-	Kym	San		Сотралу	_NAF	₹1120	
	<u>-</u>		For Comm	nissio			 _	_			Chec	cked by	(CC	WICHIT	

exempt status und and that the foreg correct to the bes of equipment insta	der Rule K.A.R. 82-3-304 on behalf of the operator J MARK RICHARSON TRUST/dba RICI going pressure information and statements contained on this application form are true and t of my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named.
	est a one-year exemption from open flow testing for the
gas well on the gr	rounds that said well:
-	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D eto supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: December	<u>31, 2012 </u>
	Signature: Sanlette
	Title: TRUSTEE/MANAGER

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. TRECENTEDE signed and dated on the front side as though it was a verified report of annual test results.