KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	:				(See Instruc	tions on F	Revers	se Side)	ļ.				
_	en Flow iverabil				Test Date						No. 15 1 79-026-035	358 7		
Company Americar		gies	Corporation	1			Lease Strau				00,03	5- <i>0</i> 00/	Well Number	
County Harvey		•	Location	n	Section 6		TWP 22S			RNG (E/W) 2W			Acres Attributed	
Field Harmac	South	easi			Reservoi Mississi	_					nering Conne an Energies			
Completio 12/20/20	n Date				Plug Bac 3217	k Total Dep	oth			Packer S	et at			
Casing Si			Weight 10.5		Internal Di 4			Set at 3212		Perforations 3166		то 3170		
Tubing Siz	ze		Weight		Internal	Diameter	ameter Set at			Perforations		То		
Type Com Single	npletion	(De	escribe)		Type Flu SW	id Production	on				it or Traveling n g unit		/ No	
Producing Tubing	Thru	(Anr	nulus / Tubing)	1	% (.22	Carbon Diox	ride			% Nitrog 5.09	en	Gas G 0.676	ravity - G _g 36	
Vertical D	epth(H)					ssure Taps					(Meter	Run) (Prover) Size	
3200			6/6		. 12 . 1	Flar 2:40 am		.	6/	7			(AM) (PM)	
Pressure Well on L			Shut in Started 6/7_										(AM) (PM)	
						OBSERV	ED SURF	ACE I	ΣΑΤΑ			Duration of Shut	24 Hour	
Static / Dynamic	Orifii Size	е	Circle one: Meter Prover Pressui	Pressure Differential in	Flowing Temperature	Well Head	Wellhe	Casing ead Pre or (P _i) o	essur o	Wellhe	Fubing ad Pressure r (P,) or (P _c)	Duration (Hours)	Liquid Produced (Barrels)	
Property Shut-In	(IIICIII	65)	psig (Pm)	Inches H ₂ 0		+	psig 315	3	psia 30	psig	psia	24		
Flow				 		 	-	+	 -					
	l		<u></u>	1	1	FLOW ST	REAM AT	TRIB	UTES					
Plate Coeffice (F _b) (F Mcfd	cient (p)	Pro	Circle one: Meter or over Pressure psia	Press Extension ✓ P _m x h	Fa	avity ctor = g	Flowing Temperatu Factor F _{ri}		Fa	riation actor = pv	Metered Flor R (Mcfd)	w GOR (Cubic F Barre	eet/ Fluid	
L					(OPEN E	LOW) (DEL	VERABIL	ITY) C	CALCUL		<u> </u>)2 = 0.207	
(P _c) ² =		_:	(P _w) ² =	;	P _d		_%	•		14.4 = _	<u> </u>) ² = 0.207	
(P _c) ² - (or (P _c) ² - ((P _a)²		P _c) ² - (P _w) ²	Choose formula 1 or. 1. $P_c^2 \cdot P_a^2$ 2. $P_c^2 \cdot P_a^2$ divided by: $P_c^2 \cdot P_a$	LOG of formula 1. or 2. and divid			Backpressu Slope : or Assig Standard			LOG	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
		_												
		١								l		M-44 @ 44 CC =		
Open Flo				Mcfd @ 14				erabilit			t b	Mcfd @ 14.65 p		
			ed authority, or			ect. Execute	ed this the			day of		ort and that he r	nas knowledge of, 20 _12	
			Witness (i	f any)	KANSAS	CORPORAT		 SS 0	1	~~ <u>`</u>	For	Company		
	<u></u>		For Comm	hission	<u></u>	APR 1	7 2013	. –		1	Ch	ecked by		

CONSERVATION DIVISION WICHITA, KS

1 00	clare under penalty of perjury under the laws of the state of Kansas that I am authorized to request
exempt	status under Rule K.A.R. 82-3-304 on behalf of the operator American Energies corp.
ind that	the foregoing pressure information and statements contained on this application form are true and
orrect	o the best of my knowledge and belief based upon available production summaries and lease records
of equip	ment installation and/or upon type of completion or upon use being made of the gas well herein named.
l he	reby request a one-year exemption from open flow testing for the Strausz #1
	on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	is not capable of producing at a daily rate in excess of 250 mcf/D
l fu	rther agree to supply to the best of my ability any and all supporting documents deemed by Commission
staff as	necessary to corroborate this claim for exemption from testing.
Date: 6	5-7-2012
	Signature: Language

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The GANSAS CORPORATION COMMISSION signed and dated on the front side as though it was a verified report of annual test results.

APR 1 7 2013