KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

ype Test	:			(-	See Instruct	ions on Re	verse Side,)				
Op	en Flow			Test Date	:				No. 15			
Def	iverabilty	у		07/01/20					20889 - 00			
ompany Great Pla		troleum, Inc.				Lease Adams	"B"			#2	Well Number	
ounty Location leade 450' FNL, 1900' FEL			Section 26		TWP 34S		RNG (E/W) 29W			Acres Attributed 640		
eld orace S	South			Reservoir Toronto					ering Conne y Gas Servi			
ompletic					k Total Dept	h		Packer Sc	et at			
04/25/1994			5248 Internal Diameter		Set at		Gas Vent packer cov Perforations		vering 3219-3225 To			
asing Size Weight 1/2 15.5#			mternal Diameter		6498		4428-4444			4447-4456		
ubing Si -3/8	ing Size Weight 8/8 4.7#			Internal D	Internal Diameter		Set at 4602		Perforations 4491-4507		То	
ype Con Single ((Describe)			d Production tion Wate			Pumpir			/ No	
•		Annulus / Tubir	ng)	% C	arbon Dioxi	de		% Nitroge	en	Gas Gr .718	avity - G _q	
Annulus /ertical D					Pres	sure Taps					Run) (Prover) Size	
Pressure		Shut in 03	/31 2	12 _{at} 12	2:00 PM	(AM) (PM)	Taken 07	7/01	20	12 at 2:00 P	M (AM) (PM)	
Vell on L										at		
					OBSERVE	D SURFAC	E DATA			Duration of Shut-	in 2186 Hours	
Static /	Orifice	Circle ane. Mater	Pressure Differential	Flowing	Well Head	$\{P_{w}\}$ or $\{P_{1}\}$ or $\{P_{c}\}$		Tubing Welihead Pressure		Duration	Liquid Produced	
Dynamic Property	Size (inches	Prover Press		Temperature t	Temperature t			(P _w) or	(P,) or (Pc)	(Hours)	(Barrels)	
Shut-In		psig (Pm)	, menes m ₂ 0			50.0	64,4	psig	psia			
Flow						30.0	0 1,7					
MON				<u></u>	FLOW STR	REAM ATTR	RIBUTES	1	<u> </u>	<u></u>	<u> 1</u>	
Plate Coeffiec (F _b) (F Mcfd	ient _p)	Circle one Meter or Prover Pressure psia	Press Extension P _m x h	Press Gravity ktension Factor		Flowing Temperature Factor F ₁		lation ctor	Metered Flov R (Mcfd)	w GOR (Cubic Fe Barrel)	1 Gravity	
				(OBEN EL	OW) (DELIV	EDADU IT	O CALCIII	ATIONS				
P _c) ² =		: (P _w)²	=:	P _a =			P _c - 14.4) +		· · · · · · · · · · · · · · · · · · ·	•	1 ² = 0.207 1 ² =	
(P ₂) ² * (i or (P ₂) ² * (l	P _a) ²			LOG of formula 1. or 2. and divide P 2. p 2		Backpressure Curve Slope = "n" or Assigned		n x LOG		Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)	
			avided by: P _e ? - P _e	, by:	<u> </u>	Stan	dard Slope		<u></u>		(MOV)	
Open Flo			Mcfd @ 14			Delivera				Mcfd @ 14.65 ps		
	undersig							o make th day of A		ort and that he ha	as knowledge of	
	tated the	erein, and that	said report is tru	e and correct	t. Executed			day of	·			
	tated the	erein, and that		e and correc	t. Executed	i diis die		1200 t	Ph	Company K	RECEN (ANSAS CORPORATI	

exempt s	lare under penalty of perjury under the laws of the state of Kansas that I am authorized to request tatus under Rule K.A.R. 82-3-304 on behalf of the operator Great Plains Petroleum, Inc. the foregoing pressure information and statements contained on this application form are true and
correct to	the best of my knowledge and belief based upon available production summaries and lease records nent installation and/or upon type of completion or upon use being made of the gas well herein named. Beby request a one-year exemption from open flow testing for the
	on the grounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D ther agree to supply to the best of my ability any and all supporting documents deemed by Commiss necessary to corroborate this claim for exemption from testing.
Date: 04	1/28/2013
	Signature: Dool Phare? Title: President

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.



221 Circle Drive Wichita, KS 67218

April 28, 2013

Mr. Jim Hemmen Kansas Corporation Commission 130 S. Market, Room 2078 Wichita, KS 67202-3802

RE:

Application for Exemption from Gas Well Testing Requirement

Adams "B" #2 Sec. 26-34S-29W - Meade County > API #15-119-20,889

Dear Mr. Hemmen:

Great Plains Petroleum hereby requests a one-year exemption from open flow testing for the Adams "B" #2 gas well for the 2012 calendar year, on the grounds that said well is not capable of producing at a daily rate in excess of 250 mcf/D.

Please find enclosed an executed Form G-2 in support of this application. Contact me if you require any additional information.

Sincerely,

Rod A. Phares

President

RECEIVED KANSAS CORPORATION COMMISSION

MAY 0 2 2013

CONSERVATION DIVISION WICHITA, KS