

15-191-01199-0000

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 North Market, Insurance Bldg.  
Wichita, Kansas

Sumner

County. Sec. 27 Twp. 31S Rge. (E) 1 (W)

Location as "NE/CNW/SW" or footage from line SE SW NE NE PMB RCC

Lease Owner Aladdin Petroleum Corporation

Lease Name Voils Well No. 2

Office Address 809 Petroleum Building, Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) oil

Date well completed September 27, 1955

Application for plugging filed April 22, 1966

Application for plugging approved April 25, 1966

Plugging commenced May 11, 1966

Plugging completed May 16, 1966

Reason for abandonment of well or producing formation not profitable

If a producing well is abandoned, date of last production May 1966

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well Howard Hess

Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3710' Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	331	none
				5-1/2"	3710	2606'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Set plug @ 3650'.  
5 sacks cement 3650 to 3620'.  
Pulled 2606' of 5-1/2" casing.  
Mud 3620 to 260'.  
Rock bridge 260' to 250'.  
3-1/2 yards ready-mix cement 250 to bottom of cellar.

RECEIVED  
STATE CORPORATION COMMISSION  
JUN 14 1966  
CONSERVATION DIVISION  
Wichita, Kansas  
06-14-66

Name of Plugging Contractor Glenn & Smith  
Address Ellinwood, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.  
J. M. Johnson (employee of owner) or (owner/operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) J. M. Johnson  
809 Petroleum Building, Wichita, Kansas (Address)  
J. M. Johnson, Vice Pres.

SUBSCRIBED AND SWORN to before me this 13th day of June, 19 66

My commission expires Sept. 19, 1967  
Esther L. Marshall Notary Public.

27-31-1W  
 DRILLERS' LOG

#2 VOILS

SW NE NE SEC. 27-31-1W

Cowley County, Kansas

OPERATOR: Aladdin Petroleum Corporation  
 CONTRACTOR: Mallonee Drilling Company, Inc.  
 POTENTIAL: 256 B/D 9-27-55, after 1000 gal. acid.  
 ELEVATION: 1270 GR

COMMENCED: 8-10-55

COMPLETED: 9-21-55

FROM	TO	DESCRIPTION	REMARKS
0	20	Surface Clay & Sand	
20	260	Lime & Shale	
260	331	Shale	8-5/8" 24# Surface Casing set at 331' with 245 sbs Posmix & 1% Calcium Chloride
331	555	Shale & Shells	
555	1260	Lime & Shale	
1260	1563	Sandy Shale	
1563	2480	Lime & Shale	
2480	2730	Lime	
2730	3006	Shale	
3006	3062	Lime	
3062	3103	Lime & Shale	
3103	3138	Brown Lime	
3138	3270	Lime	
3270	3345	Lime & Shale	
3345	3415	Lime	
3415	3585	Lime & Shale	
3585	3597	Lime	
3597	3638	Shale & Lime	
3638	3652	Lime	
3652	3710	Lime	
	3710	Total Depth of Hole RM 3705' GM	5 1/2" 14# Casing set at 3710' with 150 sbs. Posmix

RECEIVED  
 OIL & GAS COMMISSION  
 JUN 14 1966  
 DIVISION  
 Wichita, Kansas

Cored 3652 - 77

I certify that to the best of my knowledge and belief, the above represents a true and accurate Drillers' Log of the captioned well.

*R. E. Mallonee*  
 R. E. Mallonee

STATE OF KANSAS )  
 COUNTY OF SEDGWICK ) ss

Subscribed and sworn to before me this 23rd day of August, 1955.

*Rosemary Penrose*  
 Rosemary Penrose, Notary Public

My Commission Expires:  
 March 30, 1957

Top Mississippi Dolomite 3647' GM  
 Perforated 3648-61'. Acidized with 1000 gal.