

152 R

To: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING SECTION  
200 COLORADO DERBY BUILDING  
WICHITA, KANSAS 67202

API NUMBER 15-165-21,375-0000  
C NE SW, SEC. 27, T 18 S, R 20 W/EX  
1980 feet from S section line  
3300 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 5565

Lease Name Bannister Well # 1

Operator: National Cooperative Refinery Assoc. County Rush  
Name & Address Box 6  
Great Bend, KS 67530

Well Total Depth 4270 feet  
Conductor Pipe: Size \_\_\_\_\_ feet  
Surface Casing: Size 8 5/8 feet 357

Abandoned Oil Well \_\_\_\_\_ Gas Well \_\_\_\_\_ Input Well \_\_\_\_\_ SWD Well \_\_\_\_\_ D&A X  
Other well as hereinafter indicated \_\_\_\_\_

Plugging Contractor Red Tiger Drilling Company License Number 5302  
Address 1720 Kansas State Bank Building, Wichita, KS 67202

Company to plug at: Hour: 4:45 p.m. Day: 23 Month: 3 Year: 19 87

Plugging proposal received from Bill Ayres  
(company name) Red Tiger Drilling Company (phone) 913-625-7858

were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1422'  
1st plug at 1450' with 50 sx cement, 2nd plug at 700' with 60 sx cement,  
3rd plug at 400' with 50 sx cement, 4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement.

Plugging Proposal Received by Richard Lacey  
(TECHNICIAN)

Plugging Operations attended by Agent?: All \_\_\_\_\_ Part \_\_\_\_\_ None X

Operations Completed: Hour: 6:20 p.m. Day: 23 Month: 3 Year: 19 87

ACTUAL PLUGGING REPORT 1st plug at 1422' with 50 sx cement,  
2nd plug at 700' with 60 sx cement,  
3rd plug at 387' with 50 sx cement,  
4th plug at 40' with 10 sx cement,  
5th plug to circulate rathole with 15 sx cement.

Remarks: Used 60/40 Pozmix 6% gel by B.J. Titan.  
(If additional description is necessary, use BACK of this form.)

INVOICED

(operator did not observe this plugging.)

DATE 3-30-87  
JOB NO. 16452

Signed Richard W. Lacey 3-27-87  
(TECHNICIAN) MAR 27 1987

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date ..... March 20, 1987  
month day year

API Number 15- 165-21375-0000 <sup>2</sup>

OPERATOR: License # ..... 5565  
Name ... National Cooperative Refinery Assoc. 1980  
Address ... Box 6  
City/State/Zip ... Great Bend, KS 67530  
Contact Person ... I. J. Gotsche  
Phone ... 316 793-7824

G. NE. SW. Sec. 27, Twp. 18. S, Rg. 20  West  
..... Ft. from South Line of Section  
..... 3300 ..... Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # .....  
Name ..... Unknown ~~Red Tiger~~  
City/State .....  
Well Drilled For:  Oil  SWD  Infield  Mud Rotary  
 Gas  Inj  Pool Ext.  Air Rotary  
 OWWO  Expl  Wildcat  Cable

Nearest lease or unit boundary line ..... 660 feet  
County ..... Rush  
Lease Name ..... Bannister ..... Well # 1  
Ground surface elevation ..... East 2140 ..... feet MSL  
Domestic well within 330 feet:  yes  no  
Municipal well within one mile:  yes  no  
Depth to bottom of fresh water ..... 200  
Depth to bottom of usable water ..... 850-650  
Surface pipe by Alternate:  1  X  
Surface pipe planned to be set ..... 350  
Conductor pipe required ..... None  
Projected Total Depth ..... 4250 feet  
Formation ..... Mississippi

If OWWO: old well info as follows:  
Operator .....  
Well Name .....  
Comp Date ..... Old Total Depth .....

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.  
Date ..... 2/11/87 ..... Signature of Operator or Agent *I. J. Gotsche* Title District Supt.

For KCC Uses:  
Conductor Pipe Required ..... feet; Minimum Surface Pipe Required ..... 200 feet per Alt.  X  
This Authorization Expires ..... 8-12-87 ..... Approved By ..... 2-12-87 *R. W. K.*

Set 350' of 8 5/8" on 3/15/87

PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ 1450'	feet depth with	50	SXS of 60/40 Pozmix 6% Gel
2nd plug @ 800'	feet depth with	60	SXS of 60/40 Pozmix 6% Gel
3rd plug @ 400'	feet depth with	50	SXS of 60/40 Pozmix 6% Gel
4th plug @ Bridge @ 40'	feet depth with	10	SXS of 60/40 Pozmix 6% Gel
5th plug @	feet depth with		SXS of
(2) Rathole with			(b) Mousehole with

PUSHER Bill Ayres

TD 4270 FORMATION MISS

SURFACE PIPE 357 @ 8 5/8

ANEHYDRITE 1422 ELEVATION 2140

STARTING TIME & DATE 4:45 PM 3/27/87

COMPLETION TIME & DATE 6:20 PM 3/27/87

1st PLUG @ 1422 FT. W/ 50 SX

2nd PLUG @ 700 FT. W/ 60 SX

3rd PLUG @ 387 FT. W/ 50 SX

4th PLUG @ 40 FT. W/ 10 SX

RAT HOLE CIRCULATED W/ 15 SX

MOUSE HOLE CIRCULATED W/ \_\_\_\_\_ SX

WATER WELL PLUGGED W/ \_\_\_\_\_ SX

CEMENT COMPANY BT titan

TECHNICIAN Richard Lacey

60/40 6%

MAR 27 1987  
3-27-87