## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:				(	'See Instruct	ions on Re	erse Side	)					
Open Flow			Test Date:					API	No. 15					
De	liverabi	lty			2-14-	73			15	-075-2072 <sup>-</sup>	1-0000			
Company Horseshoe Operating, Inc.				Lease Simon				Well Number 2-12						
County Location Hamilton C W/2			Section 12			TWP 23S		RNG (E/W) 41W		Acres Attributed		ttributed		
Field Bradshaw				Reservoir Winfiel		,	Gas Gathering Co Oneok		ection					
Completion 10-10-2		3		<del> </del>	Plug Bac	k Total Dept	h		Packer S	Set at				
Casing S 4.5	Casing Size Weight			Internal Diameter 4.052			Set at 2647		Perforations 2536		то 2631			
	ubing Size Weig		ight	Internal 1.995		Diameter	Set a	Set at Pe		rations	То			
Type Completion (Describe)				·-	200-	Pump Unit or Traveling Yes			Plunger? Yes	/ No				
	-	(Annulus / Tu	bing)		Water % C	Carbon Dioxid	de		% Nitrog	jeri	Gas G	ravity - G	à <sub>g</sub>	
Annulus												<b>D</b>		
Vertical E	epth(H	)				Press Flang	sure Taps De				(Meter	Run) (Pi	rover) Size	
Pressure	Buildup	o: Shut in _	2	-/3 2	0/3 <sub>at</sub> _			Taken	2-	1420,	/3 at 9.	00 (	AN) (PM)	
Well on L											at		AM) (PM)	
						OBSERVE	D SURFACI	E DATA	,		Duration of Shut	in 2	4_Hours	
Static / Dynamic Property	Orific Size (inche	Mete	Meter Prover Pressure		Flowing Well He Temperature Tempera		Wellhead Pressure		Tubing Wellhead Pressure $(P_w)$ or $(P_t)$ or $(P_c)$		Ouration (Hours)		Liquid Produced (Barrels)	
Shut-In	.50	psig (#	psig (Pm)			<u> </u>	psig 60	psla	psig	psia	24			
Flow	.00				<u>'</u>		40							
						FLOW STR	EAM ATTR	BUTES						
Plate Coefficcient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter or Prover Pressure psla		Extension Fa		vity T	emperature Fac		viation Metered Flor actor R F <sub>pv</sub> (Mcfd)		w GOR (Cubic Fo Barrel		Flowing Fluid Gravity G <sub>m</sub>	
<del></del>					(OPEN FL	OW) (DELIV	ERABILITY	CALCUI	.ATIONS					
P <sub>c</sub> ) <sup>2</sup> =	·	_: (P <sub>w</sub>	2 =	:	P <sub>d</sub> =	9		, - 14.4) +		<u> </u>	(P <sub>d</sub>	0.2 = 0.2		
(P°) <sub>5</sub> - (t	P <sub>a</sub> ) <sup>2</sup>	(P <sub>a</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		ose formula 1 or 2: 1, P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2, P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> dealby: P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup>	LOG of formula 1. or 2. and divide by:		Backpressure Curv Slope = "n" or Assigned Standard Slope		n x	rod	Antilog	Open Flow Defiverability Equals R x Antilog (Mcfd)		
<del>-</del> .														
Open Flov				Mcfd @ 14.6	55 psia		Deliverat	ility			Mcfd @ 14.65 ps	ia		
		ned authority						ithorized	day of	Jun	ort and that he h	as know	ledge of 20 <u>/3</u> .	
		Witne	ss (if an	y) :			-		jani	Fol	Company /	<b>-</b>		
											• (/			

JUN 19 2013

exempt status	under penalty of perjury under the laws of the state of Kansas that I am authorized to request sunder Rule K.A.R. 82-3-304 on behalf of the operator Horseshoe Operating, Inc.
of equipment	best of my knowledge and belief based upon available production summaries and lease records installation and/or upon type of completion or upon use being made of the gas well herein named. equest a one-year exemption from open flow testing for the Simon 2-12
	ne grounds that said well:
I further a staff as neces	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D  agree to supply to the best of my ability any and all supporting documents deemed by Commission sary to corroborate this claim for exemption from testing.
Date: <u>6-7</u>	Signature:

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.