


STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

15.169.01004.0000

WELL PLUGGING RECORD

NORTH



Locate well correctly on above
Section Plat

Saline County. Sec. 1 Twp. 16 Rge. 4 X(E) W(W)

Location as "NE/CNW/SW" or footage from lines NW SW SW
Lease Owner The El Dorado Refining Company
Lease Name OLSSON Well No. 2
Office Address Box 551 - El Dorado, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole.
Date well completed 5-25 19 52
Application for plugging filed 7-25 19 52
Application for plugging approved 7-28 19 52
Plugging commenced 7-26 19 52
Plugging completed 7-29 19 52
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes.

Name of Conservation Agent who supervised plugging of this well Mr. Ruell Durkee
Producing formation Arb. Depth to top 3428' Bottom 3434' Total Depth of Well 3434 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8	363'	000'
				5-1/2	3427'	3049'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Cleared hole, mudded hole from 3420' to 250'
set 10' rock bridge and ran 15 sacks of
cement. Mudded hole to 30' and ran 5 sacks of
cement on top. Plugging completed.

RECEIVED

STATE CORPORATION COMMISSION

AUG - 6 1952

(If additional description of well is given, use back of this form)
Name of Plugging Contractor West Supply Company Wichita, Kansas
Address Chase, Kansas

STATE OF KANSAS, COUNTY OF RUSSELL, ss.
Levi B. Sherman (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Levi B. Sherman
Box 209 - Russell, Kansas
(Address)

SUBSCRIBED AND SWORN TO before me this 5 day of August 19 52

Hubert B. Fries
Notary Public.

My commission expires 8-13-55

24-2675-5 2-52-20M

PLUGGING
FILE SEC 1 T 16 R 4W
BOOK PAGE 22 LINE 4

THE EL DORADO REFINING COMPANY

EL DORADO, KANSAS

WELL LOG ----- # 2 OLSSON

Location - NW¹/₄ SW¹/₄ SW¹/₄ Section 1-16S-4W, Saline County, Kans.

Owner - The El Dorado Refining Company
Rotary Drilling Contractor - Group Exploration Company
Cable Tools Contractor - Gleason Drilling Co.

Commenced - 5-7-52
Completed - 5-20-52 (w/r)
" - 6-3-52 (w/ct)

Total Depth - 3431' (w/r) R.B.
" " - 3428' (w/c.t.) D.F.

Elevation: 1313 D.F.
Production: D. & A.

LOG

0- 70	Shale
70- 300	Shale and Shells
300- 362	Shale
362- 370	Anhydrite
370- 480	Lime and Shale
480- 615	Lime
615-1320	Lime and Shale
1320-1480	Shale
1480-1515	Lime and Shale
1515-1820	Shale and Shells
1820-2510	Lime and Shale
2510-2795	Lime
2795-2860	Lime and Shale
2860-2900	Shale
2900-3155	Lime
3155-3431	Shale

CASING RECORD

363'	of 8-5/8" Surface pipe
Cemented with 250 Sacks Cement	
3441'	of 5 1/2" 14# Casing
Cemented with 75 Sacks Cement	
(Set 2' off bottom)	

FORMATION TOPS: D.F.

Burg. sd.	2897
Miss.	2916
Kind.	3213
Hunt	3356
Mq. Sh.	3368
Mq. Dol.	3427

D.P. & C.O. to 3428; F.U. 250' F1H/1 hr. 6 1/2 BF & S.O.
Perf. (16) 3424 1/2-27; 3 1/2 BWP

PLUGGING
 FILE SEC 1-16-R-42
 BOOK PAGE 27 LINE 4

RECEIVED
 CORPORATION COMMISSION
 JUL 3 1 1952
 CONSERVATION DIVISION
 Wichita, Kansas

WELL LOG ----- # 2 OLSSON

Location - NW/4 SW/4 SW/4 Section 1-16S-4", Saline County, Kansas

Owner - The El Dorado Refining Company
 Rotary Drilling Contractor - Group Exploration Company
 Cable tools Contractor - Gleason Drilling Co.

Commenced - 5-7-52
 Completed - 5-20-52 (w/r)
 " - 6-3-52 (w/ot)

Total Depth - 3431' (w/r) R.B. Elevation: 1313 D.F.
 " " - 3428' (w/ot) D.F. Production: D. & A.
 Second Total Depth W/ot. - 3434'

LOG

0- 70	Shale
70- 300	Shale and Shells
300- 362	Shale
362- 370	Anhydrite
370- 480	Lime and Shale
480- 615	Lime
615-1320	Lime and Shale
1320-1480	Shale
1480-1515	Lime and Shale
1515-1820	Shale and Shells
1820-2510	Lime and Shale
2510-2795	Lime
2795-2860	Lime and Shale
2860-2900	Shale
2900-3155	Lime
3155-3431	Shale

CASING RECORD

363' of 8-5/8" Surface Pipe
 Cemented with 250 Sacks Cement.

 3441' of 5 1/2" 14# Casing
 Cemented with 75 Sacks Cement.
 (Set 2' off Bottom)

FORMATION TOPS: D.F.

Durg. Sd.	2897
Miss.	2916
Kind.	3213
Hunt	3356
Mq. Sh.	3968
Mq. Dol.	3427

D.P. & O.O. to 3428; F.U. 250' FTH/1 hr. 6 1/2 BF & S.O.
 Perf. (16) 3424-27; 3 1/2 BWPH
 5 1/2" at 3427 W/60 Sacks Cement T.D. 3428' - D.D. to 3434' no
 increase. D.&A.

RECEIVED
 OIL CORPORATION COMMISSION
 JUL 3 1 1952
 CONSERVATION DIVISION
 Wichita, Kansas

THE EL DORADO REFINING COMPANY

EL DORADO, KANSAS

WELL LOG ----- # 2 OLSSON

Location - NW¹/₄ SW¹/₄ SW¹/₄ Section 1-16S-4W, Saline County, Kans.

Owner - The El Dorado Refining Company
 Rotary Drilling Contractor - Group Exploration Company
 Cable Tools Contractor - Gleason Drilling Co.

Commenced - 5-7-52
 Completed - 5-20-52 (w/r)
 " - 6-3-52 (w/ct)

Total Depth - 3431' (w/r) R.B.
 " - 3428' (w/c.t.) D.F.

Elevation: 1313 D.F.
 Production: D. & A.

LOG

0- 70	Shale
70- 300	Shale and Shells
300- 362	§ Shale
362- 370	Anhydrite
370- 480	Lime and Shale
480- 615	Lime
615-1320	Lime and Shale
1320-1480	Shale
1480-1515	Lime and Shale
1515-1820	Shale and Shells
1820-2510	Lime and Shale
2510-2795	Lime <i>K/</i>
2795-2860	Lime and Shale
2860-2900	Shale
2900-3155	Lime
3155-3431	Shale

CASING RECORD

363' of 8-5/8" Surface pipe
 Cemented with 250 Sacks Cement

3441' of 5 1/2" 14# Casing
 Cemented with 75 Sacks Cement
 (Set 2' off bottom)

FORMATION TOPS: D.F.

Burg. sd.	2897
Miss.	2916
Kind.	3213
Hunt	3356
Mq. Sh.	3368
Mq. Dol.	3427

D.P. & C.O. to 3428; F.U. 250' FIH/1 hr. 6 1/2 BF' & S.O.
 Perf. (16) 3424 1/2 - 27; 3 1/2 BWP

PLUGGING
 FILE SEC 1-T-10-40
 BOOK PAGE 22 LINE 4

RECEIVED
 STATE CORPORATION COMMISSION
 JUN 7 - 1952
 CONSERVATION DIVISION
 Wichita, Kansas

WELL LOG - - - - - # 2 OLSSON

Location - NW/4 SW/4 SW/4 Section 1-16S-4^W, Saline County, Kansas

Owner - The El Dorado Refining Company
 Rotary Drilling Contractor - Group Exploration Company
 Cable tools Contractor - Gleason Drilling Co.

Commenced - 5-7-52
 Completed - 5-20-52 (w/r)
 " - 6-3-52 (w/ct)

Total Depth - 3431' (w/r) R.B. Elevation: 1313 D.F.
 " - 3428' (w/ct) D.F. Production: D. & A.
 Second Total Depth W/ct. - 3434'

<u>LOG</u>		<u>CASING RECORD</u>
0- 70	Shale	363' of 8-5/8" Surface Pipe Cemented with 250 Sacks Cement.
70- 300	Shale and Shells	
300- 362	Shale	3441' of 5 1/2" 14# Casing Cemented with 75 Sacks Cement. (Set 2' off Bottom)
362- 370	Anhydrite	
370- 480	Lime and Shale	
480- 615	Lime	
615-1320	Lime and Shale	
1320-1480	Shale	<u>FORMATION TOPS: D.F.</u>
1480-1515	Lime and Shale	Burg. Sd. 2897
1515-1820	Shale and Shells	Miss. 2916
1820-2510	Lime and Shale	Kind. 3213
2510-2795	Lime	Hunt 3356
2795-2860	Lime and Shale	Mq. Sh. 3368
2860-2900	Shale	Mq. Dol. 3427
2900-3155	Lime	
3155-3431	Shale	

D.P. & C.O. to 3428; F.U. 250' FIH/1 hr. 6 1/2 BF & S.O.
 Perf. (16) 3424 1/2 - 27; 3 1/2 BWPH
 5 1/2" at 3427 W/60 Sacks Cement T.D. 3428' - D.D. to 3434' no
 increase, D.&A.

RECORDED
 INDEXED
 OIL & GAS
 CONSERVATION DIVISION
 Wichita, Kansas