## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	t:			(	See Instruct	ions on Rev	erse Side	;)				
_ Op	en Flow			T4 D-4-				4.01	No. 45			
✓ De	liverabili	ty		Test Date May 28,					No. 15 <b>)07-22451 -</b>	-000D		
Company ames B		Operating, Inc	).	•		Lease Sutton E	state			#2	Well Number	
County Location  Barber CSE/4		on	Section 30		TWP 34S		RNG (E/W) 13W		Acres Attributed 160			
Field Aetna			Reservoir <b>Mississipian</b>				Gas Gathering Conn Atlas Pipeline		ection			
Completion Date 10/14/1994			**	Plug Bac 5,070	k Total Dept	h		Packer Set at None				
Casing Size 4 1/2		Weigh 10.5	Weight 10.5		Internal Diameter 4.052		t 0	Perforations 4,818		To <b>4,834</b>		
Tubing Size 2 3/8		Weigh <b>4.7</b>	Weight 4.7		Internal Diameter 1.995		t 	Perforations None		То		
		(Describe) Sand Frac		Type Flui Gas/wa	d Production	 1		Pump Un		Plunger? Yes	/ No	
<sup>2</sup> roducing	g Thru (	Annulus / Tubing	g)	% Carbon Dioxide				% Nitrog	en	Gas Gravity - Gg		
3as up	Tubin	g and Annulu	IS	.1325				1.939		.6444		
Vertical Depth(H) 4,818				Pressure Taps Flange						(Meter Run) (Prover) Size 2"/.500		
Pressure	Buildup	: Shut in Ma	y 27	13 <sub>at</sub> 8	:00 AM	(AM) (PM)	Taken M	ay 28	20	13 <sub>at</sub> 8:00 A	AM (AM) (PM)	
Weil on L	ine:	Started	20	) <u>at</u> .		(AM) (PM)	Taken		20	. at	(AM) (PM)	
					OBSERVE	D SURFACE	DATA			Duration of Shut	t-in . Ho	
Static / Orifice Dynamic Size Property (inches)		Prover Pressu	Meter Differential Prover Pressure in		Well Head Temperature t	Casi Wellhead F (P <sub>w</sub> ) or (P <sub>t</sub>	Pressure			Duration (Hours)	Liquid Produced (Barrels)	
Shut-In	.500	psig (Pm)	4.00	60	60	psig 180	psia	180	psia	24	1/2 bbl/Wate	
Flow						40		Pumping	1			
	l				FLOW STR	EAM ATTRI	BUTES	ı		l	_ •	
Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one: Meter of Prover Pressure psia	Press Extension ✓ P <sub>m</sub> xh	Extension Fac		tor Temperature		Deviation Metered Flor Factor R F <sub>pv</sub> (Mcfd)		w GOR Flowin (Cubic Feet/ Gravit Barrel) G <sub>m</sub>		
·						ERABILITY)			<u> </u>		) <sup>2</sup> = 0.207	
(P <sub>c</sub> ) <sup>2</sup> =	·		Choose formula 1 or 2:	P <sub>d</sub> =	9	% (P	<sub>c</sub> - 14.4) +	14.4 =	:	(P <sub>d</sub>	)2 =	
(P <sub>c</sub> ) <sup>2</sup> - (I		(P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	LOG of formula 1, or 2, and divide by:	P.2-P.2	Slop	ssure Curve le = "n" or signed ard Slope	nxi	.og	Antilog	Open Flow Deliverability Equals R x Antil (Mcfd)	
Open Flo			Mcfd @ 14.	65 psia		Deliverabi	litv			Mcfd @ 14.65 ps	sia	
		and guitherity =			otatas that L			o maka sh	o abovo roza			
	•	ined authority, of erein, and that sa				•		_	•	or and that he h	as knowledge of , <sub>20</sub> <u>13</u>	
									umblik	k	<b>CC</b> WICI	
		Witness (i	fany)					7	For	Company	JUL 0 1 20	
		For Comm	ission						Che	cked by		
											RECEIV	

of equipment insta I hereby requa	allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Sutton Estate #2 ounds that said well:  one)							
	is a coalbed methane producer							
	is cycled on plunger lift due to water							
	is a source of natural gas for injection into an oil reservoir undergoing ER							
	is on vacuum at the present time; KCC approval Docket No							
✓	is not capable of producing at a daily rate in excess of 250 mcf/D							
_	e to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.							
Date: June 27, 20	013							

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The compact be signed and dated on the front side as though it was a verified report of annual test results.

JUL 0 1 2013