

1 090659

To: STATE CORPORATION COMMISSION
Wichita State Office Bldg. PLUGGING SECTION
130 S. Market, Room 2078
Wichita, KS 67202

API NUMBER 15- 135-23,922-0000
100' S of E/2 E/2 SE, SEC. 13, T 16 S, R 26 W/EX

3-19

1220 feet from S section line
330 feet from E section line

TECHNICIAN'S PLUGGING REPORT

Operator License # 7200

Lease Name Evel B Well # 3

Operator: Scott T. Lutz

County Ness 146.34

Name & Address P.O. Drawer D

Well Total Depth 4503 feet

Shell Knob, MO 65747

Conductor Pipe: Size feet

Surface Casing: Size 8 5/8 feet 359

Abandoned Oil Well Gas Well Input Well SWD Well D&A X

Other well as hereinafter indicated

Plugging Contractor Discovery Drilling, Inc. License Number 31548

Address P.O. Box 763, Hays, KS 67601

Company to plug at: Hour: 3:45 a.m. Day: 19 Month: 3 Year: 19 96

Plugging proposal received from Tom Alm

(company name) Discovery Drilling, Inc. (phone) 913-623-2920

purpose: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1980'

1st plug at 1980' with 50 sx cement, 2nd plug at 1250' with 80 sx cement,

3rd plug at 625' with 30 sx cement, 4th plug at 380' with 50 sx cement,

5th plug at 40' with 10 sx cement, 6th plug to circulate rathole with 15 sx cement,

7th plug to circulate mousehole with 10 sx cement.

Plugging Proposal Received by Steve Middleton (TECHNICIAN)

Plugging Operations attended by Agent?: All Part None X

Operations Completed: Hour: 6:15 a.m. Day: 19 Month: 3 Year: 19 96

ACTUAL PLUGGING REPORT 1st plug at 1980' with 50 sx cement,

2nd plug at 1250' with 80 sx cement, 3rd plug at 625' with 30 sx cement,

4th plug at 380' with 50 sx cement,

5th plug at 40' with 10 sx cement,

6th plug to circulate rathole with 15 sx cement,

7th plug to circulate mousehole with 10 sx cement.

Remarks: Used 60/40 Pozmix 6% gel 1/4# floseal by Halliburton.

(if additional description is necessary, use BACK of this form.)

INVOICED

to observe this plugging.

Signed [Signature] (TECHNICIAN)

DATE 3-26-96

INV. NO. 45134

3-19

EFFECTIVE DATE: 1-21-96
DISTRICT # 1
SGA7...Yes...No

State of Kansas
NOTICE OF INTENTION TO DRILL 135-23, 922-0000 ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well.

Expected Spud Date ...3...16...1996...100' ^{Sput} S. E/2, E/2 SE. Sec 13. Twp 16. S, Rg 26. East West

OPERATOR: License # 7200
Name: Scott T. Lutz
Address: P.O. Drawer D
City/State/Zip: Shell Knob, MO 65747
Contact Person: Scott T. Lutz
Phone: (501) 443-5430

1220 feet from South ~~WEST~~ line of Section
330 feet from East ~~WEST~~ line of Section
IS SECTION REGULAR IRREGULAR?

(NOTE: Locate well on the Section Plat on Reverse Side)
County: Ness
Lease Name: Evel "B" Well #: 3
Field Name: Arnold SW
Is this a Prorated/Spaced Field? ... yes no
Target Formation(s): Mississippian
Nearest lease or unit boundary: 330
Ground Surface Elevation: 2570 EST. feet MSL
Water well within one-quarter mile: ... yes no
Public water supply well within one mile: ... yes no
Depth to bottom of fresh water: 320
Depth to bottom of usable water: 1250
Surface Pipe by Alternate: ... 1 2
Length of Surface Pipe Planned to be set: 340
Length of Conductor pipe required: None
Projected Total Depth: 4600
Formation at Total Depth: Mississippian
Water Source for Drilling Operations:
... well farm pond ... other

CONTRACTOR: License #: 31548
Name: Discovery Drilling, Inc.

Well Drilled For: Well Class: Type Equipment:
X. Oil ... Enh Rec X. Infield X. Mud Rotary
... Gas ... Storage ... Pool Ext. ... Air Rotary
... OAWO ... Disposal ... Wildcat ... Cable
... Seismic; ... # of Holes ... Other
... Other
If OAWO: old well information as follows:
Operator: ...
Well Name: ...
Comp. Date: ... Old Total Depth ...

Directional, Deviated or Horizontal wellbore? ... yes no
If yes, true vertical depth: ...
Bottom Hole Location: ...

Will Cores Be Taken?: ... yes no
If yes, proposed zone: ...
340' Req.

Exp. 7/16/96 AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq.
It is agreed that the following minimum requirements will be met:

Pusher Tom
SPUD DATE 3-12-96 INIT. KS
LENGTH SURFACE PLANNED 340'
RESERVE PIT STATUS- REMOVE FLUID LINED
after salt sect. bbls. when done bbls.
RATHOLED AHEAD? Y N SIZE HOLE
SURFACE PIPE 8 1/2" @ 55' CONDUCTOR
ANHYDRITE T- B-1980 ELEVATION
TD 4503 FORMATION
RAN PIPE @ SX DV TOOL @ SX ALT II DONE Y N
Arbuckle Plug @ Ft. W/ SX
Hug./Council @ Ft. W/ SX
Anhydrite Base @ 1980 Ft. W/ 50 SX
1/2 Base Anyh. @ 1250 Ft. W/ 80 SX
1/2, 1/2 Plug @ 625 Ft. W/ 30 SX
Bottom Surface @ 380 Ft. W/ 50 SX
40' Plug @ 40 Ft. W/ 1 SX
RAT HOLE CIRC/W 1 1/2 SX MOUSE HOLE W/1 1/2 SX
WATER WELL SX (Irr. Well Pond Hauling)
TECHNICIAN SM DATE 3-12-96
TYPE OF CEMENT
STARTING TIME 3:45 (AM/PM) DATE 3-12-96
COMPLETION TIME 6:15 (AM/PM) DATE 3-12-96
CEMENT COMPANY