STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION CONSERVATION DIVISION - PLUGGING SECTION CONSERVATION DIVISION - PLUGGING SECTION COUNTY SEC. 19 , T 27 S, R 18 WEX 3300 feet from S section line 3300 feet from E section line County Well 1-19 County Kiowa (Viola) Name 3 3601 NW Expression Management (Viola)		050525	ADI NUMBER 18-	097-21,134 -00-00
Operator License 5249 5351 Lease Name Corley Meil 1-19 Operator: Rogert Oil Company County Kiowa (Viola) Named 2601 NW Expressway # 901-W Meil Total Depth 5010 feet	TO: STATE CORPORATION COMMISSION CONSERVATION DIVISION - PLUGGING SECTION 200 COLORADO DERBY BUILDING WICHITA, KANSAS 67202		C SE NW , SEC. 19 , T 27 S, R 18 WXEX	
Operation: Bogert Oil Company Address 2601 NW Expressway # 901-W Neil Total Depth 5010 feet Oklahoma City, OK 73112 Conductor Pipe: Size feet Surface Casing: Size 8 5/8 feet 519 Abandoned Oil Neil Gas Neil Input Well SMD Weil 04A X Other Well as hereinafter indicated Plugging Contractor Wheatstate Oilfield Services License Number 5149 Address P. O. Box 329, Pratt, KS 67124 Company to plug et: Hour: 6:00 am Dey: 12 Month: May Year: 19 85 Plugging proposal received from Norman Hogan (company name) Wheatstate Elevation 2202 were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1234-1230' 1st plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement Solid bridge Truping at 40' coment to surface with 10 sx cement 5th plug to circulate rat hole with 15 sx cement Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year: 19 85 ACTUAL PLUGGING REPORT Ist plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. RECEIVED STATE COMPORATION COMMISSION MAY 2.8 1935 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Wants Regist.)	TECHNICIA	N'S PLUGGING REPORT	3300	feet from E section line
Operation: Bogert Oil Company Address 2601 NW Expressway # 901-W Neil Total Depth 5010 feet Oklahoma City, OK 73112 Conductor Pipe: Size feet Surface Casing: Size 8 5/8 feet 519 Abandoned Oil Neil Gas Neil Input Well SMD Weil 04A X Other Well as hereinafter indicated Plugging Contractor Wheatstate Oilfield Services License Number 5149 Address P. O. Box 329, Pratt, KS 67124 Company to plug et: Hour: 6:00 am Dey: 12 Month: May Year: 19 85 Plugging proposal received from Norman Hogan (company name) Wheatstate Elevation 2202 were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1234-1230' 1st plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement Solid bridge Truping at 40' coment to surface with 10 sx cement 5th plug to circulate rat hole with 15 sx cement Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year: 19 85 ACTUAL PLUGGING REPORT Ist plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. RECEIVED STATE COMPORATION COMMISSION MAY 2.8 1935 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Wants Regist.)	Operator	License 1 5349 5351		
Address 2601 NW Expressway # 901-W Neil Total Depth 5010 feet Oklahoma City, OK 73112 Conductor Pipe: Size feet Surface Casing: Size8 5/8 feet 519 Abandoned Oil Neil Gas Neil Input Well SMD Well O&A X Other well as hereinafter Indicated Plugging Confractor Wheatstate Oilfield Services License Number 5149 Address P. O. Box 329, Pratt, KS 67124 Company to piug et: Hour: 6:00 am Day: 12 Month: May Year:19 85 Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1234-1230¹ lst plug at 1230¹ with 50 sx cement 2nd plug at 600¹ with 50 sx cement solid bridge 3rd plug hulls - plug at AO¹ -= coment to surface with 10 sx cement Sth plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Eichard W (TECHNICIAN) Plugging Operations attended by Agent7: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230¹ with 50 sx cement, 2nd plug at 600¹ with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40¹ cement to surface with 10 sx cement. 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2.8 1935 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of White Negres.)	Operator:	Bogert Oil Company	County	Kiowa (Viola) 83
Surface Casing: Size 8 5/8 foot 519 Abandoned Oli Well Gas Well Input Well SWD Well DAA X Other well as hereinafter indicated Plugging Contractor Wheatstate Oilfield Services License Number 5149 Address P. O. Box 329, Pratt, KS 67124 Company to plug at: Hour: 6:00 am Day: 12 Month: May Year:19 85 Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 vere: to fill hole with heavy mud and spot cement through drill pipe Anhydrita 1234-1230' 1st plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement Solid bridge 3rd plug hulls - plug at 40' cement to surface with 10 sx cement Plugging Proposal Received by Richard W Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT Ist plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (1f additional description is necessary, use 8ACK of Whitis, Respect)	Name& Address	•		
Abandoned Oli Well Gas Well Input Well SWD Well Oli Yell Oli A Y Other Well as hereinafter indicated Plugging Contractor Wheatstate Oilfield Services License Number 5149 Address P. O. Box 329, Pratt, KS 67124 Company to plug at: Hour: 6:00 am Day: 12 Month: May Year:19 85 Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 Were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1234-1230' Ist plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement Solid bridge Stoping Proposal Received by Richard W Lacay (TECHNICIAN) Plugging Operations attended by Agent1: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT Ist plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' — cement to surface with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1935 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whitis Respas.)		Oklahoma City, OK 73112	Conductor Pipe	: Sizefeet
Other well as hereinafter indicated			Surface Casing	: \$1ze 8 5/8 feet 519
Plugging Contractor Wheatstate Oilfield Services License Number 5149 Address P. O. Box 329, Pratt, KS 67124 Company to plug at: Hour: 6:00 am Day: 12 Month: May Year:19 85 Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 vere: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1234-1230' 1st plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement 3rd plug at 600' with 50 sx cement Plugging Proposal Received by Richard W Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. PECFIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Washits Respise.)	Abandoned	Oll WellGas Well	Input Well	SWD Well D&A
Address P. O. Box 329, Pratt, KS 67124 Company to plug at: Hour: 6:00 am Day: 12 Month: May Year:19 85 Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 vere: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1234-1230' lst plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement solid bridge 3rd plug to circulate rat hole with 15 sx cement The plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Bichard W Lacay (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2, 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whitis. Regress.)	Other wel	1 as hereinafter indicated		
Company to plug et: Hour: 6:00 am Day: 12 Month: May Year:19_85 Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 were: to fill hole with heavy mud and spot cement through drill pipe Anhydrite 1234-1230' lst plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement solid bridge 3rd plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Richard W Tacay (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19_85 ACTUAL PlugGing REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of White Respas.)	Plugging	Contractor Wheatstate Oilfield Ser	vices	License Number 5149
Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 Anhydrite 1234-1230' lst plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement 3rd plug hulls = plug at 40' == cement to surface with 10 sx cement 5th plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Richard Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL Plugging Report Ist plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs = solid bridge = hulls = plug at 40' == cement to surface with 10 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2.8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whitle Keepeas.)	Address	P. O. Box 329, Pratt, KS 67124		
Plugging proposal received from Norman Hogan (company name) Wheatstate (phone) 316-672-7514 Elevation 2202 Anhydrite 1234-1230' lst plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement 3rd plug hulls = plug at 40' == cement to surface with 10 sx cement 5th plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Richard Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL Plugging Report Ist plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs = solid bridge = hulls = plug at 40' == cement to surface with 10 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2.8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whitle Keepeas.)	Company †	o plug at: Hour: 6:00 am Day:	12 Month:	May Year: 19 85
Wheatstate (phone) 316-672-7514 Elevation 2202 Anhydrite 1234-1230' lst plug at 1230' with 50 sx cement 2nd plug at 600' with 50 sx cement solid bridge 3rd plug hulls - plug at 40' cement to surface with 10 sx cement 5th plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Richard W Lacey (TECHNICIAN) Plugging Operations attended by Agent7: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Withils Keepeas.)	Plugging	proposal received from	Norman Hogan	
St plug at 1230' with 50 sx cement				(phone) 316-672-7514
2nd plug at 600' with 50 sx cement solid bridge 3rd plug hulls - plug at 40' cement to surface with 10 sx cement 5th plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Richard W. Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None _ X Operations Completed: Hour: 7:00 am Day: 12 Month: May				
Solid bridge 3rd plug hulls - plug at 40' cement to surface with 10 sx cement 5th plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Richard W. Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Wiking Keapers.)	1st plug	at 1230' with 50 sx cement		
3rd plug hulls - plug at 40' cement to surface with 10 sx cement Sth plug to circulate rat hole with 15 sx cement Plugging Proposal Received by Richard W Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whitis Keepsa.)	2nd plug		<u>,</u>	
Plugging Proposal Received by Richard W. Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Withits. Meanage.)	3rd plug	solid bridge bulls - plug at 40' cement to	surface with 10 s	x cement
Plugging Proposal Received by Richard W Lacey (TECHNICIAN) Plugging Operations attended by Agent?: All Part None X Operations Completed: Hour: 7:00 am Day: 12 Month: May Year:19 85 ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement. 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Withins Medicals)				•
Plugging Operations attended by Agent?: AllPartNoneX Operations Completed: Hour: 7:00 am Day: 12	Jen pres			
Operations Completed: Hour: 7:00 am Day: 12 Month: May Year: 19 85 ACTUAL PLUGGING REPORT			•	(TECHNIC (AN)
Operations Completed: Hour: 7:00 am Day: 12 Month: May Year: 19 85 ACTUAL PLUGGING REPORT	Plugging	Operations attended by Agent?: A	i 1 Par1	t None X
ACTUAL PLUGGING REPORT 1st plug at 1230' with 50 sx cement, 2nd plug at 600' with 50 sx cement, 3rd & 4th plugs - solid bridge - hulls - plug at 40' cement to surface with 10 sx cement, 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2, 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whihits. Keephas.)				
with 10 sx cement. 5th plug to circulate rat hole with 15 sx cement. RECEIVED STATE CORPORATION COMMISSION MAY 2, 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whithits. Keepras.)		1ct plug at 1230	with 50 sx cemen	nt, 2nd plug at 600' with 50
RECEIVED STATE CORPORATION COMMISSION MAY 2, 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whishits, Keeppage.)	sx cement	t, 3rd & 4th plugs - solid bridge	- hulls - plug at	40 cement to surface
RECEIVED STATE CORPORATION COMMISSION MAY 2, 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whishits, Keeppage.)	with 10 s	sx cement, 5th plug to circulate r	at hole with 15 s	x cement.
MAY 2 8 1985 Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whithits. Knowners.)				
Remarks: Used 60/40 Pozmix 2% gel 3% cc by BJ-Titan CONSERVATION DIVISION (If additional description is necessary, use BACK of Whishits. Keepras.)				STATE CORPORATION COMMISSION
(If additional description is necessary, use BACK of viniting, response,)				MAY 2, 8 1985
(If additional description is necessary, use BACK of viniting, response,)	Pomacker	Used 60/40 Pozmix 2% gel 3% cc by	BJ-Titan	
		(If additional description is	necessary, use <u>B</u>	ACK of Whishits. Kraspas.)

INVO Locate E. Old not) observe this plugging.