



Operator Name: **Coral Production Corporation** Lease Name: **Corrine Finger** Well #: **1**  
 Sec. **24** Twp. **17** S. R. **13**  East  West County: **Barton County, Kansas**

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

<p>Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i></p> <p>Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i></p> <p>List All E. Logs Run: ELI Sonic ✓ 3357 - 500'                  ELI CNL/D ✓ 3357 - 2900'                  ELI Induc ✓ 3357 - 2900'                  ELI Micro ✓ 3357 - 2900'                  Log</p>	<p><input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:30%;">Name</th> <th style="width:30%;">Top</th> <th style="width:40%;">Datum</th> </tr> </thead> <tbody> <tr><td>T Anhydrite</td><td>750'</td><td>+1109'</td></tr> <tr><td>B Anhydrite</td><td>778'</td><td>+1081'</td></tr> <tr><td>T Topeka</td><td>2724'</td><td>-865'</td></tr> <tr><td>T Heebner</td><td>3008'</td><td>-1149</td></tr> <tr><td>T Br. Lime</td><td>3097'</td><td>-1238</td></tr> <tr><td>T Lansing/KC</td><td>3111'</td><td>-1252'</td></tr> <tr><td>B Lansing/KC</td><td>3346'</td><td>-1487'</td></tr> <tr><td>T Arbuckle</td><td>3355'</td><td>-1496'</td></tr> <tr><td>TD</td><td>3363'</td><td>-1504'</td></tr> </tbody> </table>	Name	Top	Datum	T Anhydrite	750'	+1109'	B Anhydrite	778'	+1081'	T Topeka	2724'	-865'	T Heebner	3008'	-1149	T Br. Lime	3097'	-1238	T Lansing/KC	3111'	-1252'	B Lansing/KC	3346'	-1487'	T Arbuckle	3355'	-1496'	TD	3363'	-1504'
Name	Top	Datum																													
T Anhydrite	750'	+1109'																													
B Anhydrite	778'	+1081'																													
T Topeka	2724'	-865'																													
T Heebner	3008'	-1149																													
T Br. Lime	3097'	-1238																													
T Lansing/KC	3111'	-1252'																													
B Lansing/KC	3346'	-1487'																													
T Arbuckle	3355'	-1496'																													
TD	3363'	-1504'																													

CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	28#	519.75	60/40 Poz	275	3%cc 2%gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	------	--------	-----------	--

Date of First, Resumed Production, SWD or Enhr. <b>D&amp;A</b>	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil <b>N/A</b> Bbls.	Gas <b>N/A</b> Mcf	Water <b>N/A</b> Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas  Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

(If vented, Submit ACO-18.)

# ALLIED CEMENTING CO., INC.

8329

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Great Bend

DATE <u>12.6.00</u>	SEC. <u>24</u>	TWP. <u>17</u>	RANGE <u>13</u>	CALLED OUT <u>1:30 AM</u>	ON LOCATION <u>3:00 AM</u>	JOB START <u>11:00 AM</u>	JOB FINISH <u>1:00 PM</u>
LEASE <u>Corine</u>		WELL # <u>1</u>		LOCATION <u>Harcington 4 E ON *4 HWY,</u>		COUNTY <u>Barton</u>	STATE <u>Kansas</u>
OLD OR <u>NEW</u> (Circle one)				<u>2 1/2 N, W side</u>			

CONTRACTOR Duke Drilling Rig 8

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 524'

CASING SIZE 8 5/8 - 28" DEPTH 519'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 11'

CEMENT LEFT IN CSG. 20'

PERFS. \_\_\_\_\_

DISPLACEMENT 31.3

OWNER Coral Production Corp.

CEMENT

AMOUNT ORDERED 275 - AX 60/40 POZ

2% GEL 3% CC

COMMON	<u>165</u>	@	<u>6.35</u>	<u>1047.75</u>
POZMIX	<u>110</u>	@	<u>3.25</u>	<u>357.50</u>
GEL	<u>5</u>	@	<u>9.50</u>	<u>47.50</u>
CHLORIDE	<u>8</u>	@	<u>28.00</u>	<u>224.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>288</u>	@	<u>1.05</u>	<u>302.40</u>
MILEAGE	<u>16</u>			<u>184.32</u>

TOTAL \$2163.47

**EQUIPMENT**

U.B.

PUMP TRUCK CEMENTER Duke Drilling

#120 HELPER Steve Turley

BULK TRUCK

#260 DRIVER Troy Briand

BULK TRUCK

#342 DRIVER Lonnie Marquis

**REMARKS:**

Safety meeting:  
Rig was 342 when arrived on location  
Ran 13 joints 8 5/8, 28" casing tallied at  
508.75 Set at 519.75, hook up and circ  
with rig pump. Shut down, hook up to pump  
tik & mixed 275 on 60/40 poz 2% gel 3% cc  
shut down, change valves over & release 8 5/8  
rubber plug & displace w/ 31' bbls fresh water  
shut in at head, release psi. (Cement did circulate)

**SERVICE**

DEPTH OF JOB	<u>519'</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>470.00</u>
EXTRA FOOTAGE	<u>219'</u>	@	<u>.43</u> <u>94.17</u>
MILEAGE	<u>16</u>	@	<u>3.00</u> <u>48.00</u>
PLUG	<u>1-8 5/8 Rubber</u>	@	<u>90.00</u> <u>90.00</u>
		@	
		@	

TOTAL \$702.17

CHARGE TO: Coral Production Corp.

STREET 1600 Stout Street Suite 1500

CITY Denver STATE Colorado ZIP 80202

Thank you!

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

**FLOAT EQUIPMENT**

	@	
	@	
	@	
	@	
	@	

TOTAL \_\_\_\_\_

TAX	<u>-0-</u>
TOTAL CHARGE	<u>\$2865.64</u>
DISCOUNT	<u>\$286.56</u> IF PAID IN 30 DAYS

SIGNATURE X Rich Wheeler

X Rich Wheeler  
PRINTED NAME

Net \$ 2579.08

# ALLIED CEMENTING CO., INC.

8334

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

*North Platte*

DATE <i>12-14-00</i>	SEC. <i>24</i>	TWP. <i>17</i>	RANGE <i>13</i>	CALLED OUT <i>8:00 AM</i>	ON LOCATION <i>10:45 AM</i>	JOB START <i>11:30 AM</i>	JOB FINISH
LEASE <i>5 Corine Finger</i>				WELL # <i>1</i>		LOCATION <i>Bedwinning 2W 4N</i>	COUNTY <i>Foster</i> STATE <i>Kansas</i>
OLD OR (NEW) (Circle one)							

CONTRACTOR *Duke Drilling*  
 TYPE OF JOB *Artificial plug*  
 HOLE SIZE *7 7/8* T.D. *3357*  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE *4 1/2 x H* DEPTH *3338*  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER *Coral Production Corporation*

CEMENT  
 AMOUNT ORDERED *155 cu yd 40702 62766*  
*1 1/2" flowliner*

COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 110-SCAL \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING *155 cu yd* @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

**EQUIPMENT**

*N.B.*  
 PUMP TRUCK # *120* CEMENTER *Duke Drilling*  
 HELPER *Steve T.*  
 BULK TRUCK # *341* DRIVER *Lannie M.*  
 BULK TRUCK # \_\_\_\_\_ DRIVER \_\_\_\_\_

TOTAL \_\_\_\_\_

**REMARKS:**

**SERVICE**

*1st Plug @ 15 cu yd - 3338'*  
*2nd Plug @ 25 cu yd - 770'*  
*3rd Plug @ 80 cu yd - 570'*  
*4th Plug @ 10 cu yd - 40'*  
*10 cu yd in manhole*  
*15 cu yd in ashhole*

DEPTH OF JOB *3338'*  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 PLUG *1 - 8 3/8 wooden* @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

CHARGE TO: *Coral Production Corporation*  
 STREET *1600 Stout St. Suite 1500*  
 CITY *Denver* STATE *Colorado* ZIP *80202*

**FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE *Bob Wheeler*

*X* *Bob Wheeler*

PRINTED NAME