

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

API NUMBER 15-135-22,582 0000

LEASE NAME Nichepor #1

WELL NUMBER C SE SE SE

 Ft. from S Section Line

 Ft. from E Section Line

SEC. 24 TWP. 16s RGE. 26w (E) or (W)

COUNTY Ness

Date Well Completed

Plugging Commenced 5/10/85

Plugging Completed 5/10/85

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

LEASE OPERATOR Scott T. Lutz

ADDRESS P.O. Drawer D, Shell Knob, Mo. 65747

PHONE#(417) 858-6628 OPERATORS LICENSE NO. 7200

Character of Well

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Did you notify the KCC/KDHE Joint District Office prior to plugging this well? Yes

Which KCC/KDHE Joint Office did you notify? Dodge City

Is ACO-1 filed? if not, is well log attached?

Producing Formation Depth to Top Bottom T.D. 4560'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put in	Pulled out
				8 5/8	306'	none
				4 1/2"	4560'	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.

Plug job only - No pipe recovery. Shot pipe at 1000'. Ran 200 sacks cement down 4 1/2" & 150 sacks cement down 8 5/8.

Plugging complete

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Kelso Casing Pulling License No. 6050

Address Box 347, Chase, Ks. 67524

STATE OF Kansas COUNTY OF Rice, ss.

R. Darrell Kelso

(Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.


(Signature) R. Darrell Kelso

(Address) Box 347, Chase, Ks. 67524

SUBSCRIBED AND SWORN TO before me this 17th day of May, 19 85

Irene Hoover
Notary Public

My Commission Expires:



STATE CORPORATION COMMISSION

MAY 20 1985
5-20-85
CONSERVATION DIVISION
Wichita, Kansas

Scott T. Lutz
#1 Nichepor

15135-22582-0000
C SE SE
Section 24-16S-26W
Ness County, Kansas

4 1/2" PRODUCTION CASING SET

CONTRACTOR: White & Ellis Drilling (Rig #8)
COMMENCED: June 8, 1984
COMPLETED: June 15, 1984
ELEVATIONS: 2599' K.B., 2594' G.L.,
CASING PROGRAM: Surface: 8 5/8" @ 306'
Production: 4 1/2" @ 4562'
SAMPLES: Samples were examined 3700' to the R.T.D.
DRILLING TIME: One (1) foot drilling time recorded by
geologist 2700' to the R.T.D.
MEASUREMENTS: All depths measured from the Kelly Bushing
ELECTRIC LOG: Radiation Guard by Electra-Log
FORMATION TESTING: None

<u>FORMATION</u>	<u>ELECTRIC LOG DEPTH</u>	<u>SUB SEA DATUM</u>
Anhydrite	1927	+ 672
Heebner	3867	-1268
Toronto	3883	-1284
Lansing	3904	-1305
Stark	4157	-1558
Base/Kansas City	4218	-1619
Marmaton	4256	-1657
Pawnee	4346	-1747
Fort Scott	4415	-1816
Cherokee	4443	-1844
Conglomerate	4488	-1889
Mississippi	4511	-1912
R.T.D.	4560	-1961
L.T.D.	4563	-1964

SAMPLE ANALYSIS, SHOWS OF OIL, TESTING DATA, ETC.

LANSING SECTION

3904-3910 Limestone, white to buff, finely crystalline, chalky in part, fair inter-crystalline porosity, scattered fossiliferous, no shows

3915-3922 Limestone, buff, fossiliferous, sub-ocastic, fair oocastic to inter-fossiliferous porosity, no shows

3925-3936 Limestone, white to buff, dolomitic, finely crystalline, fair inter-crystalline porosity, no shows

3952-3962 Limestone, white to gray, finely crystalline, cherty, poor visible porosity, no shows

3966-3974 Limestone, gray to buff, finely crystalline, slightly fossiliferous, poor visible porosity, no shows

RECEIVED
STATE CORPORATION COMMISSION

SEP 10 1984

CONSERVATION DIVISION
Wichita, Kansas

Scott T. Lutz
#1 Nichepor

C SE SE
Section 24-16S-26W
Ness County, Kansas

Page 2

3992-4002 Limestone, white to gray, finely crystalline, cherty, slightly dolomitic, fair inter-crystalline porosity, no shows

4003-4012 Limestone, white, oolitic, slightly dolomitic, finely crystalline, fair inter-crystalline porosity, no shows

4020-4036 Dolomite, white to gray, fine to medium crystalline, slightly fossiliferous, fair intercrystalline porosity, no shows, with limestone, buff to gray, finely crystalline, fossiliferous, slightly dolomitic, fair inter-crystalline porosity, no shows at base

4040-4050 Limestone, gray, dense, cherty, poor visible porosity, no shows

4055-4065 Limestone, white, cherty, slightly fossiliferous, few calcite infill, poor visible porosity, no shows

4070-4076 Limestone, gray, fossiliferous, sub-ooastic, slightly dolomitic, scattered ooastic porosity, no shows

4082-4096 Limestone, white to gray, finely crystalline, cherty, poor visible porosity, no shows

4101-4110 Limestone, white, dense, chalky, poor visible porosity, no shows

4111-4122 Limestone, buff to gray, slightly dolomitic, finely crystalline, scattered vuggy type porosity, no shows

4136-4145 Limestone, gray, finely crystalline, highly cherty, poor visible porosity, no shows

4146-4155 Limestone, gray, finely crystalline, oolitic, poor visible porosity, no shows

4160-4170 Limestone, tan, finely crystalline, cherty, poor visible porosity, no shows

4171-4180 Limestone, gray to tan, finely crystalline, cherty, scattered oolitic, poor visible porosity, no shows

4180-4189 Limestone, white, dense, chalky, poor visible porosity, no shows

4200-4210 Limestone, white to gray, finely crystalline, cherty, slightly fossiliferous, scattered inter-fossiliferous porosity, no shows

MARMATON SECTION

4256-4270 Limestone, tan to gray, finely crystalline, cherty, poor visible porosity, no shows

4275-4284 Limestone, tan, finely crystalline, cherty, poor visible porosity, no shows

RECEIVED
STATE CORPORATION COMMISSION

SEP 10 1984

CONSERVATION DIVISION
Wichita, Kansas

Scott T. Lutz
#1 Nichepor

C SE SE
Section 24-16S-26W
Ness County, Kansas

Page 3

4290-4305

Limestone, gray to off-white, scattered finely crystalline, poorly developed inter-crystalline porosity, trace of brown stain, very weak show of free oil

FORT SCOTT SECTION

4415-4425

Limestone, gray, finely crystalline, slightly fossiliferous, scattered inter-crystalline porosity, possible fractured, scattered golden brown stain, weak show of free oil

4430-4440

Limestone, gray, finely crystalline, oolitic, fair inter-fossiliferous to fossil-cast porosity, brown stain, fair saturation, scattered show of free oil

MISSISSIPPI SECTION

4511-4520

Dolomite, light gray to tan, scattered sucrosic, slightly fossiliferous, fair inter-crystalline porosity, fair odor, fair saturation, fair show of free oil

4521-4532

Dolomite, gray to tan, finely crystalline, sucrosic, scattered inter-crystalline to vuggy type porosity, fair odor, fair saturation, fair show of free oil

4535-4545

Dolomite, as immediately above, with limestone, light gray, finely crystalline, cherty, poor visible porosity, no shows

4546-4560

Limestone, as immediately above

ROTARY TOTAL DEPTH

4560 (-1961)

ELECTRIC LOG TOTAL DEPTH

4563 (-1964)

RECOMMENDATIONS

Due to the favorable structural position, sample and log analysis, it was recommended that 4 1/2" production casing be set one foot off bottom at the R.T.D. 4559 (-1960), and the following zones be tested on the #1 Nichepor:

- | | |
|----------------|---------------------|
| 1) Mississippi | 4520-4524 Perforate |
| 2) Fort Scott | 4436-4440 Perforate |
| 3) Fort Scott | 4418-4422 Perforate |

Respectfully submitted,

Rod Tremblay

Rod Tremblay

RECEIVED
STATE CORPORATION COMMISSION

SEP 10 1984

CONSERVATION DIVISION
Wichita, Kansas