

15735-22154-0000

WELL PLUGGING RECORD

Give All Information Completely  
 Make Required Affidavit

COUNTY Ness SEC. 29 TWP. 17 SRGE. 23 E/W  
 Location as in quarters or footage from lines:  
1955 - 110 W of NW SE NW


Lease Owner Wild Boys and the Silver Bullet Oil Co.'s.  
 Lease Name Lynch (NOSE TO THE WIND) Well No. Y-5  
 Office Address 807 N. Waco - Suite 3A - Wichita, Kansas 67203  
 Character of Well (Completed as Oil, Gas or Dry Hole): Dry  
 Date Well Completed 10-20-81  
 Application for plugging filed 11-1-82  
 Plugging commenced 11-11-82  
 Plugging completed 12-7-82  
 Reason for abandonment of well or producing formation Dry

Locate Well  
 correctly on above  
 Section Platt.

Was permission obtained from the Conservation Division or it's  
 Agent's before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Bob Tarbottom

Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ bottom T.D. 4,438

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

Casing Record

Formation	Content	From	To	Size	Put in	Pulled Out
				8 5/8	398	None
				5 1/2	4423	3233

Describe in detail the manner in which the well was plugged, indicating where the mud  
 fluid was placed and the method or methods used in introducing it into the hold. If cement  
 or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet  
 to \_\_\_\_\_ feet for each plug set.

Open Hole  
 Sand from 4,443 to 4,400  
 5 sacks cement from 4,400 to 4,375  
 5 1/2 in two at 3,233  
 Sun Cementing pumped in 3 sacks hulls- 20 sacks jell - 70 sacks 50-50 POZ- 4% jell  
 3% C. C. - 1 sack hull - 20 sacks jell - Drop plug  
 125 sacks 50-50 POZ  
 0 Shut in

RECEIVED  
 STATE OF KANSAS CORPORATION COMMISSION  
 12-13-82

(If additional description is necessary, use BACK of this sheet)  
 Name of Plugging Contractor Clarke Corporation - #5105

STATE OF Kansas COUNTY OF Barber, ss.  
Elmer H. Margensten (employee of owner) or (owner or operator) of the  
 above-described well, being first duly sworn on oath, says: That I have knowledge of the  
 facts, statements, and matters herein contained and the log of the above-described well as  
 filed and that the same are true and correct. So help me God.

(Signature) Elmer H. Margensten  
Wichita, Kansas  
 (Address)

SUBSCRIBED AND SWORN TO before me this 9th day of Dec., 1982

Jessie Hamerton  
 Notary Public.

My Commission expires: April 4, 1986

COMPANY WILD BOYS AND THE SILVER  
BULLET OIL COMPANY  
 WELL NOSE TO THE WIND # 1  
 FIELD WILDCAT  
 COUNTY NESS STATE KANSAS

LOCATION  
 NW SE SW  
 SEC 29 TWP 17S RANGE 23W

Other Services:  
 FDC-CUL

Permanent Datum: G.L. Elev.: 2410  
 Log Measured From K.B. 12 Ft. Above Perm. Datum  
 Drilling Measured From K.B. Elev.: 2422  
 D.F. 2420  
 G.L. 2410


Date	10-27-81	Run No.	ONE	RECEIVED
Depth-Driller	4431	Depth-Logger	4438	STATE
Brm. Log Interval	4432	Top Log Interval	392	MAR 26 1981
Casing-Driller	8 5/8 @ 398	Casing-Logger	392	CONSERVATION DIVISION
Bit Size	7 7/8	Type Fluid in Hole	Poly PAC	Withita - Kansas
Dens.	9.2	Visc.	55	
pH	9.5	Fluid Loss	9.2 ml	
Source of Sample	CIRCULATED			
Rm @ Meas. Temp.	66.4 @ 75 F	Rm @ Meas. Temp.	45 @ 110 F	
Rmf @ Meas. Temp.	47.1 @ 62 F	Rmf @ Meas. Temp.	25 @ 110 F	
Rmc @ Meas. Temp.	70.2 @ 70 F	Rmc @ Meas. Temp.	48 @ 110 F	
Source: Rmf	MUD PRESS	Source: Rmc		
Rm @ BHT	45 @ 110 F	Rm @ BHT		
Circulation Stopped	2000	Circulation Stopped		
Logger on Bottom	2300	Logger on Bottom		
Max. Rec. Temp.	110 F	Max. Rec. Temp.		
Equip. Location	7756 GREAT BEND	Equip. Location		
Recorded By	CAUDILL	Recorded By		
Witnessed By		Witnessed By		

FOLD HERE The well name, location and borehole reference data were furnished by the customer.

Job No.	ONE	SCALE CHANGES			
Service Order No.	226207	Type Log	Depth	Scale Up Hole	Scale
Fluid Level	FULL				
Salinity ppm. cl	9000				
Speed F.P.M.	60				
EQUIPMENT DATA					
Panel No.	407				
Chart No.	1573				
Code No.	1108				
Mem. Panel No.	382				
R. Panel No.	382				
R. Cart No.	556				
Type Recorder - (TTR)	---				
Depth Encoder - (DRE)	---				
Pressure Wheel - (CPW)	---				
Type Centralizers	4-FIN				
Lead Off - Inches	1.5				
CALIBRATION DATA					
SR	1.0				
Code Error - ILM	6.2				
Code Error - ILD	4.8				
R. BKG. - CPS.	29				
R. Source - CPS.	315				
E. Set In Hole - Depth	---				
E. Corr. - Hole Size	---				
LOGGING DATA					
SR	1.0				
E. Log - ILM	6.2				
E. Log - ILD	4.8				
R. Scale per 100 Div.	150				
R. - T.C.	AUTO				
R. Sens.	165				

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.

SPONTANEOUS-POTENTIAL



CONDUCTIVITY


1000

MILLIMHOS/M =  $\frac{1000}{\text{OHMS M}^2/\text{M}}$

DEEP INDUCTION

500

IZER OUT — CURVES INVALID



4300

Rx0/R1


GR

SP

4400

FRGR

FRILD



IUM  
SFC

ILD