TYPE

~	-	~	-	ONTE
S	£	D	Е	ONE

•	ATTIONVIT OF COME BELLOW TORK	1100 1 11010111
		Compt.

Two (2) copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within thirty (30) days after the completion of a well, regardless of how the well was completed.

Attach separate letter of request if the information is to be held <u>confidential</u>. If confidential, only file <u>one</u> copy. Information on <u>Side One</u> will be of public record and <u>Side Two</u> will then be held confidential.

Applications must be made on dual completion, commingling, salt water disposal, injection and temporarily abandoned wells.

Attach one copy only wireline logs (i.e. electrical log, sonic log, gamma ray neutron log, etc.): (Rules 82-2-105 & 82-2-125) KCC# (316) 263-3238. \_\_\_\_ No Log

LICENSE #	EXPIRATION DATE	_Nove	mber	1.98	3		<del></del>
OPERATOR CASAD OIL CORPORATION	V	API N	015-	-159-	21,56	3.00E	10
ADDRESS 312 North Adams		COUNT	Y	Ric	<u> </u>		
Hutchinson, KS 67		FIELD		Wel	h-Boi	rnhold:	t Pool
** CONTACT PERSON Stan Casad PHONE 316/663-57	50 ,	PROD.	FOR	MATIC	)N		
PURCHASER		LEASE	C.	SAD-	IOHNS	ON #1	
ADDRESS		WELL	NO.	#1			
		WELL	LOCA	TION_	W/2	2 SE/	4
DRILLING CASAD DRILLING CORPOR	RATION						Line and
CONTRACTOR 312 North Adams		2309	Ft.	from	E	1	Line of (E)
Hutchinson, KS 6750	01						S_RGE6W (W)
PLUGGING CONTRACTOR ADDRESS			<u>W</u>	ELL I	PLAT		(Office Use Only KCC KGS
TOTAL DEPTH 3367'	PBTD	.		I	ļ	1	SWD/REP
SPUD DATE 1-22-83 DATE COMPI	LETED 1-31-83			'			PLG
ELEV: GR 1550' DF 1555'	KB 1557'	- 1					٠.
DRILLED WITH (CABLE) (ROTARY) (ADOCKET NO. OF DISPOSAL OR REPRESSUUSED TO DISPOSE OF WATER FROM THIS	JRING WELL BEING				•		
Amount of surface pipe set and cem	nented 207'	DV Too	1 Us	ed?		•	
THIS AFFIDAVIT APPLIES TO: (Circle Injection, Temporarily Abandoned,				ıs, Dı	ry, Di	Lsposa	1,

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

## AFFIDAVIT

Stan Casad		,	being	οf	lawful	age,	hereby	certifies
that:	•							

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Itan

SUBSCRIBED AND SWORN TO BEFORE ME this \_\_\_\_

dad day of

March

19 🔏

SANDRA K. BROWN
NOTARY PUBLIC
STATE OF KANSAS
MY APPT. EXPINES

MY COMMISSION EXPIRES:

STATE CORPORATION COMMUNICATION PUBLIC)

MAR 3 1993

\*\* The person who can be reached by phone regarding any questions concerning this information.

\*\* The person who can be reached by phone regarding any questions concerning this information.

\*\* Wichita Kansas

Casad Oil Corporation LEASE Casad-Johnson #1 SEC. 14 TWP, 205 RGE, 6W OPERATOR WELL NO.

FILL IN WELL INFORMATION AS REQUIRED:

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries. SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION. DEPTH BOTTOM FORMATION DESCRIPTION, CONTENTS, ETC. TOP Check if no Drill Stem Tests Run. 2406 E&mekand Shale -2507 Topeka Shale 2507 2526 Heebner Lime and Shale 2526 2534 Toronto Shale 2534 2681 Douglas 2681 2702 Kime Iatan Lime . 2702 3111 Lansing \_.3209 Base K.C. Lime 3111 3209 3264 Conglomerate Combination-Shert 3264 Mississippi If additional space is needed use Page 2, Side 2 CASING RECORD Report of all strings set — surface, intermediate, production, etc. or (Used) Type and percent additives Size casing set (in O.D.) Sacks Weight lbs/ft. Setting depth Purpose of string 3<u>367</u> ' 1.25sx14# ASC Completion PERFORATION RECORD LINER RECORD Size & type Depth interval Shots per ft. Socks cement Top, H. TUBING RECORD Setting depth Size ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD Depth interval treated Amount and kind of moterial used Jenica Abrion SERVICE PROPERTY. Producing method (flowing, pumping, gas lift, etc.) Date of first production Gravity. Gas-oil ratio % Estimated CFPB Production Disposition of gas (vented, used on lease or sold) Perforations



## DRILLERS WELL LOG

DATE COMMENCED: January 21, 1983

DATE COMPLETED: February 1, 1983

CASAD OIL CORPORATION

Casad-Johnson #1

SW-NW-SE

Section 14-20S-6W Rice County, KS

Elevation: 1631' GR

2406 - 2507' Lime and Shale

2507 - 2526' Sha1e

2526 - 2534 Lime and Shale

2534'- 2681' Shale

2681 - 2702' Lime

2702 - 3111' Lime

3111'- 3209' LLime

3209 - 3264' Lime

3264 Chert

FORMATION DATA

Topeka	2406
Heebner	2507
Toronto	2526
Douglas	2534
Iatan	2681
Lansing	2702
Base K.C.	3111 '
Conglomerate	32091
Mississippi	3264

Surface Pipe: Set new 8 5/8" 24# new pipe @ 200' w/150 sackes 60/40 pos, 3% cc, 2% gel

AFFIDAVIT

STATE OF KANSAS COUNTY OF RENO)

Stan Casad of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.

Subscribed and sworn to before me this and day of March, 1983.

January 18, 1986

SANDRA K. BROWN NOTARY PUBLIC STATE OF KANSAS

Notary Public