KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Te: | st:)pen F | low | | | | | (See Instru | ictions on R | everse Sid | e) | | | •• | | | |
|--|---------------|-----------|--|----------------|--|--|--------------------------------|---|---------------------------------------|--|-------------------|--------------------------------|--------------------|-----------------------------|--|--|
| Deliverability | | | | | Test Da 8/31/ | te: 13 | | API No. 15 15- 007-00974 - 0000 | | | | | | | | |
| Petrole | y eum | Pro | perty Se | vice | s, Inc. | - | | Lease Stump | oh-Smith | | * | | #1 | Weil N | umber | |
| County Location Barber NE NE | | | | | | | TWP RNG (E/W) 32S 14W | | | ·········· | | Acres Attributed | | | | |
| Fleld Stump | | | <u> </u> | | | Reservo Missis | | | | | thering Con | nection | | | | |
| 04/01/0 | | ete | | | ı | Plug Bai 4671 | ck Total De | | • | Packer none | Set at | - - | | | | |
| Casing 8 5.5 | Size | | | Welghi 14.0 | | | Diameter | | Set at 4713 | | Perforations 4607 | | | - | | |
| Tubing S 2.375 | | | 4.7 | Weight 4.7 | | | Diameter | Sel at 4610 | | Perforations 4595 | | | 4610 T₀ 4610 | | <u></u> | |
| Type Cor Single | Gas | Well |] | | · · · · · · · · · · · · · · · · · · · | Type Flu Water | id Production | on | | | nit or Travelin | | | / No | | |
| Producin Casing | | u (An | nutus / Tub | ing) | , . | 0.1 | Carbon Dio: | dde | · | % Nitro | - | | | avily - (| 3 ₀ | |
| Vertical E | Depth(| H) | ·· | | | 0.1 | | ssure Taps | | 1.03 | U | | 0.631 | | rover) Size | |
| 4714 | | | | 8/: | 31 | 42 0 | Flar | ige Tap | | | · <u> </u> | | 4.026 | | IGAGL) PISS | |
| | | • | Shut in | | 2 | | | | | | 20 | | | | XM) (PM) | |
| Well on L | .ine: | | Started | | 2 | 0 at | | . (AM) (PM) | Taken | ··. | 20 | al | | (| AM) (PM) | |
| | í | | Circle and | | 0 | Γ | OBSERVE | D SURFAC | | | | Duration o | of Shut- | in2 | 4 Hours | |
| Stalle / Dynamic Property | | | Meter Prover Pressure psig (Pm) | | Pressure Differential in Inches H ₂ 0 | Flowing Well Head Temperature t t | | Casing Wallhead Pressure (P _m) or (P _c) psig psta | | Tubing Wellhead Pressure $(P_w) = (P_c)$ paig paia | | Duration (Hours) | | Uquid Propusad (Barrels) | | |
| Shut-In | | | | | | | | 280 | 294.4 | , , , , , , , , , , , , , , , , , , , | paia | 24 | | | | |
| Flow | | | | | <u>.</u> | | | | | | | | | | | |
| | | | | | | -i | FLOW STE | EAM ATTR | BUTES | | | | | · | <u></u> | |
| Plats Coefficient (F _a) (F _p) Mofd | | | Giete and: Meter or Prover Pressure psia ; | | | | olty Flowing Temperatur Factor | | Devia Fac F _a | or A | | W GOR (Cubic Fer Barrel) | | שו | Flowing Fluid Gravity | |
| : - | ! | | | | · | <u> </u> | | | <u> </u> | | | | | | | |
| (P _e) ² = | 1 | <u>_:</u> | (P_)2 | | <u> </u> | OPEN FLO | | ERABILITY) | CALCULA - 14.4) + | | : | | (무,)² (무,)² | = 0.20 |)7 | |
| $(P_e)^2 - (P_a)^2$ (or $(P_e)^2 - (P_a)^2$ | | (P | 2_)*• (P)* 1 | | P2-P2 P2-P3 | LOG of formula 1. or 2, and divide by: | formula 1. or 2. | | Backpressure Curvs Slope = "n" | | n x LOG | | Aniliog | | Open Flow Deliverability Equals R x Antilog (Mcfd) | |
| | | | | | | | | Olarida I | | + | | | | | ncio) | |
| · | | | | | | | | | · · · · · · · · · · · · · · · · · · · | 1 | | | | | | |
| Open Flow | | | | N | Acid @ 14.6 | 5 psia | | Deliverabi | lity . | | | McId @ 14. | 65 psia | | | |
| | | | | | | Company, st | | | horized to | make the | SEPTEM | and that | te has | knowle | edge of | |
| | | | Witness | (V eny) | | | | | X 0 | /// | \sim | / | 1 | _ | / | |
| | | | For Com | | | | ,, | CC W | CHM | / _ | | empany / | | | · | |
| | | | | | | | r | | , 🗸 | | Chac | ed by | | | | |

SEP 16 2013

| | penalty of perjury under the laws of the state of Kansas that I am authorized to request Rule K.A.R. 82-3-304 on behalf of the operator_Petroleum Property Services, Inc. |
|----------------------------|--|
| | g pressure information and statements contained on this application form are true and |
| | my knowledge and belief based upon available production summaries and lease records |
| of equipment installat | ion and/or upon type of completion or upon use being made of the gas well herein named. a one-year exemption from open flow testing for the Stumph-Smith F |
| gas well on the groun | |
| is is is is is is is is is | a coalbed methane producer cycled on plunger lift due to water a source of natural gas for injection into an oil reservoir undergoing ER on vacuum at the present time; KCC approval Docket No not capable of producing at a daily rate in excess of 250 mcf/D supply to the best of my ability any and all supporting documents deemed by Commission corroborate this claim for exemption from testing. |
| 9/11/13 Date: | |
| | |
| | Signature: Vice-President |
| | |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.