KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	::			6	See Instructi	ions on Rev	erse Side)				
	en Flow			Test Date) :				No. 15			
Company	liverabilty			5/29/13		Lease		129	9-2156000		Well Numb	oer
BEREXO						BOWK	ER D			1-35		
County MORT(County Location MORTON 1220' FSL, 3300' FEL		Section 35		TWP 32.:S		RNG (E/W) 41W		Acres Attributed			
Field				Reservoir	ALTAMONT, W	YANDOTTIE, TO	DPEKA		hering Conne ENERGY			
Completic 8/20/98				Plug Bac	k Total Dept	h		Packer S	Set at			
Casing Size 5 1/2"		Weigh 15.5	t	Internal Diameter 4.950		Set at		Perforations 3159'		то 4403'		
Tubing Size 2 3/8"		Weight 4.7		Internal Diameter		Set at 3765'		Perforations		То		
		Describe)			d Production		•	Pump Ui	nit or Traveling	Plunger? Yes	/ No	
<u>-</u>	•	nnulus / Tubing	j)		arbon Dioxid	de		% Nitrog	jen	Gas Gra	avity - G _g	
ANNUL								154		.703		
Vertical D 3785'	Pepth(H)				Press FLAN	sure Taps NGE				(Meter F 3.068	Run) (Prov	er) Size
Pressure	Buildup:	Shut in 5/28	8/ 2	0 13 at 8	AM	(AM) (PM)	Taken_5/	29/	20	13 _{at} 8 AM	(AN	И) (PM)
Well on L				0 at		(AM) (PM)	Taken		20	at	(AN	И) (PM)
					OBSERVE	D SURFACE	DATA			Duration of Shut-	24	Hour
Static / Dynamic Property	Orifice Size (inches	Circle one: Pressure Meter Differentia Prover Pressure in psig (Pm) Inches H ₂		Flowing Well Head Temperature t		Casing Wellhead Pressure $(P_w) \text{ or } (P_t) \text{ or } (P_c)$		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		1 '		roduced rels)
Shut-In		po.g (/	monds 11 ₂ 0			psig 75	psla	55	psia	24		
Flow												
				<u>, .</u>	FLOW STR	EAM ATTRI	BUTES					
Plate Coeffiec (F _b) (F	eient (p)	Circle one: Meter or Prover Pressure psia	Press Extension P _m xh	Grav Fac	tor T	Flowing Femperature Factor F ₁₁	Fa	iation actor pv	Metered Flor R (Mcfd)	w GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m
(P _c) ² =		: (P _w) ² =	:	(OPEN FL	OW) (DELIV		CALCUL - 14.4) +		:	(P _a) [*]	2 = 0.207 2 =	
(P _c) ² ·((P _c) ² - (P _w) ²	1. P _c ² - P _a ² 2. P _c ² - P _d ²	LOG of formula 1. or 2. and divide		Backpres Slop 	sure Curve e = "n" or	пх	LOG	Antilog	Delive Equals R	Flow rability x Antilog
			divided by: P _c ² - P _w	by:	<u> </u>	Standa	ard Slope				(6)	
Open Flow Mcfd @ 14.65 psia					Deliverability Mcfd @ 14.65 psia							
The	undersigi	ned authority, o	n behalf of the	Company,	states that h	e is duly au				ort and that he ha	s knowled	dge of
the facts s	stated the	rein, and that sa	aid report is true	e and correc	ct. Executed	this the 21	st	day of A	August	KCC	: Miso	13
		Witness (if any)			-		OVENV	For	Company SE	27 2	2013
		For Comm	nission	<u></u>		-			Che	ocked by	ECEIV	/ED

·	nalty of perjury under the laws of the state of Kansas that I am authorized to request ale K.A.R. 82-3-304 on behalf of the operator BEREXCO LLC
and that the foregoing	pressure information and statements contained on this application form are true and y knowledge and belief based upon available production summaries and lease records
• •	n and/or upon type of completion or upon use being made of the gas well herein named. one-year exemption from open flow testing for the BOWKER 'D' 1-35
gas well on the ground	
is c is a is o √ is no	coalbed methane producer ycled on plunger lift due to water source of natural gas for injection into an oil reservoir undergoing ER n vacuum at the present time; KCC approval Docket No of capable of producing at a daily rate in excess of 250 mcf/D upply to the best of my ability any and all supporting documents deemed by Commission orroborate this claim for exemption from testing.
	Signature: Broth Blygger Title: PETROLEUM ENGINEER

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. **RECONSTRUCT**signed and dated on the front side as though it was a verified report of annual test results.

SEP 27 2013