SIPTEST

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	Type Test: (See Instructions on Reverse Side)														
Open Flow															
[:]- De	livera	bilty '			in the second	Test Dat 9-18-13	e: 	17 + 3"	en version de la company de la		No. 15 -069-2030	3-0000			
Company BENGALIA LAND AND CATTLE CO.							4.1 .7	Lease CLAR	K		gh on a con-	4 -	Well Nu	mber	
County Location GRAY C NW						Section 7		TWP 25S			(W)	Acres Attribute 640		Attributed	
Field UNALL	TE)			Reservoi CHASI					thering Conr	nection				
Completion Date 6-12-08							Plug Back Total Depth 2680			Packer S NONE			•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
				Internal I 4.052	Diameter		Set at 2680		rations	To 2682	то 2682				
				and the second second	Internal Diameter Set at 1.995 2681			Perforations To							
						Type Flui					Pump Unit or Traveling Plunger? Yes / No YES-PUMP				
Producing ANNUL		(Anı	nulus / Tubi	ng)	,	% C	% Carbon Dioxide				% Nitrogen Gas Gravity730			à _g	
Vertical D	epth(l	1)					Pre	essure Taps	··········				Run) (Pr	rover) Size	
2666 FLANGE 2.068"															
Pressure Buildup: Shut in 9-17-13 20 at 0800 (AM) (PM) Taken 9-18-13 20 at 0800 (AM) (PM)									AM) (PM)						
Well on L	ine:		Started		20	0 at		(AM) (PM)	Taken		20	at	(AM) (PM)	
OBSERVED SURFACE DATA Duration of Shut-in 24.0 Hours															
Static / Orifi Dynamic Siz Property (inch		Ze Prover Pressire		Pressure Differential in	Temperature Temperati		re Wellhead Pressure		Tubing Wellhead Pressure (P _w) or (P ₁) or (P ₂)		Duration ((Hours)	Liquid Produced (Barrels)			
Shut-In			psig (Pm)		Inches H ₂ 0°	, ,	t	psig 99.8	psia 114.2	psig psia		24.0		.,	
Flow	Flow											47.0			
FLOW STREAM ATTRIBUTES															
Plate			Circle one:	T	Press	.		·Flowing							
Coefficcient (F _b) (F _p) Mcfd		Meter or Prover Pressure psia			Extension Pmxh	Fact	Gravity Factor		Temperature Factor F		Metered Flov R (Mcfd)	v GOR (Cubic Fe Barrel)		Flowing Fluid Gravity	
World				17.33	l	1 -1 2 3 1		F ₁₁ ' pv		-			G _m		
						(OPEN FLO	OW) (DELI	VERABILITY) CALCUL	ATIONS		(5.1)		J	
(P _c) ² =		_:	(P _w) ² :	=			***************************************		c - 14.4) +		:	(P _a) ⁽	2 = 0.20 2 =	17	
· (P _c)² · (P _δ)²		(P,			ose formula 1 or 2:	LOG of formula			Backpressure Curve Slope = "n"				Оре	Open Flow	
$(P_c)^2 \cdot (P_d)^2$		divi		2 divide	2. P _c ² - P _d ² ed by: P _c ² - P _w ²	1. or 2. and divide by:	P _c ² ·P _w ²	Assigned Standard Slope		n.x LOG		Antilog	Deliverability Equals R x Antilog (Mcfd)		
										•					
														-	
Open Flow	,			,- :	Mcfd @ 14.6	55 psia		Deliverab	ility			Mcfd @ 14.65 psi	a		
The u	ndersi	gned	authority, c									rt and that he ha		edge of	
											PTEMBER			0 13	
Cox) ₄	40	KCC	7	Wich							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	J		Witness	if any)	KANS	SAS CORPO	ORATION COM	IMISSION		ForC	elma 4-	- 3/		
			For Com	nission)		በቦ፣	2 3 201	3		Chec	ked by	2	2)	
									-			* :			

		:
I declare under penalty of perjury unexempt status under Rule K.A.R. 82-3-30 and that the foregoing pressure information correct to the best of my knowledge and of equipment installation and/or upon type I hereby request a one-year exempt gas well on the grounds that said well:	D4 on behalf of the operator BE ation and statements containe belief based upon available propertion or upon use be	d on this application form are true and oduction summaries and lease records sing made of the gas well herein named.
is on vacuum at the profile is not capable of profile is not capable o	lift due to water I gas for injection into an oil res present time; KCC approval Doc ducing at a daily rate in excess of my ability any and all suppo	cket Nos of 250 mcf/D orting documents deemed by Commission
staff as necessary to corroborate this cl Date: $\frac{10}{21/13}$	aim for exemption from testing	
	Signature:	· Septon Devations

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED**. **SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.