KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Te	ist: Open Fl	ow:					uctions on Rev	rerse Side			, ,,	
	Delivera	bilty			Test Dat	e :			APIN		5-205	54-0000
Compa	ny:						Lease				<u> </u>	Well Number
Kaiser Francis Oil Comp		Oil Compa	any		Collinson					_ 1		
County			Locat SE:	ion SESE	Section 11		TWP 33S		RNG (EA	v)	•	Acres Attributed
Field	Kis	net		Reservoir Morro w			Ga		Gas Gath	ering Connec	tion	
Comple			- • • • • • • • • • • • • • • • • • • •			k Total Dep	th		Packer Se			
Contra	11-4	-81		<u> </u>	1-1	31	8			5582		
Casing	5.5		Weight 15.5		Internal Diameter 4.95		Set at 568.		Perforations 5643		т _о 5650	
Tubing :			Weight		Internal Diameter		Set at		Perforations		To	
	2.87		6.	5		441	558	2				
Type Co	mpletic 5 i na		escribe)		Type Flui	d Productio	n		Pump Unit	or Traveling I	blunger? Yes	/No
Produci	ng Thru Tubi	(Anr	ulus / Tubing		% Carbo	n Dioxide			% Nitroger	1	Gas Gr	ravity - G _g
Vertical	Depth(1 5647					•	Tange				(Meter I	Run) (Prover) Size
Pressure	s Buildi	ib:	Shut in	1/2/12 19	at		ر (AM) (PM) 1	Taken	2/13	12 19	at	(AM) (PM)
Well on												(AM) (PM)
						OBSERVI	ED SURFACE	DATA		(Ouration of Shut-	-inHours
Static / Orifice Dynamic Size Property inches		te	Circle one: Pressure Meter or Differential Prover Pressure in (h) psig: Inches H ₂ 0		Flowing Well Head Temperature t		(P _w) or (P _t) or (P _e)		Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)	Liquid Produced (Barrets)
Shut-In							parg	psia	105	psia	24	
Flow												
-, · · · · · · · · · · · · · · · · · · ·					;	FLOW ST	REAM ATTRIE	BUTES	 	•		
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension √ P _a x H _a	Gravity Factor F _g		Flowing Deviatio emperature Factor Factor F _{ev}		etor R		GOR (Cubic Fe Barrel)	
•			- 		1:	<u></u>	·	<u> </u>				
(B \2			/B. \2				ERABILITY)					² = 0.207
$(P_e)^2 = \underline{\phantom{AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA$		_ : (P	(P _w) ² =	Choose formula 1 or 2:	P _d =		Backpress	- 14.4) + sure Curve	1	: _	(P _a)	Open Flow Deliverability
(P _e) ² • ((P _g) ²			2. Pg - Pg 2 awded by: Pc - Pg 2	1. or 2. and divide by:	P.2. P.2	Assi Standar	gned d Slope			Antilog	Equals R x Antilog Mcfd
		· ·					·	·····				
Open Flow Mcfd @ 14.			Mcfd @ 14.65	psia.		Deliverability		Mcfd @ 14.65 psia				
				behalf of the Co	•		s duly authorize 28	red to ma day of	_ 1	e report and t	hat he has know	riedge of the facts
	. wal, @/	uid	Witness (if		EXACU(8	- uns die -			Poly	ty	Tajar	RECEIVED
			44/H922 (II	w(7)					•	For Co	mpany	MAR na mm
			For Comm	ssion						Checke	d by	THAME OF COME

			he state of Kansas to herator <u>Kaise</u>			
and that the foreg	oing information an	d statements contai	ned on this application	on form are true a	and correct to	
		n use of the gas we				
	the second secon	mption from open flo		Collinson 1	·	
	rounds that said we			• •		
(Check	one)			· ·		
	is a coalbed meth	ane producer				
	is cycled on plung	er lift due to water		•	•	
	is a source of natu	ural gas for injection	into an oil reservoir	undergoing ER		
	is on vacuum at th	ne present time; KC0	C approval Docket N	O		
x	is incapable of pro	oducing at a daily ra	te in excess of 150 r	ncf/D	in the first and the parties of the	
			Silver on the silver of the si	•	and against a second	
•	•					
Date: 2/2	8/13	•		· 	*	
Date.	7.3					
• ' .	•		en also • en	And the second s		
					·	
		Signature:	Robert 7	Jaja		
		Signature:	Robert 7 Production Reco	Jayan Ords Manager	- A	.*

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as thought it was a verified report of test results.