STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kanasa

WELL PLUGGING RECORD

Wichita, Kansas	Barb	er	Count	у. _{Sec.} <u>8</u> т	wp. <u>32</u> Rge	$(E) \stackrel{W}{=} (W)$	
NORTH	Location as "NE/CNWXSWX" or footage from lines C of St of NW4					I₩ <u>4</u>	
	Lease Owner Messman & Kinenart						
i •		Lease Name Hazleton Land Co. Well No. 1 Office Address 518 Petroleum Bldg., Wichita, Kansas					
		Well (completed					
J	Date well con			Diy Hole)		19	
↑ -	Application fo	or plugging filed.				19	
		r plugging approv	red	01 (4		19	
		menced		21-64		19	
·		pleted		3-64	da - 1 -		
	Reason for abi	andonment of well	or producing	g torm ation		rea	
	If a producing	g well is abandone	ed, date of la	st production			
I contain all according	Was permission	on obtained from	the Conserva	ation Division o		fore plugging was com-	
Locate well correctly on above Section Plat	menced?			yes		- F00	
ne of Conservation Agent who supe	ervised plugging of tl	vised plugging of this well Archie Elving Depth to top Bottom Total Depth of Well					
ucing termation	oil and any format	Depth to top	Botton	1	Total Depth o	f Well 4928 Feet	
w depth and thickness of all water		ons.					
OIL, CAS OR WATER RECORD	os			· 		CASING RECORD	
FORMATION	CONTENT	FROM	то	5IZE	או דעק	PULLED OUT	
				10 3/4	242	none	
				5 §	4928	2376.41	
,							
						1	
Set 10 foot ro Mud hole to 40	feet, set 1	2-10 and du O foot rock	mp ∋∪ sa bridge	and dump]	5 sacks	cement.	
						R. Commercial Commerci	
				s .	S	TATE CORPORA	
						THE PROPERTY OF THE PROPERTY O	
						በሮፕ ፣	
	•					10 1 - 196	
<u> </u>	-					ONSERVATION DUE	
						Wichita Kanada	
						Wichita, Kansag	
						-	
							
	(If additional	description is necess	atv. usa RACV -	of this short?			
	FIINT ENG!	description is necessioneer ing &	Jonstruc	of this sheet)			
	FIINT ENG!	description is necessing & (Jonstruc	of this sheet) tion Co.			
	FIINT ENG!	ineering & l	Jonstruc	of this sheet) tion Co.			
ress	Box 950, E	Dorado,	Jonstruc	tion Co.			
re of Kansas	Box 950, E	Ineering & I Dorado, I	Butler	tion Co.	ss.	of the above described	
TE OF Kansas being first duly sworn on oath, sa	Box 950, E	Ineering & I Dorado, I	Butler	tion Co.		of the above-described	
TE OF Kansas being first duly swom on oath, sa	Box 950, E	Ineering & I Dorado, I	Butler	tion Co.		of the above-described	
TE OF Kansas being first duly sworn on oath, sa	Box 950, E	Ineering & L. Dorado, I. Dorado,	Butler	tion Co.		of the above-described and the log of the	
TE OF Kansas being first duly sworn on oath, sa	Box 950, E	Ineering & I Dorado, I	Butler	wner) or (owner tes, and matters	or operator) herein contain	of the above-described and the log of the	
TE OF Kansas being first duly sworn on eath, sa e-described well as filed and that t	Box 950, E	Ineering &	Butler	vner) or (owner list, and matters	or operator) herein contain	of the above-described and the log of the	
TE OF Kansas being first duly sworn on oath, sa	Box 950, E	Ineering &	Butler Inployee of overtices, statement of the God.	vner) or (owner lats, and matters Dorado.	or operator) herein contain	of the above-described and the log of the	
being first duly swom on cath, sa	Box 950, E	Intering & I Dorado, I Dorado, I Orado, I Orado, I Orado, I Orado, I Orado, I Orado I	Butler Inployee of overtices, statement of the God.	vner) or (owner lats, and matters Dorado.	or operator) herein contain	of the above-described ned and the log of the	
, being first duly sworn on oath, sa ve-described well as filed and that to SURSCRIBED AND SWORN TO before	Box 950, E	Intering & I Dorado, I Dorado, I Orado, I Orado, I Orado, I Orado, I Orado, I Orado I	Butler Inployee of overtices, statement of the God.	vner) or (owner lats, and matters Dorado.	or operator) herein contain	of the above-described and the log of the Motary Public.	

15-007-16694-0000

110. I HAZELTON LAND COMPANY

Well Record:

Location:

Operators:

SE/4 NM/4, Section 8-325-15W

Barber County, Kansas

Commenced:

June 12, 1960

Completed:

June 30, 1960

Messman-Rinehart Oil Company 518 Petroleum Building

(Rotery)

Wichita, Kansas

Elevation:

1952' K/B

Contractor:

Production:

Gas

Messman-Rinehart Oll Company

518 Petroleum Building

Wichita, Kansas

Casing Record:

10-3/4" @ 242' w/200 sx. com.

5-1/2" @ 4928' w/100 sx. cem.

*** LOG * * *

Red Bed & Sand Gyp Rock & Anhydrite	135 242	
Red Bed & Sand	865	7
Anhydrite	895	
Shale & Shalls	1580	•
Lime & Shale	1900	
Anhydrite	1920	Sample Tops:
Lime & Shale	1995	A STATE OF THE PROPERTY OF THE
Line	2335	4066 - Heebnar (-2114)
Lime & Shale	2405	4148 - Douglas Sand (-2196)
Lime	2545	4222 - Lansing (-2270)
Lime	2830	4757 - Mississippien (-2805)
Lime & Shale	3460	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Line	3560	
Lime & Shale	3622	
Line	3710	
Line & Shale	4147	
Sand & Shale	4165	
Lime, Shale & Sand	4248	RECEIVED STATE CORPORATION COMMISSION
Lime	4381	DECELVEN
Lime & Shale	4430	CORPORATION COMPLESSION
Lime & Chert	4475	STATE COM
Line	4530	OCT 26 1964 10-26-64 10-26-64
Lime & Chert	4650	10 21 -104
Lime & Shelo	4685	10 ZON DINISION
Lime	4715	
Lime, Shale & Chert	4750	CONSERVATION Kansas
Lime & Chert	4795	
Lime	4805	
Lime & Shale	4845	
Line	4930 R.T.D.	• •

The undersigned, MESSMAN-RINENART OIL COMPANY, hereby certifies that the above log is a true and correct log of the formation encountered in drilling the above mail as reflected by the Daily Drilling Reports.

MESSMAN-RIMENART OF L' COMPANY

Subscribed and sworn to before me this 28th day of July, 1960.

Berbara J. Scott, Notary

My Commission Expires: December 1, 1960

RECEIVED STATE CORPORATION COMMISSION

COMPLETION DATA

OCT 26 1964
10-26-64
CONSERVATION DIVISION
Wichita, Kansas

Messman-Rinehart Oil Company No. 1 Hazelton Land Company SE/4 NW/4, Section 8-325-15W Barber County, Kansas

- 7/7/60 Hoved in cable tools, Perf. 4821-40' w/25 ft., making 20 gal. water per hour, Treated with 500 gal. mud acid and 1000 gal. regular acid, want in at 650#, dropped to 300# in 5', Swabbed 12 bbls. salt water per hour with 500,000 cfg.
- 7/8/60 Set plug at 4796 ft. and Perf. 4760-701 w/25 ft., making 12 bbls. sait water per hour and 500,000-1,000,000 cfg.
- 7/9/60 Squeezed Perfs. 4821-40' and 4760-70' with 90 sx. cement
- 7/10/60 Drilled out cement
- 7/11/60 Re-perf. 4769-701 w/48 ft., Frac. 12,000# sand-water treatment (480 bb1. load), Pressured up to 2000#
- 7/14/60 Blowing well a little under 1,000,000 cfg./d w/5 BFPH (106 bbls. frac. water to recover), 1260# csg., 760# tbg.
- 7/15/60 Producing at the rate of 1,000,000 cfg./d w/4 8FPH, 1240# csg., 760# tbg.

Producing at the rate of 800,000 cfg./d w/2 BFPH, 1300# csg., 920# thg.

Shut well in amiting a gas line connection.

HESSHAN-RIHEHART OIL COMPRNY

Moger L. Messmen

RLM/bjs 7/28/60