

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas


OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Ness County, Sec. 35 Twp. 18 Rge. 21W (E) (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines
Lease Owner Hunt Oil Company
Lease Name Ryarsee Well No. 1
Office Address 1102 City Bank Bldg., Shreveport, La.
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed December 8, 1941 19...
Application for plugging filed December 8, 19 41
Application for plugging approved December 8, 19 41
Plugging commenced December 8, 19 41
Plugging completed December 8, 19 41
Reason for abandonment of well or producing formation Dry hole

NORTH



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production 19...
Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander

Producing formation Depth to top Bottom Total Depth of Well 4301 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Four joints cement.	78 ft.	13 3/8 in.	casing cemented with 50 sack of			
59 Joints	1190 ft.	8 5/8 in.	casing cemented 306 sacks			

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from... feet to ... feet for each plug set.

Hole was back filled with heavy rotary mud from 4300 ft. to 1100 ft. wood plug placed at 1100 ft. 25 ft. of field rock placed on top of wood plug, 10 sacks of cement placed on field rock, hole filled to within 38 ft. of the bottom of the cellar with heavy rotary mud, wood plug placed at 38 ft., 5 ft. of field rock on top of wood plug, hole filled to the bottom of the cellar with cement, steel cap welded on top of surface pipe, 8 ft. below the surface of the ground.

PH
12/23/41
H.A.
FILE 35-18-221W
BOOK PAGE-16-1E-40

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to
Address

STATE OF Kansas, COUNTY OF Barton, ss.

Helen W. Reel (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Helen W. Reel

(Address)


SUBSCRIBED AND SWORN to before me this 22 day of December, 1941

My commission expires April 25, 1942
Helen M. Smith Notary Public.

Hunt Oil Company
Ryersee #1
CSE NE Sec 35. Twmp 18 R. 21W
Ness County, Kansas.

15135-00074-0000

0 to 14 clay
14 to 61 sand
61 to 182 shale
182 to 254 shale & shells
254 to 298 shale
298 to 568 shale & shells
568 to 582 red bed
582 to 639 shale & shells
639 to 750 red bed
750 to 956 sand
956 to 1305 shale
1305 to 1330 anhydrite
1330 to 1550 shale
1550 to 1640 shale & lime streaks
1640 to 1728 shale & shells
1728 to 1761 salt & shale
1761 to 1800 shale
1800 to 1860 salt
1860 to 2061 shale
2061 to 2131 lime broken
2131 to 2153 anhydrite
2153 to 2178 lime broken
2178 to 2300 shale
2300 to 2417 lime broken
2417 to 2466 chert & lime
2466 to 2549 lime
2549 to 2556 shale
2556 to 2609 lime
2609 to 2641 shale
2641 to 2774 lime
2774 to 2796 lime broken
2796 to 2906 lime
2906 to 2924 shale
2924 to 2960 lime
2960 to 2999 shale
2999 to 3058 lime & shale
3058 to 3140 shale
3140 to 3214 lime
3214 to 3263 broken lime
3263 to 3291 lime
3291 to 3304 lime hard
3304 to 3318 lime soft
3318 to 3346 lime hard
3346 to 3356 lime soft
3356 to 3478 lime
3478 to 3508 lime soft
3508 to 3704 lime
3704 to 3714 lime hard
3714 to 3731 very soft lime
3731 to 3879 lime
3879 to 3893 shale
3893 to 3894 lime



010 800 0

Hunt Oil Company
Ryersee #1
CSE NE Sec 35. Twp 18 R. 21W
Ness County, Kansas

3804 to 3926 shale
3926 to 3994 shale & lime
3994 to 4027 shale & lime streaks
4027 to 4061 lime & shale
4061 to 4104 shale & lime streaks
4104 to 4120 sandy shale
4120 to 4132 streaky shale
4132 to 4140 chert
4140 to 4146 lime
4146 to 4155 shale
4155 to 4163 chert & lime
4163 to 4176 chert
4176 to 4182 chert & lime
4182 to 4196 chert
4196 to 4248 chert & lime
4248 to 4252 chert
4252 to 4294 lime chert.
4294 to 4300 lime
4300 Total Depth.

FILE 35. 18. 21W
BOOK case-16 p. 40


WELL LOG BURZAU - KANSAS GEOLOGICAL SOCIETY.
412 Union National Bank Bldg, Wichita, Kansas.

HUNT OIL CO.
Ryerssee No. 1

SEC. 36 T. 18 R. 21 W
CSW NE
15-135-00074-0000

Total Depth. 4300
Comm. 11-19-41 Comp. 12-8-41
Shot or Treated.
Contractor. Crow Drilling Co.
Issued. 1-24-42

County Ness.



CASING.

133/8" 78'
8 1/2" 1190'

Elevation. 2114

Production. DRY.

Figures Indicate Bottom of Formations.

clay	14	shale	3140
sand	61	lime	3214
shale	182	brn lime	3263
shale shells	254	lime	3879
shale	298	shale	3893
shale and shells	568	lime	3904
red bed	582	shale	3926
shale shells	639	shale and lime	3994
red bed	750	shale lime strks	4027
sand	956	lime and shale	4061
shale	1305	shale lime strks	4104
anhydrite	1330	shy shale	4120
shale	1650	shale strks	4131
shale lime strks	1640	chert	4140
shale shells	1728	lime	4148
salt and shale	1761	shale	4155
shale	1800	chert & lime	4163
salt	1860	chert	4176
shale	2081	chert & lime	4182
lime brkn	2151	chert	4252
anhydrite	2152	chert lime	4252
shale	2300	chert	4252
lime brkn	2417	lime chert	4294
chert and lime	2465	lime	4300
lime	2549		
shale	2558		
lime	2609		
shale	2641		
lime	2774		
lime brkn	2796		
lime	2906		
shale	2924		
lime	2960		
shale	2999		
lime and shale	3058		

Total Depth.

4120
- 114
2006

9104
2114
1990

Min?
9131
2114
- 2017

Min?
9155
2114
2051

RECEIVED
STATE CORPORATION COMMISSION

JUN 28 1942

CONFIRMATION DIVISION
Wichita, Kansas

2034
2114
150
3676

Stickle Drilling Company, Etal
Wichita, Kansas

Tulsa, Oklahoma
October 24, 1957

CONTRACTOR: Stickle Drilling Company
Drilling Commenced: September 20, 1957
Drilling Completed: September 25, 1957

Ryersee #1-A SE NE Sec.
35-18S-21W, Ness County,
Kansas.

DRILLERS LOG

Depth Figures Indicate Base of Formation:

Washed down	4040
Washing Hole	4300
Lime	4306
Mississippi Lime	4316
Cherty Lime	4351
Lime	4377
Lime & Chert	4408
Lime with Chert	4461
Lime & Chert	4514
Cherty Lime	4553
Lime	4560 TD

I, Frank E. Stickle hereby certify the above to be a true and complete Drillers Log of Stickle Drilling Company Etal - Ryersee #1-A SE NE Section 35-18S-21W, Ness County, Kansas.

Lillian T. Bonham
Notary Public

RECEIVED Frank E. Stickle
STATE CORPORATION COMMISSION Frank E. Stickle

JUN 28 1965

February 13, 1960
My Commission Expires

CONSERVATION DIVISION
Wichita, Kansas