## Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

| Type Test:   |                                   |  |  | (-  | See Instruct          | tions on Reve  | rse Side             | ·)   |                           |                                |   |   |  |
|--|-----------------------------------|--|--|---|-----------------------|--|----------------------|--|---------------------------|--------------------------------|---|---|--|
| Open F   | Flow                              | X Shut-in<br>Test Date:  |  |   |                       |  |                      | ADIA   | lo. 15                    |                                |   |   |  |
| Deliver  | Deliverabilty Pressure Test 12/2/ |  |  |   | ·•                    |  |                      |  | 20387 <b>- D</b> (        | 000                            |   |   |  |
| Company<br>Running Fo  | xes Pe                            | etroleum   |  |   | -                     | Lease<br>N. Hoppe  |                      |  |                           | 1                              | Well N                                  | umber   |  |
| County Location Leavenworth SESENW                                   |                                   |  | Section<br>29  |   | TWP<br>8S             |  | RNG (E/W)<br>22E     |  | Acres Attributed 40       |                                |   |   |  |
| Field  |                                   |  | Reservoir<br>McLouth   |   |                       | Gas Gathering Connection COG Transmission (  |                      |  | ction RECA                |                                |   |   |  |
| Completion Date  |                                   |  | Plug Back  | k Total Dept                              | th                    | Packer Set at  |                      |  |                           |                                | DEC 2 0                                 |   |  |
| Casing Size  | , ,                               |  | Internal Diameter  |   | Set at<br>1376        |  | Perforations<br>1344 |  | то<br><b>1350</b>         | To KCC V                       |   |   |  |
| ubing Size Weight 3/8" 4.7#  |                                   |  | Internal E   | Diameter                                  | Set at<br>1340        |  | Perforations         |  | То                        |                                |   |   |  |
| Type Comple<br>Sas   | `                                 | ·  |  | Type Flui<br>Water                        | d Production<br>(Nil) | Pump Unit or Ti<br>Pump  |                      |  | aveling Plunger? Yes / No |                                |   |   |  |
| Producing Thru (Annulus / Tubing)<br>Annulus                         |                                   |  |  | % Carbon Dioxide                          |                       |  |                      |  |                           |                                | s Gravity - G <sub>g</sub>              |   |  |
| /ertical Depth<br>350  | h(H)                              |  |  |   |                       | sure Taps  |                      |  |                           | 3"                             |   | Prover) Size  |  |
| Pressure Buil  | •                                 |  | 2  |   |                       |  |                      |  |                           | 12 <sub>at</sub> 9:00 a        |   | (AM) (PM)   |  |
| Vell on Line:  | :                                 | Started  | 2  | 0 at                                      |                       | (AM) (PM) T  | aken                 |  | 20                        | at                             |   | (AM) (PM)   |  |
|  |                                   |  |  |   | OBSERVE               | D SURFACE  | DATA                 |  |                           | Duration of Shut-              | in                                      | Hours   |  |
| Dynamic S  | Orifice<br>Size<br>nches)         | Circle one:<br>Meter<br>Prover Pressu<br>psig (Pm)             | Pressure Differential in Inches H <sub>2</sub> 0   | Flowing Well Head Temperature t t         |                       | Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia |                      | Tubing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia |                           | Duration<br>(Hours)            | 1 |   |  |
| Shut-In  |                                   |  |  |   |                       | 65   | рыа                  | parg   | рыа                       | 24+                            | 24+                                     |   |  |
| Flow   |                                   |  |  |   |                       | . 1  |                      |  |                           |                                |   |   |  |
|  |                                   |  |  | ·   | FLOW STR              | EAM ATTRIB   | UTES                 |  |                           |                                |   |   |  |
| Plate<br>Coefficeient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd | 1                                 | Circle one:<br>Meter or<br>over Pressure<br>psia               | Press<br>Extension<br>√ P <sub>m</sub> x h   | Grav<br>Fact                              | tor                   | Flowing<br>Temperature<br>Factor   | Fa                   | viation Metered Flow<br>actor R<br>F <sub>pv</sub> (Mcfd)                                      |                           | GOR<br>(Cubic Feet/<br>Barrel) |   | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub>               |  |
|  |                                   | 11.75.11.5.11.11.11.11.11.11.11.11.11.11.11.                   |  |   |                       |  |                      |  |                           |                                |   |   |  |
| °c)² =   | ·<br>:                            | (P <sub>w</sub> ) <sup>2</sup> =                               | ;  | (OPEN FLO                                 | . ,                   | ERABILITY) (   | CALCUL<br>- 14.4) +  |  | :                         | (P <sub>a</sub> )              | ) <sup>2</sup> = 0.3                    | 207   |  |
| $(P_c)^2 - (P_a)^2$<br>or<br>$(P_c)^2 - (P_d)^2$                     | (F                                | P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | Choose formula 1 or 2<br>1. $P_c^2 - P_a^2$<br>2. $P_c^2 - P_d^2$<br>divided by: $P_c^2 - P_d^2$ | LOG of formula 1. or 2. and divide P2. P2 |                       | Backpressure Curv Slope = "n" or Assigned Standard Slope                                       |                      | e n x LOG  |                           | Antilog                        | De                                      | Open Flow<br>Deliverability<br>Equals R x Antilog<br>(Mcfd) |  |
|  |                                   |  |  |   |                       |  |                      |  |                           |                                |   |   |  |
|  |                                   |  |  |   |                       |  |                      | <u></u> .  |                           |                                |   |   |  |
| pen Flow   |                                   |  | Mcfd @ 14.   | 65 psia                                   |                       | Deliverabili   | ty                   |  |                           | Mcfd @ 14.65 ps                | ia                                      |   |  |
|  | •                                 | · •  | n behalf of the  |   |                       | •  |                      | o make the   | •                         | ort and that he ha             |   | wledge of   |  |
|  |                                   | Witness (i   | f any)   |   |                       | <del></del>  |                      |  | For (                     | Company                        |   |   |  |
|  |                                   | For Comm   | nission  |   |                       | _  |                      |  | Che                       | cked by                        |   |   |  |

## DEC 2 0 2012

## KCC WICHITA

|                       | NCC WICHITA   |
|-----------------------|---|
| I declare unde        | penalty of perjury under the laws of the state of Kansas that I am authorized to request  |
| exempt status unde    | r Rule K.A.R. 82-3-304 on behalf of the operator Running Foxes Petroleum, Inc   |
| and that the forego   | ing pressure information and statements contained on this application form are true and   |
| correct to the best o | of my knowledge and belief based upon available production summaries and lease records  |
| of equipment install  | ation and/or upon type of completion or upon use being made of the gas well herein named.   |
| I hereby reques       | st a one-year exemption from open flow testing for the N. Hoppe 1   |
| gas well on the gro   | unds that said well:  |
| •                     |   |
| (Check o              | ine)  |
|                       | is a coalbed methane producer   |
|                       | is cycled on plunger lift due to water  |
| į                     | is a source of natural gas for injection into an oil reservoir undergoing ER  |
| i                     | is on vacuum at the present time; KCC approval Docket No  |
| <b>✓</b>              | is not capable of producing at a daily rate in excess of 250 mcf/D  |
| •                     | to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing. |
| Date: _December 1     | 5, 2012   |
|                       |   |
|                       |   |
|                       |   |
|                       | Signature: Leuwal   |
|                       | Title: V.P. of Engineering  |
|                       |   |
|                       |   |

## Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.