


15-135-30024-0000

STATE OF KANSAS  
STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
211 No. Broadway  
Wichita, Kansas

WELL PLUGGING RECORD



Locate well correctly on above  
Section Plat

Ness County, Sec. 24 Twp. 20 Rge. 22 (E) West (W)  
Location as "NE/CNW/SW" or footage from lines 660' FNL, 2130' FEL  
Lease Owner Cities Service Oil Company  
Lease Name Pickering "A" Well No. 1  
Office Address Box 308, Great Bend, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed March 19, 19 65  
Application for plugging filed March 19, 19 65  
Application for plugging approved March 19, 19 65  
Plugging commenced March 20, 19 65  
Plugging completed March 20, 19 65  
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production - 19  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 4420 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	514'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

4420-510', heavy mud.  
510-446', 20 sacks cement.  
446-240', heavy mud.  
240-176', 20 sacks cement.  
176- 40', plug and hulls  
40' to base of cellar, 10 sacks cement.

RECEIVED  
STATE CORPORATION COMMISSION  
MAR 30 1965  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Peel Brothers, Inc.  
Address Hoisington, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.  
W. J. Devaney (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. J. Devaney  
Box 308, Great Bend, Kansas  
(Address)

SUBSCRIBED AND SWORN TO before me this \_\_\_\_\_ day of March, 19 65

C. M. McFarland  
Notary Public.

My commission expires December 6, 1966

APR 15 1965

CONSERVATION DIVISION  
Wichita, Kansas

WILDCAT

DISCOVERY

POOL Bondurant

Company Cities Service Oil Company Well No. 1 Farm Pickering "A"

Location 660' S. & 2130' W. of NE Corner Sec. 24 T. 20S R. 22W

Elev. Serv. K.B. 2216' D.F. 2213' Gr. 2207' Co. Ness State Kansas

N. I. P. D. & A. A. I. P. Grav.

Pay Zones

Perforations

Acid Hydrafrac

T. D. 4420' P. B. T. D. N. T. D. Drlg. Comm. 3/9/65 Drlg. Comm. 3/19/65

CASING RECORD

8 5/8" @ 514' w/275 sacks.

Contractor Peel Brothers  
Elec. log tops:

Formation Record:

Formation Record:	Depth:
clay & rock	0 - 100
shale & shells	315
sand	340
shale & shells	520
shale	845
sand	1070
shale	1235
shale & red beds	1414
anhydrite	1454
shale	1825
shale & shells	2340
lime	2640
lime & shale	2738
lime	2880
lime & shale	3220
shale & lime	3380
lime & shale	3710
lime	3940
chalk, lime & chert	4020
lime	4313
lime & chert	4347
lime	4367
lime & chert	4420 R.T.D.

Heebner	3699'
Lansing	3746'
Base Kansas City	4083'
Fort Scott	4264'
Cherokee	4290'
Conglomerate	4325'
Eros. Miss.	4340'
Osage	4398'
Log T.D.	4418'

Slope Tests Eastman

0° @ 1007'
3/4° @ 2405'
3/4° @ 3097'
3/4° @ 3599'
3/4° @ 3900'

DST 4339-4347' Op. 40", rec. 10' mud.  
All press. 0.

DST 4347-4367' Op. 30", rec. 20' mud,  
w/tr. wtr. IBHP 1200#/30", IFP 60#,  
FFP 60#, FBHP 845#/30".

DST 4370-4405' Op. 80", rec. 229' muddy  
wtr. IBHP 1395#/30", IFP 70#, FFP 130#,  
FBHP 1395#/30".

D. & A. 3/20/65

OFF/ng  
4/12/65