

15-007-00298-0000

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plugging
off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Barber

County, Sec. 30 Twp. 30 Rge. (E) 14 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines NW/4 NW/4 NW/4

Lease Owner Alf M. Landon

Lease Name Hastings Well No. 2

Office Address Topeka, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 10/18 19 45

Application for plugging filed 10/18 19 45

Application for plugging approved 10/18 19 45

Plugging commenced 10/20 19 45

Plugging completed 10/20 19 45

Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production " " 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Ruel Durkee


Producing formation Depth to top Bottom Total Depth of Well 4775 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8 5/8"	668'	None



Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from 350 feet to 10 feet for each plug set.

Run 1st half of drill pipe in hole, broke down same. On 2nd half of drill pipe run in hole, gunned pits up and circulated hole with heavy rotary mud. Broke down drill pipe. Set 1st Halliburton plug at 350'. Cemented same with 15 sacks regular cement. Filled hole with rotary mud and set 2nd Halliburton plug at 10 feet. Cemented same with five sacks regular cement.

30 36 14 W
29 39

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Alf M. Landon
Address Topeka, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
J. M. Johnson (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) J. M. Johnson
(Address)

SUBSCRIBED AND SWORN to before me this 22nd day of October, 19 45

Clytell Smalley
Notary Public.

My commission expires December 6, 1945

COMPANY: Alf M. Landon
 CONTRACTOR: Tri-State Drilling Co. Inc.
 FARM: Hastings No. 2 Well


LOCATION: NW/4 NW/4 NW/4
 Section 30-30-14 W
 Barber County
 Kansas

COMMENCED: September 12, 1945
 COMPLETED: October 18, 1945

ELEVATION: 1890'
 PRODUCTION: D & A

CASING RECORD:
 8 5/8 @ 668' - 200 Sx

FORMATION	DEPTH
Red Bed	40
Gyp	75
Red Bed & Shale	250
Sand	550
Red Bed	565
Anhydrite	640
Red Bed & Shale	735
Salt	920
Shale & Salt Streaks	1010
Shale & Shells	1195
Red Bed & Shale	1350
Shale & Shells	1400
Shale & Lime	1490
Shale & Shells	1890
Lime & Shale	2075
Lime	2200
Shale	2290
Shale & Sand	2435
Shale & Lime	2460
Lime & Shale	2555
Shale	2580
Lime Sandy & Shale	2625
Shale & Shells	2680
Shale & Lime	2770
Shale & Shells	3130
Shale & Lime	3152
Lime	3205
Shale & Lime	3250
Lime	3260
Shale & Lime	3590
Lime	4052
Lime - Cherty	4547
Cherty Lime	4610
Lime	4683
Shale & Lime	4739
Lime (arb)	4762
Arb. Lime	4775
TOTAL DEPTH	4775



30 30 14W
 29 39

I hereby certify this to be a correct and accurate log of the above described well as shown by the drilling reports.

[Signature]

Subscribed and sworn to before me this 20 day of October, 1945

[Signature]
 Notary Public

My Commission expires December 6, 1945