


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Barber County. Sec. 35 Twp. 31S Rge. 15W (~~20~~) (W)
Location as "NE/CNW/SW" or footage from lines C S/2 NW NW
Lease Owner National Cooperative Refinery Association
Lease Name Skinner "H" Well No. 1
Office Address 305 Rule Building, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole
Date well completed October 9, 1957
Application for plugging filed October 10, 1957
Application for plugging approved October 11, 1957
Plugging commenced October 9, 1957
Plugging completed October 9, 1957
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production _____ 19____
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well M. A. Rives
Producing formation _____ Depth to top _____ Bottom _____ Total Depth of Well 4710 Feet
Show depth and thickness of all water, oil and gas formations.


OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	232'	None - Cemented

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Mudded hole to 230', set plug / 20 sacks of cement. Mudded hole to 30', set plug / 10 sacks of cement on up to base of cellar.



(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Aylward Drilling Company
Address 813 First National Bank Building, Wichita, Kansas

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.
C. R. Sears (employee of owner) or (~~owner or operator~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) C. R. Sears (C. R. Sears)

(Address)

SUBSCRIBED AND SWORN TO before me this 22nd day of October, 1957

Nell McComb

NELL McCOMB

Notary Public.

My commission expires November 26, 1960

PLUGGING
FILE SEC 35 T 31 R 15W
BOOK PAGE 52 LI E 30

SKINNER "H" NO. 1

Casing Record:

8 5/8" - 232'

Company: National Cooperative Refinery Ass'n

Contractor: Aylward Drilling Company

Commenced: September 23, 1957

Completed: October 9, 1957

Location: C S¹/₂ NW NW
Sec. 35-31-15W
Barber County
Kansas

Elevation: 1908 KB

	<u>From</u>	<u>To</u>	<u>Remarks</u>
Gyp Rock & Red Rock	0	70	Set 8 5/8 Surf. Pipe @ 232 w/195 sacks cement
Red Bed, Gyp & Sand	70	231	
Red Bed, Shale & Shells	231	615	
Red Rock & Shale	615	1260	Geological Tops:
Anhydrite	1260	1495	Heebner 3960
Shale & Lime Streaks	1495	1925	Leavenworth 3966
Shale & Lime	1925	1945	Toronto 3978
Lime	1945	2330	Douglas 3993
Lime & Shale	2330	2400	1st Douglas Sand 4015
Lime	2400	2560	2nd Douglas Sand 4051
Lime & Shale	2560	2765	Lansing 4120
Lime	2765	2970	Base/Kansas City 4526
Lime & Shale	2970	3316	Massey 4593
Lime, Shale & Sand	3316	3485	Mississippian 4658
Lime & Shale	3485	3625	Kinderhook 4687
Sand	3625	3670	R.T.D. 4710
Lime & Shale	3670	4163	
Lime	4163	4588	DST 4659-80 Open 1 hr., Gas to surface in 30 min. Rec. 20' mud.
Lime & Shale	4588	4627	IBHP 1280# - FBHP 665#. FP 20#-20#
Lime	4627	4661	
Chert	4661	4680	
Lime & Shale	4680	4702	DST 4680-4710 Open 1 hr. Rec. 12' mud.
Lime, Chert & Shale	4702	4710 T.D.	IBHP 150# - FBHP 20#. FP 20#-20#

D & A

I hereby certify that this is a true and correct copy of the above log to the best of my knowledge.

Paul W. Hesse

Subscribed and sworn to before me this 22nd day of October, 1957.

Duane Jessup
DUANE JESSUP Notary Public

My commission expires December 11, 1957

RECEIVED
OCT 24 1957
CONSERVATION DIVISION
Wichita, Kansas

PLUGGING			
FILE	SEC 36	T 31	R 15W
BOOK	PAGE 52	LINE 30	

Company: National Cooperative Refinery Ass'n - Location: 2 1/2 mi. N. Sec. 25 - T. 14 N. R. 10 E. - Barber County, Kansas
 Contractor: Wylark Milling Company
 Commenced: September 2, 1957
 Completed: October 2, 1957
 Elevation: 1500 MB

Remarks	To	From	
Set 10' - 10' level 55' w/ 10' backs	70	0	Gyp block & red block
Cement	81	70	Red Bed, Gyp & sand
Geological Top:	81	81	Red Bed, shale & shells
Heeper	100	81	Red Kok & shale
Leavenworth	100	100	Anhydrite
Toronto	110	100	Shale & lime tracks
Boutas	110	110	Shale & lime
1st Boutas sand	150	110	lime
2nd Boutas sand	200	150	lime & shale
lan in	210	200	lime
Base Kansas City	270	210	lime & shale
Massy	270	270	lime & shale
Keelson	280	270	lime, shale & sand
Kindhook	280	280	lime & shale
R.T.	290	280	sand
Set 100'-110' Open 1 hr., 1 hr. to surface	290	290	lime & shale
in 30 min., sec. 10' min.	290	290	lime & shale
Set 100'-110' - 110' - 110' - 110'	290	290	lime
Set 100'-110' - 110' - 110' - 110'	290	290	shale
Set 100'-110' - 110' - 110' - 110'	290	290	lime & shale
Set 100'-110' - 110' - 110' - 110'	290	290	lime, shale & shale

I hereby certify that this is a true and correct copy of the above for the best of my knowledge.

Subscribed and sworn to before me this 2nd day of October, 1957.

W. H. ...
 Notary Public

My commission expires December 11, 1957

