## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Test  | i:          |   |   |   | 6                                  | See Instruct                                | ions on Reve                                       | erse Side  | )                     |  |                       |   | Ť   |
|--|-------------|---|---|---|------------------------------------|---|--|--|-----------------------|--|-----------------------|---|---|
| Ор   | en Flov     | v   |   |   | Tool Date                          |   |  |  | ADI                   | N= +5  |                       |   | 4   |
| De   | liverab     | lty   |   |   | Test Date<br>8/8/2013              |   |  |  | 15-                   | No. 15<br>095-21,800   | 00-00-00              |   | ,   |
| Company<br>MTM P   |             | DLE   | UM, INC   |   |                                    | 1 Ballhara                                  | Lease<br>GARRIS                                    | SION   |                       |  | #3                    | Well No                                     | ımber   |
| County<br>KINGMAN  |             |   | Location<br>W/2 SW/4                              |   | Section<br>20                      |   | TWP<br>29S   |  | RNG (E/W)<br>7W       |  |                       | Acres Attributed<br>160                     |   |
| Field<br>SETTLE  |             |   |   | Reservoir<br>MISSIS   | SIPPIAN                            | į   |  |  | nering Conne          | ection<br>REAM GAS   | SUPP                  | LY, LLC.                                    |   |
| Completion Date 11/15/01   |             |   |   |   | Plug Back Total Dept               |   |  | h Packer S<br>NONE   |                       |  |                       |   |   |
| Casing Size 4.5  |             |   | Weight<br>10.5                                    |   | Internal E<br>4.005                | Diameter                                    | er Set at 4307                                     |  | Perforations 4133     |  | To<br>4175            | 5   |   |
| Tubing Size 2.375  |             |   | Weig<br>4.7                                       | nt  | Internal E<br>1.995                | Diameter                                    | ter Set at<br>4185                                 |  | Perforations<br>4185  |  | To<br>418             | 5   |   |
| Type Cor<br>SINGLE   |             | ı (De   | scribe)   |   |                                    | d Production<br>WATER                       | 1  | ,  | Pump Ur<br>PUMP       |  | Plunger? Ye           | s / No                                      | 1   |
|  | -           | (Anr  | ulus / Tubir                                      | ıg)   | % C                                | arbon Dioxi                                 | de   |  | % Nitrog              | en   | Gas                   | Gravity -                                   | G <sub>g</sub>                                |
| TUBING   |             |   | ······································            |   | 0.117                              |   |  |  | 2.614                 |  | .673                  |   |   |
| Vertical D   | Depth(H     | l)<br>  |   |   |                                    | Pres<br>FLAI                                | sure Taps<br>NGE                                   |  |                       |  | (Mete<br><b>2"</b>    | r Run) (f                                   | Prover) Size                                  |
| Pressure   | Buildu      | ρ: \$   | Shut in8/8  | }   | 20 13 at 1                         | 0:15  | (PM)   | Taken 8/   | 9                     | 20   | 13 <sub>at</sub> 10:1 | 5   | (PM)  |
| Well on L  | _ine:       |   | Started   |   | 20 at                              |   | (AM) (PM)  | Taken  | -                     | 20   | at                    |   | (AM) (PM)                                     |
|  |             |   |   |   |                                    | OBSERVE                                     | D SURFACE  | DATA   |                       |  | Duration of Shi       | ut-in                                       | Hour  |
| Static / Orifice Dynamic Size Property (inches)                      |             | •   | Circle one:<br>Meter<br>Prover Press<br>psig (Pm) |   | Flowing<br>Temperature<br>t        | Well Head<br>Temperature<br>t               | Wellhead F<br>(P <sub>w</sub> ) or (P <sub>1</sub> | Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> ) |                       | ubing<br>ad Pressure<br>(P <sub>1</sub> ) or (P <sub>2</sub> ) | Duration<br>(Hours)   | 1 '   | id Produced<br>(Barrels)                      |
| Shut-In  |             |   |   | 2   |                                    |   | 150  | psia   | psig                  | psia   |                       |   |   |
| Flow   |             |   |   |   |                                    |   |  |  |                       |  |                       |   |   |
| <u></u>  | <u> </u>    |   |   |   |                                    | FLOW STR                                    | EAM ATTRI  | BUTES  | Υ                     |  |                       |   | <del></del>                                   |
| Plate<br>Coefficcient<br>(F <sub>b</sub> ) (F <sub>p</sub> )<br>Mcfd |             | Circle one: Meter or Prover Pressure psia                       |   | Press<br>Extension<br>P <sub>m</sub> x h  | Grav<br>Fact                       | tor 1                                       | Flowing Temperature Factor F <sub>ft</sub>         |  | riation<br>ector<br>e | Metered Flow<br>R<br>(Mcfd)                                    | GO<br>(Cubic<br>Barre | Feet/                                       | Flowing<br>Fluid<br>Gravity<br>G <sub>m</sub> |
|  |             |   |   |   |                                    |   |  |  |                       |  |                       |   | <u></u> ,                                     |
| (P <sub>c</sub> ) <sup>2</sup> =                                     |             | _:  | (P <sub>w</sub> ) <sup>2</sup> =                  | · ;   | (OPEN FLO                          |   | ERABILITY)<br>% (P,                                | CALCUL<br>- 14.4) +  |                       | :  |                       | $\binom{1}{d}^2 = 0.3$                      | 207   |
| $(P_c)^2 \cdot (P_a)^2$<br>or<br>$(P_c)^2 \cdot (P_d)^2$             |             | (P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> |   | 1. P <sub>c</sub> <sup>2</sup> -P <sub>c</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> -P <sub>d</sub> <sup>2</sup> | LOG of formula 1, or 2, and divide | P <sub>2</sub> -P <sub>*</sub> <sup>2</sup> | Backpressure Curvi                                 |  | n x LOG               |  | Antilog               | Open Flow Deliverability Equals R x Antilog |   |
|  |             |   |   | divided by: P <sub>c</sub> <sup>2</sup> · P <sub>y</sub>  | 2 by:                              | <u> </u>                                    | Standa   | rd Slope   |                       |  |                       |   | (McId)  |
| Open Flor  | w           |   |   | Mcfd @ 14   | .65 psia                           |   | Deliverabil  | ity  |                       |  | Mcfd @ 14.65 p        | sia   | :   |
| The (  | undersi     | gned  | authority, o                                      | n behalf of the   | Company, s                         | tates that h                                | e is duly aut                                      | horized te   | o make th             | e above repor  | rt and that he i      | nas knov                                    | vledge of                                     |
| the facts s  | taled th    | ereir   | n, and that s                                     | aid report is tru   | e and correct                      | t. Executed                                 | this the _5th                                      | ا<br>معیر  | day of D              | ecember  |                       | ,   | 20 13   |
| <del>,_</del> -  | <del></del> | <u> </u>  | Witness (   | if any)   | <del></del>                        | KEC   | WICH   | TA   | /an                   | Force  | опрапу                | /10   |   |
|  |             |   | For Comm  | nission   |                                    | DEC   | 1 1 2013   | }  |                       | Checi  | ked by                |   |   |
|  |             |   |   |   |                                    | 200   |  | -  |                       |  |                       |   | i   |

**RECEIVED** 

|                  | nder penalty of perjury under the laws of the state of Kansas that I am authorized to request   |
|------------------|---|
| exempt status    | under Rule K.A.R. 82-3-304 on behalf of the operator MTM PETROLEUM, INC.                        |
| and that the fo  | regoing pressure information and statements contained on this application form are true and     |
| correct to the b | est of my knowledge and belief based upon available production summaries and lease records      |
|                  | nstallation and/or upon type of completion or upon use being made of the gas well herein named. |
| I hereby re      | quest a one-year exemption from open flow testing for the GARRISON #3                           |
| gas well on the  | grounds that said well:   |
| (Ch              | eck one)  |
| (0)              | is a coalbed methane producer   |
| L<br>L           | is cycled on plunger lift due to water  |
| L<br>L           | is a source of natural gas for injection into an oil reservoir undergoing ER                    |
| L                | is on vacuum at the present time; KCC approval Docket No  |
|                  | is not capable of producing at a daily rate in excess of 250 mct/D                              |
| L                | is not capable of producing at a daily fate in excess of 250 me/s.                              |
| I further ag     | gree to supply to the best of my ability any and all supporting documents deemed by Commission  |
|                  | sary to corroborate this claim for exemption from testing.                                      |
|                  |   |
| Date: _12/5/20   | 13  |
| Date: _12/0/20   |   |
| ·                |   |
|                  |   |
|                  |   |
|                  | Signature:  |
|                  |   |
|                  | Title: MARVIN A. MILLER, PRESIDENT  |
|                  |   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

KCC WICHITA

DEC 11 2013

RECEIVED