

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
212 North Market, Insurance Bldg.  
Wichita, Kansas

Barber

County. Sec. 7 Twp. 34S Rge. (E) 13 (W)

Location as "NE/CNW/SW" or footage from lines C N 1/2 N 1/2 NE

Lease Owner K & E Drilling, Inc.

Lease Name Blunk "A" Well No. 1

Office Address 719 Union Center, Wichita, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) dry hole

Date well completed 10-31-64 19

Application for plugging filed 11-3-64 19

Application for plugging approved 10-31-64 19

Plugging commenced 10-31-64 19

Plugging completed 10-31-64 19

Reason for abandonment of well or producing formation dry

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

Name of Conservation Agent who supervised plugging of this well A. Elving, Pratt, Kansas

Producing formation Depth to top Bottom Total Depth of Well 4905 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	434'	-0-

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Heavy mud to 275'. Bridge with plug & 2 sx. cement & 1 sk. hulls solid bridge & 23 sx. cement. Fill hole w/heavy mud to 40' 1/2 sk hulls plug & solid bridge & 10 sx. cement

Plugging complete @ 1:30 a.m.  
10-31-64

RECEIVED  
STATE CORPORATION COMMISSION

NOV 5 1964

CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor K & E DRILLING, INC.

Address same

STATE OF Kansas, COUNTY OF Sedgwick, ss.  
H. L. Wilson (employee of owner) or (owner or operator) of the above-described

well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) H. L. Wilson  
719 Union Center, Wichita, Ks.  
(Address)

SUBSCRIBED AND SWORN TO before me this 4th day of November, 19 64

My commission expires 8-30-65

Julene M. Bannon  
Notary Public.

# DRILLER'S WELL LOG

OPERATOR: K & E DRILLING, INC.  
719 Union Center  
Wichita, Kansas

WELL NAME: #1 Blunk "A"  
LOCATION: App. C N $\frac{1}{2}$  N $\frac{1}{2}$  NE  
Sec. 7-34S-13W  
Barber Co., Kansas

CONTRACTOR: K&E DRILLING, INC.  
719 UNION CENTER BLDG.  
WICHITA, KANSAS

COMMENCED: 10-18-64

CASING RECORD: 8-5/8" @ 434' w/300 sx.

COMPLETED: 10-31-64

ELEVATION: 1813 DF, 1816 KB

ROTARY TOTAL DEPTH: 4905'

PRODUCTION: dry

## FORMATION RECORD

Depths shown indicate bottom of formations encountered.

Clay & Sand	65
Red Bed	245
Sand	275
Red Bed & Shells	730
Sand	750
Shale	1830
Lime	2080
Lime & Shale	2245
Lime	3030
Lime & Shale	3495
Lime	4065
Shale & Sand	4200
Shale & Lime	4295
Lime	4830
Miss. Chert	4855
Lime	4905

RECEIVED  
STATE CORPORATION COMMISSION

NOV 5 1964

CONSERVATION DIVISION  
Wichita, Kansas

## CERTIFICATION

State of KANSAS }  
County of SEDGWICK } ss:

I, H. L. Wilson, of K&E DRILLING, INC., upon oath state that the above and foregoing is a true and correct copy of the Driller's Log of the above named well.

H. L. Wilson  
H. L. Wilson

Subscribed and sworn to before me this 4th day of November 1964.

My Commission expires: 8-30-65

Julene M. Bannon  
Julene M. Bannon

Notary Public.

# DRILLER'S WELL LOG

WELL NAME:

OPERATOR:

LOCATION:

K & F DRILLING, INC.  
719 UNION CENTER BLDG.  
WICHITA, KANSAS

CONTRACTOR:

COMPLETION DATE:

CASING RECORD:

COMPLETED:

ELEVATION:

ROTARY TOTAL DEPTH:

PRODUCTION:

## FORMATION RECORD

Depths shown indicate bottom of formations encountered.

0 - 10' Sandstone  
 10 - 20' Sandstone  
 20 - 30' Sandstone  
 30 - 40' Sandstone  
 40 - 50' Sandstone  
 50 - 60' Sandstone  
 60 - 70' Sandstone  
 70 - 80' Sandstone  
 80 - 90' Sandstone  
 90 - 100' Sandstone  
 100 - 110' Sandstone  
 110 - 120' Sandstone  
 120 - 130' Sandstone  
 130 - 140' Sandstone  
 140 - 150' Sandstone  
 150 - 160' Sandstone  
 160 - 170' Sandstone  
 170 - 180' Sandstone  
 180 - 190' Sandstone  
 190 - 200' Sandstone  
 200 - 210' Sandstone  
 210 - 220' Sandstone  
 220 - 230' Sandstone  
 230 - 240' Sandstone  
 240 - 250' Sandstone  
 250 - 260' Sandstone  
 260 - 270' Sandstone  
 270 - 280' Sandstone  
 280 - 290' Sandstone  
 290 - 300' Sandstone  
 300 - 310' Sandstone  
 310 - 320' Sandstone  
 320 - 330' Sandstone  
 330 - 340' Sandstone  
 340 - 350' Sandstone  
 350 - 360' Sandstone  
 360 - 370' Sandstone  
 370 - 380' Sandstone  
 380 - 390' Sandstone  
 390 - 400' Sandstone  
 400 - 410' Sandstone  
 410 - 420' Sandstone  
 420 - 430' Sandstone  
 430 - 440' Sandstone  
 440 - 450' Sandstone  
 450 - 460' Sandstone  
 460 - 470' Sandstone  
 470 - 480' Sandstone  
 480 - 490' Sandstone  
 490 - 500' Sandstone  
 500 - 510' Sandstone  
 510 - 520' Sandstone  
 520 - 530' Sandstone  
 530 - 540' Sandstone  
 540 - 550' Sandstone  
 550 - 560' Sandstone  
 560 - 570' Sandstone  
 570 - 580' Sandstone  
 580 - 590' Sandstone  
 590 - 600' Sandstone  
 600 - 610' Sandstone  
 610 - 620' Sandstone  
 620 - 630' Sandstone  
 630 - 640' Sandstone  
 640 - 650' Sandstone  
 650 - 660' Sandstone  
 660 - 670' Sandstone  
 670 - 680' Sandstone  
 680 - 690' Sandstone  
 690 - 700' Sandstone  
 700 - 710' Sandstone  
 710 - 720' Sandstone  
 720 - 730' Sandstone  
 730 - 740' Sandstone  
 740 - 750' Sandstone  
 750 - 760' Sandstone  
 760 - 770' Sandstone  
 770 - 780' Sandstone  
 780 - 790' Sandstone  
 790 - 800' Sandstone  
 800 - 810' Sandstone  
 810 - 820' Sandstone  
 820 - 830' Sandstone  
 830 - 840' Sandstone  
 840 - 850' Sandstone  
 850 - 860' Sandstone  
 860 - 870' Sandstone  
 870 - 880' Sandstone  
 880 - 890' Sandstone  
 890 - 900' Sandstone  
 900 - 910' Sandstone  
 910 - 920' Sandstone  
 920 - 930' Sandstone  
 930 - 940' Sandstone  
 940 - 950' Sandstone  
 950 - 960' Sandstone  
 960 - 970' Sandstone  
 970 - 980' Sandstone  
 980 - 990' Sandstone  
 990 - 1000' Sandstone

STATE COMMISSIONER OF GEOL. & MINES  
 NOV 5 1954  
 WICHITA, KANSAS

## CERTIFICATION

I, \_\_\_\_\_ of K & F DRILLING, INC., upon oath state that the above and foregoing is a true and correct copy of the Driller's Log of the above named well.

Subscribed and sworn to before me this \_\_\_\_\_ day of \_\_\_\_\_, 1954.

Notary Public.