


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

NORTH



Locate well correctly on above Section Plat

Barber County, Sec. 29 Twp. 30 Rge. 13 (E) W. (W)  
Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines  
Lease Owner J. M. Huber Corporation  
Lease Name Clay Well No. 3  
Office Address 916 S. Pine St. - Pratt, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Oil  
Date well completed 3-24-48 19...  
Application for plugging filed 5-5-50 19...  
Application for plugging approved 5-6-50 19...  
Plugging commenced 5-6-50 19...  
Plugging completed 5-13-50 19...  
Reason for abandonment of well or producing formation  
Production Exhausted

If a producing well is abandoned, date of last production 19...  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes - C. D. Stough - Great Bend, Kansas

Name of Conservation Agent who supervised plugging of this well  
Producing formation Depth to top Bottom Total Depth of Well 4614 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				10"	800'	None
				5 1/2"	4613'	3353'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from... feet to ... feet for each plug set.

Set fresh water plug at 250' and cemented with 20 sacks of cement. Mudded hole to 30'. Filled hole from 30' to top w/10 sacks and filled hole with cement.

6-30-50

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to W. W. Henson  
Address J. M. Huber Corporation  
Pratt, Kansas

STATE OF KANSAS, COUNTY OF PRATT, ss.  
I, J. L. Kyler (employee of owner) or (Notary Public) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature)


(Address)

SUBSCRIBED AND SWORN to before me this 28th day of June, 1950

My commission expires August 20, 1950

*J. L. Kyler*  
Notary Public

22-5123-s 9-48-10M



D R I L L E R ' S L O G

FARM NAME: No. 3 Clay "A"  
 COMPANY: J. K. HUBER CORP  
 CONTRACTOR: J. K. HUBER CORP

LOCATION: SE SE SE Sec. 29-30S-13W  
 Barber County, Kansas

COMMENCED: 12-18-47  
 COMPLETED: 3-24-48

ELEVATION: 1907  
 PRODUCTION: Physical Potential 28 b.  
 Oil per day

CASING USED - 10" @ 800' w/400 sacks  
 5 1/2" @ 4613' w/150 sacks

Clay Sand & gravel	110
Red Bed and shells	575
Red bed shells & shale	730
Red bed & shells	798
Shale & shells	1460
Salt & shale	1690
Shale & shells	1900
Shale shells lime streaks	1960
Lime	2030
Lime - Broken	2135
Lime & shale	2160
Broken lime	2355
Lime	2430
Lime & shale	2490
Shale & lime	2545
Lime	2640
Lime & shale	2970
Shale & lime shells	3055
Lime & shale	3200
Broken lime & shale streaks	3340
Lime & shale	3415
Lime - shale breaks	3480
Lime	3565
Lime shale	3620
Broken Lime	3720
Lime & shale	3835
Shale & lime	3890
Lime	3938
Shale & Lime	3995
Lime & shale	4040
Lime - shale breaks	4085
Lime	4265
Lime cherty	4319
Lime	4332
Lime & shale	4376
Lime	4402
Lime & shale streaks	4460
Lime & shale	4495
Mississippi chat	4515
Shale	4527
Lime & shale	4614

GEOLOGICAL TOPS

Brown Lansing	3939
Top Lansing	3999
Cherty Conglomerate	4468
Top Miss. Cht.	4492
Top Viola	4608
Total Depth	

Very slt por. & spotted stain  
 4427-35'  
 Por. ls. w/good stain 4435-37'

DST 4432-60, open 30 min, rec 90'  
 slightly oil & gas cut mud.  
 BHP 400# in 5 min.

Rotary T.D. 4614, drilled plug  
 and drilled deeper  
 500 acid treatment, flowed 30  
 barrels oil in 8 hours.  
 3,000 Acid treatment, gauged  
 6,283 MCF  
 Flowed 2 bbls. oil per hr.  
 Flowed 8 bbls. oil per hr,  
 estimated 2,500 MCF.  
 Casing Pressure 600#, Tubing  
 Pressure 140#.  
 Flowid 70 1/2 bbls. oil in 11 hrs.  
 Deliverability 3,755 MCF  
 Physical Potential (Flow) 28  
 barrels oil per day.  
COMPLETE.

Total Depth

**PLUGGING**  
 FILE SEC. 29-30S-13W  
 BOOK PAGE 5 LINE 36

DRILLERS LOG

CLAY #3 "A"

-2-

STATE OF KANSAS     )  
                          ) SS  
COUNTY OF SEDGWICK)

I hereby certify that the above is true and correct copy of the log of the Clay "A" No. 3 located in the S.E. Quarter of the S.E. Quarter of the S.E. Quarter of Section 29, Township 30 South, Range 13 West, Barber County, Kansas.

\_\_\_\_\_  
E. A. Huffman, District Mgr.  
J. M. HUBER CORPORATION

Subscribed and sworn to before me this 24th day of June, 1948

\_\_\_\_\_  
(Signed) Annetta Tyrrell  
Notary Public

My commission expires June 7, 1950.

JUN 28 1950