RECEIVED

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Test Date:    Test Date:   Test	Type Tes	t:		0		(	(See Instruc	ctions on Re	everse Side	e)			•		
Deliverably   11/6/13	✓ Op	en Flo	W			Test Date	e:			AP	l No. 15				
The properties of the properti	De	liveral	oilty									000	-		
heyenne NW SW NW 29 4S 41  Reservoir Beacher Island Priority Oil & Gas Gathering Connection herry Creek Beacher Island Priority Oil & Gas LLC mediators Date 110.5 # 4.052 13.5 1 10.5 # 4.052 140.4 KB Perforations To 10.5 # 4.052 140.4 KB Perforations To 10.6 # 10.5 # 4.052 140.4 KB Perforations To 10.6 # 10.	Company Priority		ß G	as LLC					าร		·				
percentage of the properties						•				£∕(w) . 		t	Acres Attributed		
### Authors   1352   1352   1404 KB   1214   1249   1249   1055   10.5 #   4.052   1404 KB   1214   1249   1249   10.5 #   4.052   1404 KB   1214   1249   1249   10.5 #   4.052   1404 KB   1214   1249   1249   10.5 #   10.5 #   4.052   1404 KB   1214   1249   1249   10.5 #   10.5 #   10.5 #   10.5 #   10.5 #   1249   10.5 #   1249   124	Field Cherry Creek					Beech	eŗ Island			Priority Oil & Gas LLC					
1.5 in	Completion Date 04/11/03					k Total Dep	oth		Packer	Set at					
Pressure Buildup: Shut in 11/5 20 13 at 2:18 (AM) (FM) Taken 20 at	Casing Size 4.5 in					4.052			1404 KB						
none  roducing Thru (Annulus / Tubing)  % Carbon Dioxide  % Nitrogen  31  4.93  5919  arical Depth(H)  Pressure Taps  Meter Run) (Prover) Size  2 in.  AM) (PM)  Taken  20 at (AM) (PM)  Taken  20 at	Tubing Size Weight none				Internal (	Diameter	Set	at	Perfo		То	_			
Pressure Taps    A.93   5919	Type Completion (Describe) single (gas)					**							Yes	7 (No)	
ressure Buildup: Shut in 11/5 20 13 at 2:18 (AM) (PD) Taken 20 at (AM) (PM) ressure Buildup: Shut in 11/6 20 13 at 2:00 (AM) (PM) Taken 20 at (AM) (PM) ressure Buildup: Started 11/6 20 13 at 2:00 (AM) (PM) ressure Buildup: Started 11/6 20 13 at 2:00 (AM) (PM) ressure Buildup: Started 11/6 20 13 at 2:00 (AM) (PM) ressure Buildup: Started 11/6 20 13 at 2:00 (AM) (PM) ressure Buildup: Started 11/6 20 13 at 2:00 (AM) (PM) ressure Buildup: Started 11/6 20 13 at 2:00 (AM) (PM) ressure Buildup: Started 11/6 20 at (AM) (PM) ressure Buildup: Started 11/6 20 at (AM) (PM) ressure Buildup: Bui	Producing Thru (Annulus / Tubing) casing											•			
State   Suitable   State   S	Vertical Depth(H)					Pressure Taps					·	(			
OBSERVED SURFACE DATA  Duration of Shut-in State of Mater Ma	Pressure	Buildu	•	Shut in	2			. (AM) (PM)	) Taken	1		at		(AM) (PM	
Continue	Well on L	.ine:		Started 11/	<u>6</u> 2	0 13 at 2	:00	. (AM) PM	Taken		20	at		(AM) (PM)	
Continue							OBSERVI	ED SURFAC	E DATA			Duration of	of Shut-	in 23.70 Ho	
Thut-In   104   118.4   104   118.4   104   118.4   104   118.4   105   104   118.4   105	Static / Dynamic Property	mic Size g		Meter Prover Press	Meter Differential Prover Pressure in		Temperature	Wellhead	Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		ion	Liquid Produced	
FLOW STREAM ATTRIBUTES  Plate Coefficient (F <sub>p</sub> ) (F <sub>p</sub> ) Mode  Coefficient (F <sub>p</sub> ) (F <sub>p</sub> ) Factor	Shut-In			psig (rm)	Inches H <sub>2</sub> U			psig	psia	psig	psia				
Plate Coefficient (F <sub>p</sub> ) (F <sub>p</sub> ) Meter or Prover Pressure pisa P Press Extension Pisa P Press Pisator Factor	Flow	.37	5					104	118.4						
Coefficient (F <sub>p</sub> )(F <sub>p</sub> ) Prover Pressure psia Prover Psia Psia Psia Psia Psia Psia Psia Psia					Т	<del>.,</del>	FLOW ST	REAM ATT	RIBUTES			<del> </del>		····	
Choose formula 1 or 2:  (P <sub>c</sub> ) <sup>2</sup> = (P <sub>w</sub> ) <sup>2</sup> = P <sub>d</sub> = %  (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup>	Coefficient (F <sub>b</sub> ) (F <sub>p</sub> )		Pro	Meter or Extensi		Factor		Temperature Factor	perature Factor		R	1	Cubic Fe	eet/ Fluid Gravity	
Choose formula 1 or 2:  (P <sub>c</sub> ) <sup>2</sup> = (P <sub>w</sub> ) <sup>2</sup> = P <sub>d</sub> = %  (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup> - (P <sub>c</sub> ) <sup>2</sup>   (P <sub>c</sub> ) <sup>2</sup>	<del></del>					(2224			, , , , , , , , , , , , , , , , , , ,						
Choose formula 1 or 2:  1. Pc - Ps 2  2. Pc 2 Pd divided by: Pc - Ps 2  divided by: Pc - Ps 2  The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of facts stated therein, and that said report is true and correct. Executed this the   Witness (if any)  Choose formula 1 or 2:  1. Pc - Ps 2  2. Pc 2 Ps 2  2. Pc 2 Ps 2  3. I. OG of formula 1. or 2.  1. Pc - Ps 2  2. Pc 2 Ps 2  3. I. OG of formula 1. or 2.  4. Assigned Standard Stope  N x LOG  Antilog  Antilog  Open Flow  Deliverability  Equals R x Antilog  (Mcfd)  Assigned Standard Stope  Nord @ 14.65 psia  Deliverability  Mcfd @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  N x LOG  Antilog  Antilog  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  N x LOG  Antilog  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  N x LOG  Antilog  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  N x LOG  Antilog  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  N x LOG  Antilog  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  N x LOG  Antilog  Antilog  Nord @ 14.65 psia  Choose formula 1. or 2.  Assigned Standard Stope  N x LOG  Antilog  Anti	P 12 _			(P )² -		-			•						
Den Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia  The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of facts stated therein, and that said report is true and correct. Executed this the			(1	Choose formula 1 or 2:  P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> 1. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup>		LOG of formula 1. or 2. and divide p 2_p 2		Backpro Sid	Backpressure Curve Slope = "n"or Assigned		n v l OG			Open Flow Deliverability Equals R x Antilog	
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of facts stated therein, and that said report is true and correct. Executed this the		1	,		arrand by. 1 c 1 w								·		
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of facts stated therein, and that said report is true and correct. Executed this the					1								11		
facts stated therein, and that said report is true and correct. Executed this the	Open Flo	w			Mcfd @ 14.	65 psia		Deliverability				Mcfd @ 14.65 psia			
Witness (if any)  Multi- A- Harry KCC WICH														-	
Witness (if any)	ne facts s	tated t	nere	in, and that s	ald report is true	and correc	t. Executed	this the		. 1	voven	Use		, 20 <u>/</u>	
Enc Commission Charled by DEA & P. 00	/		<u>~</u>	Witness (	Harden if any)				M	h	For C	Company	<del>-</del>	<del>cee wie</del>	
				For Comn	nission		······································		<del></del>		Cher	cked by		DEC 0.5 2	

· · · · · ·	
I declare under penalty of pe	i rjury under the laws of the state of Kansas that I am authorized to request
exempt status under Rule K.A.R. 8	2-3-304 on behalf of the operator Priority Oil & Gas LLC
	nformation and statements contained on this application form are true and
correct to the best of my knowledg	je and belief based upon available production summaries and lease records
of equipment installation and/or up	oon type of completion or upon use being made of the gas well herein named.
I hereby request a one-year e	xemption from open flow testing for the Harkins 3-29
gas well on the grounds that said	
	1
(Check one)	
·	ethane producer
	unger lift due to water
	natural gas for injection into an oil reservoir undergoing ER
<u> </u>	at the present time; KCC approval Docket No.
is not capable	of producing at a daily rate in excess of 250 mcf/D
Liturthor agree to supply to the	heat of my shility any and all supporting desuments deemed by Commission
, -	e best of my ability any and all supporting documents deemed by Commission this claim for exemption from testing.
Staff as necessary to corroborate	ans claim for exemption from testing.
Date: 11/6/13	
	Signature: Mulin 1- 12
	Title: Business Manager
•	

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.