

PRYOR & LOCKHART, INC. WELL RECORD AND LOG

WELL NO. 1 Atkins FARM
 LOCATION S.W. 1/4 SEC. 14 TWP. 30 RANGE 15 W.
 COUNTY Barber Pryor & Lockhart Inc.
OPERATOR
 RIG COMMENCED May 2nd 1942 }
 RIG COMPLETED May 4th 1942 } Alex Rader
CONTRACTOR
 DRILLING COMMENCED May 7th 1942 }
 DRILLING COMPLETED May 31st 1942 } Pryor & Lockhart Inc.
CONTRACTOR
 ELEVATION 1823

CASING AND TUBING

SIZE	WEIGHT PER FOOT	PUT IN WELL		PULLED		REMARKS
		FEET	INCHES	FEET	INCHES	
13" O.D.	50	229	1	None		Cemented w/ 230 Sax Cement

FORMATION

NAME	TOP	BOTTOM	THICKNESS	REMARKS
Top. Anhydrite	660			<div style="border: 1px solid black; padding: 5px; display: inline-block;"> PLUGGING FILE SEC 14 30 15W BOOK PAGE 37 LINE 15 </div>
" Ft. Riley	2240			
" Lansing	3934			
" Viola	4500			
" Simpson	4590			
" Arbuckle	4670			


TOTAL DEPTH 4707
 SHOT None 19 TREATED None 19 BY
 TREATMENT OR SHOT None FORMATION Run Schulmerger Test 5/31/42
 POTENTIAL None DATE 19 GRAVITY


STATE OF Kansas COUNTY OF Sedgwick, ss.

I, the undersigned, being duly sworn, on oath state that the above statement and log on reverse side is a true and correct record and log of the well drilled at the location above described.

Subscribed and sworn to before me this 5 day of June, 1942

My commission expires 7/20/1945





 NOTARY PUBLIC

FORMATION	FROM	TO	FORMATION	FROM	TO
Cellar	0	8	Lime	4183	4197
Shale & Shells	8	205	Lime Soft	4197	4204
Red Rock	205	220	Lime	4203	4229
Shells & Red Rock	220	290	Broken Lime	4229	4235
Shale	290	386	Lime	4235	4305
Shale & Red Rock	386	660	Lime & Shale	4305	4366
Lime	660	669	Lime (Cored)	4366	4384
Shale & Shells	669	1050	Lime	4384	4415
Salt	1050	1220	Shale & Lime	4415	4459
Shale & Shells	1220	1425	Shale & Lime	4459	4475
Lime	1425	1440	Chert	4475	4483
Shale	1440	1500	Lime	4483	4524
Shale & Shells	1500	1620	Chert	4524	4526
Lime	1620	1635	Lime & Chert	4526	4568
Shale & Lime	1635	1720	Lime	4568	4590
Lime	1720	1740	Shale	4590	4602
Shale	1740	1800	Shale & Dolomite	4602	4627
Lime & Shale	1800	1860	Shale	4627	4651
Lime	1860	1880	Sand & Shale	4651	4655
Broken Lime & Shale	1880	1895	Sand & Shale (Cored)	4655	4667
Lime	1895	1950	Sand & Shale	4667	4675
Broken Lime & Shale	1950	2018	Lime	4675	4707
Lime	2018	2055			
Shale Breaks & Lime	2055	2117	Total Depth 4707		
Lime	2117	2135	Rtn Schlumberger May 31st, 1942		
Broken Lime & Shale	2135	2160			
Lime	2160	2170			
Shale	2170	2205			
Lime	2205	2270			
Shale & Lime	2270	2305			
Lime	2305	2320			
Shale	2320	2340			
Cherty Lime	2340	2358			
Shale	2358	2390			
Lime & Shale	2390	2460			
Lime	2460	2500			
Shale	2500	2505			
Lime	2505	2515			
Shale	2515	2525			
Shale & Lime	2525	2550			
Lime	2550	2585			
Shale	2585	2635			
Lime	2635	2645			
Shale	2645	2668			
Lime & Shale	2668	2772			
Shale & Lime	2772	2840			
Shale	2840	2850			
Shale & Lime	2850	3055			
Shale	3055	3070			
Broken Lime	3070	3075			
Lime	3075	3183			
Broken Lime (Cored)	3183	3193			
Broken Lime & Shale	3193	3218			
Lime Soft	3218	3225			
Lime & Shale	3225	3240			
Broken Lime & Shale	3240	3330			
Lime & Shale Blk	3330	3400			
Broken Lime	3400	3455			
Lime	3455	3593			
Broken Lime	3593	3628			
Lime	3628	3711			
Lime & Shale	3711	3810			
Sand	3810	3845			
Broken Lime	3845	3855			
Lime	3855	3871			
Shale & Sand	3871	3895			
Shale	3895	3933			
Lime	3933	3984			
Lime Soft	3984	4008			
Lime Hard	4008	4020			
Lime Soft	4020	4031			
Lime	4031	4060			
Broken Lime Cherty	4060	4075			
Lime	4075	4103			
Lime Cherty	4103	4110			
Broken Lime	4110	4125			
Lime	4125	4173			
Lime Soft	4173	4183			