

STATE OF KANSAS  
STATE CORPORATION COMMISSION


WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Biting Building  
Wichita, Kansas

Barber County, Sec. 17 Twp. 32 Rge. 11 (E) (W)

Location as "NE/CNW/SW" or footage from lines SE SE NE  
Lease Owner Petroleum, Inc.  
Lease Name SWARTZ Well No. 1  
Office Address 311 East Third, Wichita, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed January 19, 19 55  
Application for plugging filed January 19, 19 55  
Application for plugging approved January 19, 19 55  
Plugging commenced January 19, 19 55  
Plugging completed January 19, 19 55  
Reason for abandonment of well or producing formation Dry Hole

NORTH



Locate well correctly on above  
Section Plat

If a producing well is abandoned, date of last production 19  
Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. M. A. Rives  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 4865 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8-5/8"	237'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Mudded up to 200' and set first wooden  
plug at 200'. Displaced 2 sacks cement  
on top of wooden plug. Mudded up to  
40' and placed second wooden plug.  
Filled hole to base of well cellar with  
15 sacks cement.

RECEIVED  
2-9-55

(If additional description is necessary, use BACK of this sheet)


Name of Plugging Contractor Dudley & Heath Drilling Company  
Address Box 588 - Cushing, Oklahoma

STATE OF KANSAS, COUNTY OF SEDGWICK, ss.  
Karl E. Becker (employee of owner) ~~operator~~ of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Karl E Becker  
311 East Third, Wichita, Kansas  
(Address)

SUBSCRIBED AND SWORN TO before me this 28th day of January, 19 55

My commission expires 8-11-58 Notary Public.



## DRILLERS' LOG

#1 Swartz

Name: Petroleum Inc., Dudley G. Heath, & R. W. Portis  
Swartz No. 1  
Location: SE SE NE Sec. 17, 32R, 11W, Barber Co., Kansas  
Well Commenced: Dec. 28, 1954  
Well Completed: Jan. 20, 1955  
Casing: Ran 12 jts. of 8 5/8" sfc. csg. (239.95') less thds. set  
2' below ground level & set at 248.95' cemented with 200 sks.  
bulk cement & 600' C.C.

<u>FORMATION</u>	<u>FEET</u>	<u>FEET</u>
Sand & Gravel	0	170
Red Bed	170	317
Red Bed to Shale	317	528
Sand & Shale	528	887
Sandy shale & sand	887	1322
Sand - shale & Lime & gyp shells	1322	1586
Shaly sand & lime	1586	1717
Lime & shale	1717	1856
Lime	1856	1997
Sdy Lime & shale	1997	2018
Shaley Sand & Sandy Lime	2018	2112
Lime & shale	2112	2236
Lime & Shale w/gyp st.	2236	2450
Shale & Lime	2450	2501
Shale & Lime	2501	2650
Sandy Lime & shale	2650	2838
Sand & Shaley Lime	2838	2922
Lime	2922	3075
Lime & cong.	3075	3250
Shale & Lime	3250	3347
Shale & Lime	3347	3446
Sand 7	3446	3500
Shale & Lime	3500	3607
Lime & Shale St.	3607	3695
Shaley sand & Lime	3695	3731
Lime	3731	3748
Lime	3748	3763
Lime	3763	3858
Lime	3858	3885
Lime	3885	3950
Lime	3950	4007
Lime & Shale	4007	4053
Shaley Lime	4053	4100
Shaley Lime	4100	4138
Sh - Lime	4138	4158
Shale & Lime	4158	4177
Limey Shale	4177	4245
Lime	4245	4316
Shale & Cherty Lm.	4316	4348
Lime	4348	4374
Lime	4374	4382

PLUGGING

SEC 17 32R 11W

PAGE 22 LINE 32

Page 2... Swartz No. 1 SE SE NE Sec. 17, 32S, 11W, Barber Co. Kansas

FORMATION	FEET	FEET
Lime Chert	4382	4393
Lime	4393	4430
Shale	4430	4437
Lime to chert	4437	4457
Lime & Limey Shale	4457	4480
Shale	4480	4499
Lime	4499	4515
60% cry. cl. and lm. 40% Shale	4515	4568
Shale & Lime	4568	4583
Shale & Lime	4583	4630
Shale chert Lime	4630	4665
Lmy Shale	4665	4680
Shale & Lime	4680	4700
Simpson Sand	4700	4706
Sdy. Lime	4706	4709
(HDO) Sand & Shale	4709	4712
Sand	4712	4724
Shale	4724	4726
Sand & sand shale	4726	4766
Sandy shale & lime	4766	4789
Lime & cht. strks.	4789	4820
Shly. Lime & Dolo	4820	4865
Total Depth	4865...	

STATE OF Oklahoma )  
 ) SS  
 COUNTY OF Payne )

I, the undersigned, E. Ellspermann of Dudley & Heath Drilling Co. do hereby certify that the foregoing is a true and correct copy of the Drillers' Log on the No. 1 Swartz located in Barber County, Kansas.

E. Ellspermann  
 V. Ellspermann

Subscribed to and sworn before me, a Notary Public, in and for said County and State this 28th day of January, 1955.

My Commission Expires: Jan. 18, 1958

J. Schumaker  
 Notary Public

2-9-55