KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

V.

Type Test	:	1805			(See Instru	ctions on Re	everse Side	e)					
Ор	en Flow	MSI			Toot Date				A D	I No. 15				
Deliverability						Test Date: API No. 15 6/28/2012 15-023-20590 4								
Company		ources					Lease Isernha	agen	<u>.</u>		2-:		Number	
					Section 22		TWP 3S		RNG (E/W) 41W			Acres 80	Attributed	
						Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.			RECEI	VED
					Plug Bac 1400'	Plug Back Total Depth 1400'				Packer Set at			JAN 03	3 2013
· ·								Set at Perforations 1411' 1261'			To 12	97' K	CC WIC	محالا ^د
			Internal (Internal Diameter Set at				Perforations				лпΑ		
	-	(Describe)			Type Flui Dry Ga	d Production	on			nit or Traveling	Plunger?	Yes / No)	
		Annulus / Tub	ing)			Carbon Dio	xide		% Nitro		Ga	s Gravity	- G	
Annulus											.6		<u>.</u>	
Vertical D	epth(H)					Pre Fla	ssure Taps 1ge				(M 2"	, ,	(Prover) Size	
Pressure	Buildup:	311ut 111	27			12 at 11:15 (AM)(PM) Taken 6					12 at 11:		(AM)YPM)	
Well on L	Well on Line: Started 6-28 20			0 <u>12</u> at <u>1</u>	1:25	_(AM)(PM)	Taken 6-	i-29 20 12 at 1			5	_ (AM) (PM)·		
[-			OBSERV	ED SURFAC	E DATA			Duration of S	Shut-in 2	4 Hours	
Static / Dynamic Property	mic Size Meter Differer Prover Pressure in		Pressure Differential in Inches H ₂ 0	Flowing Well Head Temperature t t		Wellhead Pressure $(P_w) \text{ or } (P_t) \text{ or } (P_c)$		Wellhe	Tubing Wellhead Pressure (P _w) or (P _t) or (P _c) psig psia		Liq	uid Produced (Barrels)		
Shut-In				2			psig 190	202.4	psig	psia				
Flow							70	84.4			24	0		
						FLOW ST	REAM ATT	RIBUTES					1	
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia Press Extension ✓ P _m x h		Gravity Factor F _g		Flowing Temperature Factor F ₁₁	Fa	viation actor = _{pv}	Metered Flow R (Mcfd)	(Cut	GOR nic Feet/ arrel)	Flowing Fluid Gravity G _m		
							<i></i>			2]	
(D.)2		(D.)2				OW) (DELI	VERABILITY	•				$(P_a)^2 = 0$.207	
$(P_c)^2 = _{}$;	(P _w) ²		se formula 1 or 2:	P _d =			P _c - 14.4) +		:	,	$(P_d)^2 = $		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P _c) ² - (P _w) ² 1. P _c ² - P _a ² 2. P _c ² - P _a ² divided by: P _c ² - P _w ²		LOG of formula 1. or 2. and divide by:		Backpressure Curve Slope = "n" or Assigned Standard Slope		n x	LOG	Antilog	D	Open Flow eliverability als R x Antilog (Mcfd)		
Open Flov				Mcfd @ 14.	65 nsia		Deliveral	hility			Mcfd @ 14.6	5 neia		
		ed authority				tates that					-			
		ein, and that								ne above repo December	ert and that h	e nas kno	, 20 <u>12</u>	
				Y					M		Cou	He)	
	-	Witness	if any	')				7	- ·	For C	Company			
		For Con	nmissio	n		******				Chec	cked by			

JAN 03 2013

KCC WICHITA

exempt s	lare under penalty of perjury under the laws of the state of Kansas that I am authorized to request tatus under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. the foregoing pressure information and statements contained on this application form are true and
correct to	the best of my knowledge and belief based upon available production summaries and lease records
	nent installation and/or upon type of completion or upon use being made of the gas well herein named.
	eby request a one-year exemption from open flow testing for the <u>Isernhagen 2-22</u> on the grounds that said well:
,	
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
	her agree to supply to the best of my ability any and all supporting documents deemed by Commission ecessary to corroborate this claim for exemption from testing.
Date: <u>12</u>	/19/12
	Signature: Qurall CUU Title: Production Assistant

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
JAN 0 3 2013

KCC WICHITA

W352 Isernhagen 02-22 St. Francis

St. Francis

None

June-12

DATE		Casing	OTT A TITLE	MOT	CD3.5	HRS	Water	REMARKS
DATE	PSI	PSI	STATIC			CYCLE DOWN	BBLS	(Maximum length 110 characters)
6/1/2012		51	65					
6/2/2012		51	65					
6/3/2012		54	68					
6/4/2012		58	71	2				
6/5/2012		54	67	2				
6/6/2012		54	67	2				
6/7/2012		54	67	2				
6/8/2012		55	68					
6/9/2012		57	70					
6/10/2012		56	69	2				
6/11/2012		56	69	2		·		
6/12/2012		56	69	2				
6/13/2012		56	69	2				
6/14/2012		56	69	2				
6/15/2012		59	72	2				
6/16/2012		54	69	2				
6/17/2012		57	70	2				
6/18/2012		61	74	2				
6/19/2012		61	74	2				
6/20/2012		65	78	2				
6/21/2012		68	81	2				
6/22/2012		73	86	2				
6/23/2012		71	84	2				
6/24/2012		65	78	2				
6/25/2012		71	84	2				
6/26/2012		70	83	2				
6/27/2012		68	81	2				cp 73 si for state test
6/28/2012		190	85	0		24		cp 190 opened
6/29/2012		70	83	4				- · · · · · · · · · · · · · · · · · · ·
6/30/2012		63	76	3				
7/1/2012								

RECEIVED

JAN 0 3 2013

KCC WICHITA

W352 Isernhagen 02-22 St. Francis St. Francis

None

July-12

		g Casing				HRS	Water	REMARKS
DATE	PSI	PSI	STATIC	MCF	SPM	CYCLE DOW	N BBLS	(Maximum length 110 characters
7/1/2012		62	76	2				
7/2/2012		56	70	2			3	·
7/3/2012		74	87	3				
7/4/2012		53	66	3				
7/5/2012		53	66	2				
7/6/2012		51	64	2			1	
7/7/2012		55	68	3				
7/8/2012		60	73	2				
7/9/2012		58	71	2				
7/10/2012		58	71	2				
7/11/2012		54	- 68	2				
7/12/2012		54	68	2				
7/13/2012		53	67	2				
7/14/2012		53	67	2				
7/15/2012		54	68	2				
7/16/2012		68	81	2		1.	5	
7/17/2012		54	67	3				
7/18/2012		51	64	2				
7/19/2012		59	72	2		0.	5	
7/20/2012		60	73	2				
7/21/2012		62	75	2				
7/22/2012		56	69	2				
7/23/2012		54	67	2		0.	5	
7/24/2012		60	73	2				
7/25/2012		68	81	2				
7/26/2012		54	67	2				
7/27/2012		82	95	2			5	
7/28/2012		66	80	2				
7/29/2012		54	67	2				
7/30/2012		52	65	2				
7/31/2012		52	65	2				

W352

Isernhagen 02-22

St. Francis

St. Francis

None

August-12

RECEIVED

JAN 0 3 2013

KCC WICHITA

		Casing			HRS	Water	REMARKS
DATE	PSI	PSI	STATIC	MCF SPM	CYCLE DOWN	BBLS	(Maximum length 110 characters
8/1/2012		53	66	2			
8/2/2012		56	69	2			
8/3/2012		55	68	2			
8/4/2012		55	68	2			
8/5/2012		56	69	2			
8/6/2012		54	67	2			
8/7/2012		59	72	2			
8/8/2012		59	72	2			
8/9/2012	,	56	69	2			
8/10/2012		66	79	2			
8/11/2012		55	68	2	1.5		
8/12/2012		42	66	2			
8/13/2012		53	66	2			
8/14/2012		52	69	2			
8/15/2012		66	79	2			
8/16/2012		53	66	2			
8/17/2012		50	63	2			•
8/18/2012		51	64	2			
8/19/2012		52	65	2			
8/20/2012		52	65	2			
8/21/2012		52	65	2			
8/22/2012		51	64	2			
8/23/2012		53	66	2			
8/24/2012		57	70	2			
8/25/2012		57	70	2			
8/26/2012		56	69	2	•		
8/27/2012		53	66	2			
8/28/2012		53	66	2			
8/29/2012		56	69	2			
8/30/2012		55	68	2			
8/31/2012		55	68	2			